INDEX OF AUTHORS AND SUBJECTS . VOLUME 54

Index of Issues: January, pp. 1-96; February, pp. 97-176; March, pp. 177-262; April, pp. 263-358; May, pp. 359-444; June, pp. 445-548.

Author entries for original articles include the titles of the articles and co-authors under the first author; reference is made from the joint authors.

Subject entries for all material in the JOURNAL appear in this index. The name of the author of an original article, in brackets, follows the subject entry. Entries from the JOURNAL departments are identified by the departments in which the subject matter appears, e.g., Clinical Reports.

Acromegaly, use of fiberoptic laryngoscopy to avoid tracheostomy in (clinical report) [Ovassapian & others], 429

ADAMS, R. W., 97

AHMAD, S., 515

Airway, obstruction, and achalasia of esophagus (clinical report) [Travis & others], 87

in critically ill patients, use of flexible fiberoptic bronchoscope to change endotracheal tubes in (clinical report) [Rosenbaum & others], 169

following surgical manipulation of posterior cranial fossa (clinical report) [Gorski & others], 80

supraglottic obstruction, following anesthesia with head positioned in forced flexion (clinical report) [Bennett & others], 78

ALBRIGHT, G. A., 131

Alcohol, abuse, naloxone as antagonist in (correspondence) [Barros & Rodriguez], 174

Au, H. H., 294

ALPERT, M., 193

4-Aminopyridine, see under Antagonists, neuromuscular relaxants Amory, D. W., 403

Analgesia, and anesthesia, need for clearer distinction between, in relation to opiate system (correspondence) [Gillman & Footerman], 524

measurement, of segmental effect of morphine injected into epidural space in man (clinical report) [Asari & others], 75

postoperative, following general anesthesia for morbidly obese patients [Cork & others], 310

in relief of postsurgical pain, serum levels following epidural administration of morphine and correlation with [Weddell & Ritter], 210

time course of mental and psychomotor effects of 30 per cent nitrous oxide in, during inhalation and recovery [Korttila & others], 220

Analgesics, narcotic, as mechanism of pain inhibition intrinsic to central nervous system (editorial views) [Liebeskind], 445

meperidine, intrathecal actions of, studies in primate on analgetic effects associated with [Yaksh & Reddy], 457

morphine, and bupivacaine, for continuous epidural analgesia in labor, double-blind comparison of [Writer & others], 215 morphine, intrathecal, actions of, studies in primate on

analgetic effects associated with [Yaksh & Reddy], 457 morphine, intrathecal, neurologic depression after (clinical report) [Paulus & others], 517

morphine, intrathecal, for obstetric analgesia [Baraka & others], 136

morphine, intrathecal, in parturient with single ventricle (clinical report) [Ahmad & others], 515

morphine, intravenous, pharmacokinetics of, in patients anesthetized with enflurane-nitrous oxide [Murphy & Hug], 187

morphine, pharmacokinetics of, injected intravenously into anesthetized dog [Hug & others], 38

morphine, segmental effect of, injected into epidural space in man (clinical report) [Asari & others], 75

morphine, serum levels following epidural administration of, and correlation with relief of postsurgical pain [Weddel & Ritter], 210

spinal action of (review) [Kitahata & Collins], 153

Anesthesia, and analgesia, need for clearer distinction between, in relation to opiate system (correspondence) [Gillman & Footerman], 524

cardiovascular, sodium nitroprusside in, postoperative renal effects of [Maseda & others], 284

circuits, closed, economy is not major benefit of (correspondence)
[Edsall], 258

depth, and intraoperative awareness during high-dose fentanyloxygen anesthesia (clinical report) [Hilgenberg], 341

and neurologic changes during awakening from anesthesia [Rosenberg & others], 125

diagnostic, in ulnar artery occlusion simulating reflex sympathetic dystrophy (clinical report) [Spielman & others], 343

duration, and neurologic changes during awakening from anesthesia [Rosenberg & others], 125

neurosurgical, bupivacaine injection into scalp in, bloods levels in, with and without epinephrine (clinical report) [Colley & Heavner], 81

high-frequency positive-pressure ventilation during, effects of, on intracranial pressure and brain surface movement in cats [Todd & others], 496

isoflurane in, cerebrospinal fluid pressure during [Adams & others], 97

naloxone, hypertension, and ruptured cerebral aneurysm during (correspondence) [Estilo & Cottrell], 352

obstetric(s), cesarean section, studies of pharmacokinetics and plasma binding of thiopental at [Morgan & others], 474

epidural, epinephrine does not alter human intervillous blood flow during [Albright & others], 131

errant epidural catheter in (clinical report) [Blass & others], 419

intrathecal morphine [Baraka & others], 136

intrathecal morphine, in parturient with single ventricle (clinical report) [Ahmad & others], 515

morphine and bupivacaine for continuous epidural analgesia in labor, double-blind comparison of [Writer & others], 215 plasma levels of 2-chloroprocaine in, and lack of sequelae

plasma levels of 2-chloroprocaine in, and lack of sequelae following inadvertent intravenous injection (correspondence) [Gross & others], 173

regional anesthesia is preferable for premature fetus (correspondence) [Finucane & Bramwell], 435

and toxicity and distribution of lidocaine in nonasphyxiated and asphyxiated baboon fetuses [Morishima & Covino], 182

orthopedics, new device in, increases hazards of methylmethacrylate bone cement (correspondence) [Westerlund],

pediatric, assessment of neuromuscular function in infants following [Crumrine & Yodlowski], 29

critically ill newborns, automated oscillometric technique for estimating mean arterial pressure in (clinical reports) [Kimble & others], 423

repeated, infant undergoing, development of tolerance to ketamine in (clinical report) [Byer & Gould], 255

volume ventilation systems for infants during (clinical report) [Bazaral], 240

therapeutic, stellate ganglion block, for sudden profound hearing loss (clinical report) [Cook & others], 421

INDEX OF AUTHORS AND SUBJECTS . VOLUME 54

Index of Issues: January, pp. 1-96; February, pp. 97-176; March, pp. 177-262; April, pp. 263-358; May, pp. 359-444; June, pp. 445-548.

Author entries for original articles include the titles of the articles and co-authors under the first author; reference is made from the joint authors.

Subject entries for all material in the JOURNAL appear in this index. The name of the author of an original article, in brackets, follows the subject entry. Entries from the JOURNAL departments are identified by the departments in which the subject matter appears, e.g., Clinical Reports.

Acromegaly, use of fiberoptic laryngoscopy to avoid tracheostomy in (clinical report) [Ovassapian & others], 429

ADAMS, R. W., 97

AHMAD, S., 515

Airway, obstruction, and achalasia of esophagus (clinical report) [Travis & others], 87

in critically ill patients, use of flexible fiberoptic bronchoscope to change endotracheal tubes in (clinical report) [Rosenbaum & others], 169

following surgical manipulation of posterior cranial fossa (clinical report) [Gorski & others], 80

supraglottic obstruction, following anesthesia with head positioned in forced flexion (clinical report) [Bennett & others], 78

ALBRIGHT, G. A., 131

Alcohol, abuse, naloxone as antagonist in (correspondence) [Barros & Rodriguez], 174

Au, H. H., 294

ALPERT, M., 193

4-Aminopyridine, see under Antagonists, neuromuscular relaxants Amory, D. W., 403

Analgesia, and anesthesia, need for clearer distinction between, in relation to opiate system (correspondence) [Gillman & Footerman], 524

measurement, of segmental effect of morphine injected into epidural space in man (clinical report) [Asari & others], 75

postoperative, following general anesthesia for morbidly obese patients [Cork & others], 310

in relief of postsurgical pain, serum levels following epidural administration of morphine and correlation with [Weddell & Ritter], 210

time course of mental and psychomotor effects of 30 per cent nitrous oxide in, during inhalation and recovery [Korttila & others], 220

Analgesics, narcotic, as mechanism of pain inhibition intrinsic to central nervous system (editorial views) [Liebeskind], 445

meperidine, intrathecal actions of, studies in primate on analgetic effects associated with [Yaksh & Reddy], 457

morphine, and bupivacaine, for continuous epidural analgesia in labor, double-blind comparison of [Writer & others], 215 morphine, intrathecal, actions of, studies in primate on

analgetic effects associated with [Yaksh & Reddy], 457 morphine, intrathecal, neurologic depression after (clinical report) [Paulus & others], 517

morphine, intrathecal, for obstetric analgesia [Baraka & others], 136

morphine, intrathecal, in parturient with single ventricle (clinical report) [Ahmad & others], 515

morphine, intravenous, pharmacokinetics of, in patients anesthetized with enflurane-nitrous oxide [Murphy & Hug], 187

morphine, pharmacokinetics of, injected intravenously into anesthetized dog [Hug & others], 38

morphine, segmental effect of, injected into epidural space in man (clinical report) [Asari & others], 75

morphine, serum levels following epidural administration of, and correlation with relief of postsurgical pain [Weddel & Ritter], 210

spinal action of (review) [Kitahata & Collins], 153

Anesthesia, and analgesia, need for clearer distinction between, in relation to opiate system (correspondence) [Gillman & Footerman], 524

cardiovascular, sodium nitroprusside in, postoperative renal effects of [Maseda & others], 284

circuits, closed, economy is not major benefit of (correspondence)
[Edsall], 258

depth, and intraoperative awareness during high-dose fentanyloxygen anesthesia (clinical report) [Hilgenberg], 341

and neurologic changes during awakening from anesthesia [Rosenberg & others], 125

diagnostic, in ulnar artery occlusion simulating reflex sympathetic dystrophy (clinical report) [Spielman & others], 343

duration, and neurologic changes during awakening from anesthesia [Rosenberg & others], 125

neurosurgical, bupivacaine injection into scalp in, bloods levels in, with and without epinephrine (clinical report) [Colley & Heavner], 81

high-frequency positive-pressure ventilation during, effects of, on intracranial pressure and brain surface movement in cats [Todd & others], 496

isoflurane in, cerebrospinal fluid pressure during [Adams & others], 97

naloxone, hypertension, and ruptured cerebral aneurysm during (correspondence) [Estilo & Cottrell], 352

obstetric(s), cesarean section, studies of pharmacokinetics and plasma binding of thiopental at [Morgan & others], 474

epidural, epinephrine does not alter human intervillous blood flow during [Albright & others], 131

errant epidural catheter in (clinical report) [Blass & others], 419

intrathecal morphine [Baraka & others], 136

intrathecal morphine, in parturient with single ventricle (clinical report) [Ahmad & others], 515

morphine and bupivacaine for continuous epidural analgesia in labor, double-blind comparison of [Writer & others], 215 plasma levels of 2-chloroprocaine in, and lack of sequelae

plasma levels of 2-chloroprocaine in, and lack of sequelae following inadvertent intravenous injection (correspondence) [Gross & others], 173

regional anesthesia is preferable for premature fetus (correspondence) [Finucane & Bramwell], 435

and toxicity and distribution of lidocaine in nonasphyxiated and asphyxiated baboon fetuses [Morishima & Covino], 182

orthopedics, new device in, increases hazards of methylmethacrylate bone cement (correspondence) [Westerlund],

pediatric, assessment of neuromuscular function in infants following [Crumrine & Yodlowski], 29

critically ill newborns, automated oscillometric technique for estimating mean arterial pressure in (clinical reports) [Kimble & others], 423

repeated, infant undergoing, development of tolerance to ketamine in (clinical report) [Byer & Gould], 255

volume ventilation systems for infants during (clinical report) [Bazaral], 240

therapeutic, stellate ganglion block, for sudden profound hearing loss (clinical report) [Cook & others], 421

- Anesthesiologists, and quality of care review in anesthesia (report of scientific meeting) [Orkin & Hirsh], 93
- Anesthesiology, and quality of care review in anesthesia (report of scientific meeting) [Orkin & Hirsh], 93
- Anesthetic techniques, hypotension, induced, in arterial pressure manipulation of spinal cord function during correction of scoliosis (clinical report) [Grundy & others], 249
 - induced, nitroglycerin, cerebrospinal fluid pressure effects of, in awake and anesthetized humans [Dohi & others], 511 induced, nitrographic administration, consumption of
 - induced, nitroprusside, administration, consumption of vitamin B₁₂ during, in humans [Fahmy], 305 induced, nitroprusside, hypertension following, and hepatic
 - induced, nitroprusside, hypertension following, and hepatic blood flow (correspondence) [Gelman & Patel], 90 induced, nitroprusside, renal effects of, in postoperative
 - cardiac surgical patients [Maseda & others], 284
 - induced, nitroprusside, sodium, blood flow alteration induced by saralasin or, in rats [Miller & Delaney], 199
 - induced, saralasin, or sodium nitroprusside, blood flow alteration induced by, in rats [Miller & Delaney], 199
 - induced, trimethaphan, administration, consumption of vitamin B₁₂ during, in humans [Fahmy], 305
 - peridural, caudal, in patient with ankylosing spondylitis for hip surgery (clinical report) [DeBoard & others], 164
 - epidural in attempted extradural block, cutaneous cerebrospinal fluid leakage following (clinical report) [Jawalekar & Marx], 348
 - epidural, continuous, in labor, double-blind comparison of morphine and bupivacaine for [Writer, & others], 215
 - epidural, dorsal root ganglion as site of blockade during (correspondence) [Frumin], 524
 - epidural, epinephrine does not alter human intervillous blood flow during [Albright & others], 131
 - epidural, inadvertent intravenous injection of 2-chloroprocaine in, plasma levels of, and lack of sequelae following (correspondence) [Gross & others], 173
 - epidural, lumbar, errant epidural catheter in (clinical report) [Blass & others], 419
 - epidural, lumbar, inadvertent intravascular injections during (correspondence) [Kenepp & Gutsche], 172
 - epidural, in patient with ankylosing spondylitis for hip surgery (clinical report) [DeBoard & others], 164
 - epidural, with morphine, serum levels following, and correlation with relief of postsurgical pain [Weddel & Ritter], 210
 - epidural, with opiates, α-adrenergic agonists and baclofen, studies in primate on analgetic effects associated with [Yaksh & Reddy], 457
 - lumbar, in attempted extradural block, cutaneous cerebrospinal fluid leakage following (clinical report) [Jawalekar & Marx], 348
 - lumbar, segmental effect of morphine in, in man (clinical report) [Asari & others], 75
 - thoracic, segmental effect of morphine in, in man (clinical report) [Asari & others], 75
 - regional, are preferable for premature fetus (correspondence) [Finucane & Bramwell], 435
 - intercostal, postoperative respiratory failure following (clinical report) [Cory & Mulroy], 418
 - scalp, bupivacaine in, blood levels of, with and without epinephrine (clinical report) [Colley & Heavner], 81
 - stellate, in diagnosis of ulnar artery occlusion simulating reflex sympathetic dystrophy (clinical report) [Spielman & others], 343
 - sympathetic block, in diagnosis of ulnar artery occlusion simulating reflex sympathetic dystrophy (clinical report)
 - [Spielman & others], 343 spinal, anesthetic doses in, blocking adrenergic (stress) and cardiovascular responses to incision—MAC BAR [Roizen &
 - others], 390 experimental, in dog, chronic model for investigation of [Feldman & Covino], 148
 - intrathecal morphine in, neurologic depression after (clinical report) [Paulus & others], 517

- intrathecal morphine in, in parturient with single ventricle (clinical report) [Ahmad & others], 515
- morphine in, for obstetric analgesia [Baraka & others], 136 spinal action of narcotic analgesics during (review) [Kitahata & Collins], 153
- with opiates, α-adrenergic agonists and baclofen, studies in primate on analgetic effects associated with [Yaksh & Reddy], 457
- Anesthetics, gases, cyclopropane, anesthetic requirements for, in quaking anouse [Koblin], 17
 - nitrous oxide, anesthetic requirements for, in quaking mouse [Koblin], 17
 - nitrous oxide, evidence for in vivo biotransformation of (correspondence) [Nunn], 527
 - nitrous oxide, and halothane and enflurane, relationship of concentrations of, to their metabolism and elimination in man [Cahalan & others], 3
 - nitrous oxide, inactivation of methionine synthetase by, in mice [Koblin & others], 318
 - nitrous oxide, interaction of diazepam with, and effect of diazepam on cerebral metabolic state in rats [Carlsson & Chapman], 488
 - nitrous oxide, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others], 53
 - nitrous oxide, neurologic changes during awakening from [Rosenberg & others], 125
 - nitrous oxide, in pediatric patients, effect of, on neuromuscular function [Crumrine & Yodlowski], 29
 - nitrous oxide, 30 per cent, during inhalation and recovery, time course of mental and psychomotor effects of [Korttila & others], 220
 - xenon, and nitrous oxide, influence of, on methionine synthetase, in mice, compared [Koblin & others], 318
 - intravenous, benzodiazepines, and neuroleptic drugs, current theories about mechanisms of (medical intelligence) [Richter], 66
 - fentanyl, in general anesthesia for morbidly obese patients an examination of postoperative outcomes [Cork & others], 310
 - fentanyl, neurologic changes during awakening from [Rosenberg & others], 125
 - fentanyl, -oxygen anesthesia, high-dose, intraoperative awareness during (clinical report) [Hilgenberg], 341
 - ketamine, development of tolerance to, in infant undergoing repeated anesthesia (clinical report) [Byer & Gould], 255 methohexital, seizures induced by (clinical report) [Rockoff
 - & Goudsouzian], 333 morphine, doses of, blocking adrenergic (stress) and cardio-
 - vascular responses to incision—MAC BAR [Roizen & others], 390
 - morphine, neurologic changes during awakening from [Rosenberg & others], 125 morphine, pharmacokinetics of, injected intravenously into
 - anesthetized dog [Hug & others], 38 morphine, pharmacokinetics of, in patients anesthetized with
 - enflurane-nitrous oxide [Murphy & Hug], 187 neuroleptics, and benzodiazepines, current theories about
 - mechanisms of (medical intelligence) [Richter], 66 thiopental, dilation of pupil in human subjects after (clinical report) [Larson], 246
 - thiopental, pharmacokinetic modelling of (editorial views) [Stanski], 446
 - thiopental, pharmacokinetics and plasma binding of, studies at cesarian section [Morgan & others], 474
 - thiopental, pharmacokinetics and plasma binding of, studies in surgical patients [Morgan & others], 468
 - local, bupivacaine, blood levels of, after injection into scalp with and without epinephrine (clinical report) [Colley & Heavner], 81
 - bupivacaine, in experimental spinal anesthesia in dog, chronic model for investigation of [Feldman & Covino], 148

bupivacaine, in mixtures of local anesthetics, is no more toxic than parent drug [deJong & Bonin], 177

bupivacaine, and morphine, for continuous epidural analgesia in labor, double-blind comparison of [Writer & others], 215 chloroprocaine, in experimental spinal anesthesia in dog, chronic model for investigation of [Feldman & Covino], 148

chloroprocaine, in mixtures of local anesthetics, is no more toxic than parent drug [de]ong & Bonin], 177

2-chloroprocaine, plasma levels of, and lack of sequelae following inadvertent intravenous injection (correspondence) [Gross & others], 173

dibucaine, in experimental spinal anesthesia in dog, chronic model for investigation of [Feldman & Covino], 148

inadvertent intravascular injections of, during lumbar epidural anesthesia (correspondence) [Kenepp & Gutsche], 172

lidocaine, cerebral energy state and glycolytic metabolism during infusion of, in rat [Maekawa & others], 278

lidocaine, in experimental spinal anesthesia in dog, chronic model for investigation of [Feldman & Covino], 148 lidocaine, in mixtures of local anesthetics, is no more toxic

than parent drug [deJong & Bonin], 177

lidocaine, and pentylenetetrazol seizure thresholds in cats are not reduced after enflurane anesthesia [Heavner & Amory], 403

lidocaine, pre-seizure activity induced by, selective metabolic activation of hippocampus during [Ingvar & Shapiro], 33

lidocaine, toxicity and distribution of, in nonasphyxiated and asphyxiated baboon fetuses [Morishima & Covino], 182

mepivacaine, in experimental spinal anesthesia in dog, chronic model for investigation of [Feldman & Covino], 148

mixtures of, are no more toxic than parent drugs [de]ong & Bonin], 177

and saline for differential diagnosis of pain mechanisms (correspondence) [Winnie], 432

tetracaine, in experimental spinal anesthesia in dog, chronic model for investigation of [Feldman & Covino], 148

tetraethylammonium derivatives, mechanism of action of local anesthesia by [Curtis & Scurlock], 270

tetraethylammonium derivatives, ultralong-acting (editorial views) [Covino], 263

tetraethylammonium derivatives, ultralong-acting local anesthetics? [Scurlock & Curtis], 265

volatile, chloroform, minimum anesthetic concentrations of, in Drosophila melanogaster, strain differences in [Gamo & others], 289

chloroform, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others].

diethyl ether, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & enflurane, anesthesia with, questions regarding time-dependent

increase in sensitivity to d-tubocurarine during (correspondence) [Feingold], 260 enflurane, anesthesia with, questions regarding time-depend-

ent increase in sensitivity to d-tubocurarine during (correspondence) [Stanski], 261

enflurane, anesthesia with, renal fluoride excretion and plasma fluoride levels during and after, are dependent on urinary pH [Järnberg & others], 48

enflurane, anesthetic doses of, blocking adrenergic (stress) and cardiovascular responses to incision-MAC BAR [Roizen & others], 390

enflurane, anesthetic requirements for, in quaking mouse [Koblin], 17

enflurane, in general anesthesia for morbidly obese patientsan examination of postoperative outcomes [Cork & others], 310

enflurane, and halothane, relationship of concentrations of, to their metabolism and elimination in man [Cahalan & others], 3

enflurane, lidocaine and pentylenetetrazol seizure thresholds in cats are not reduced after anesthesia with [Heavner & Amory], 403

enflurane, minimum alveolar concentrations and oil/gas partition coefficients for [Koblin & others], 314

enflurane, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others],

enflurane, neurologic changes during awakening from [Rosenberg & others], 125

enflurane, and nitrous oxide, influence of, on methionine synthetase, in mice, compared [Koblin & others], 318

enflurane, reproduction and fetal development in mice chronically exposed to [Wharton & others], 505

halothane, anesthesia of rats with, saralasin or sodium nitroprusside following, blood flow alteration induced by Miller & Delaney], 199

halothane, anesthetic doses of, blocking adrenergic (stress) and cardiovascular responses to incision-MAC BAR [Roizen & others], 390

halothane, in coronary artery occlusion (editorial views) [Tinker], 449

halothane, effect of, on reflexes elicited by acute coronary

artery occlusion in dog [Bachhuber & others], 481 halothane, effect on cGMP and control of motor activity in mouse cerebellum [Triner & others], 193

halothane, and enflurane, relationship of concentrations of, to their metabolism and elimination in man [Cahalan & othersl, 3

halothane, factors affecting formation of chlorotrifluoroethane and chlorodifluoroethylene from [Maiorino & others], 383

halothane, in general anesthesia for morbidly obese patientsan examination of postoperative outcomes [Cork & others],

halothane, interactions among ventilation, circulation, and uptake and distribution of-use of hybrid computer multiple model [Fukui & Smith], 107, 119

halothane, metabolites, low-level binding of, to rat liver histones in vivo [Edmunds & others], 298

halothane, minimum anesthetic concentrations of, in Drosophila melanogaster, strain differences in [Gamo & others], 289

halothane, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others], 53

halothane, neurologic changes during awakening from [Rosenberg & othersl, 125

halothane, and nitrous oxide, influence of, on methionine synthetase, in mice, compared [Koblin & others], 318

halothane, occupational exposure to, results in enzyme induction in anesthetists [Duvaldestin & others], 57

isoflurane, anesthetic requirements for, in quaking mouse [Koblin], 17 isoflurane, and cerebrospinal fluid pressure in neurosurgical

patients [Adams & others], 97

isoflurane, minimum alveolar concentrations and oil/gas partition coefficients for [Koblin & others], 314

isoflurane, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others],

isoflurane, and nitrous oxide, influence of, on methionine synthetase, in mice, compared [Koblin & others], 318

methoxyflurane, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others], 53

sevoflurane, clinical characteristics and biotransformation of, in healthy human volunteers [Holaday & Smith], 100

sevoflurane, triggers malignant hyperthermia in swine (correspondence) [Shulman & others], 259

trace concentrations, occupational exposure to, results in enzyme induction in anesthetists [Duvaldestin & others], 57

trace concentrations, reproduction and fetal development in mice chronically exposed to [Wharton & others], 505

trichloroethylene, morphologic changes in mouse spermatozoa after exposure to, during early spermatogenesis [Land & others], 53

Anesthetists, see under Anesthesiologists; Manpower Angiotensin, see under Polypeptides

Antagonists, narcotic, naloxone, as antagonist in alcohol intoxication (correspondence) [Barros & Rodriguez], 174

naloxone, as antianesthetic agent, opiate system and (correspondence) [Gillman & Footerman], 524

naloxone, hypertension, and ruptured cerebral aneurysm (correspondence) [Estilo & Cottrell], 352

naloxone, in reversal of respiratory depression after intrathecal morphine (clinical report) [Paulus & others], 517

naloxone, in studies in primate on analgetic effects associated with intrathecal actions of opiates, a-adrenergic agonists and baclofen [Yaksh & Reddy], 457

and spinal action of narcotic analgesics (review) [Kitahata & Collins], 153

neuromuscular relaxants, 4-aminopyridine, in reversal of dantrolene sodium-induced depression of skeletal muscle in cat [Lee & others], 61

calcium, in reversal of dantrolene sodium-induced depression of skeletal muscle in cat [Lee & others], 61

edrophonium, and neostigmine, pharmacokinetics of, when antagonizing d-tubocurarine neuromuscular blockade in man [Morris & others], 399

germine monoacetate, in reversal of dantrolene sodium-induced depression of skeletal muscle in cat [Lee & others), 61

neostigmine, and edrophonium, pharmacokinetics of, when antagonizing d-tubocurarine neuromuscular blockade in man [Morris & others], 399

neostigmine, in nondepolarizing neuromuscular blockade, recovery from, twitch, tetanus and train-of-four as indices of [Ali & others], 294

neostigmine, in reversal of dantrolene sodium-induced depression of skeletal muscle in cat [Lee & others], 61

Aorta, see under Arteries

ARANDIA, H., 89

ARIAGNO, R. L., 423
ARMSTRONG, P. W., and BAIGRIE, R. S. (eds.), Hemodynamic Monitoring in the Critically Ill (book review), 442

Arteries, Allen's test, neither positive or negative (correspondence) [Messickl, 523

aorta, for arterial cannulation, in cardiopulmonary bypass, inadvertent carotid cannulation in (clinical report) [Ross &

carotid, inadvertent cannulation of, in cardiopulmonary bypass (clinical report) [Ross & others], 85

radial, Allen's test of, neither positive nor negative (correspondence) [Messick], 523

ulnar, Allen's test of, neither positive nor negative (correspondence) [Messick], 523

occlusion of, simulating reflex sympathetic dystrophy (clinical report) [Spielman & others], 343

Artificial ventilation, see under Ventilation

ASARI, H., 75

Askanazi, J., 169, 373

Aspiration, see under Complications; Lung(s)

Atria, see under Heart Au, E., 61

AZAR, I., 519

BACHHUBER, S. R., 481 Bacteria, filters, air (editorial views) [Mazze], 359 BAGEANT, R. A., 166 BARAKA, A., 136 BARASH, P. G., 440 BARDEEN-HENSCHEL, A., 92 BARROS, S. R., 174

BAZARAL, M. G., 240, 409

BECKMAN, J. J., 199 BELDA, F. J., 528

BENNETT, R. L., 78

BENTLEY, J. B., 310

Benzodiazepines, see under Anesthetics, intravenous; Hypnotics BETCHER, A. M., 519

537

BIALIK, O., 125

Вієвичск, Ј. Г., 360

Biotransformation (drug), enzyme induction, in anesthetists, occupational exposure to halothane results in [Duvaldestin

in formation of chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383

fluorometabolites, chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383

during and after enflurane anesthesia are dependent on urinary pH [Järnberg & others], 48

in low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

of sevoflurane, in healthy human volunteers [Holaday & Smith], 100

halothane and enflurane, relationship of concentrations of, in man [Cahalan & others], 3

microsomes, hepatic, and factors affecting formation of chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383

in low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

nitrous oxide, in vivo, evidence for (correspondence) [Nunn], 527

pseudocholinesterase, atypical, response of patient with, to small intermittent succinyldicholine doses (clinical report) [Azar & Betcher], 519

BLACKMAN, G. L., 468, 474

BLASS, N. H., 419

Blisters, see under Complications

Blood, microfilters, evaluation of (correspondence) [Cullen], 432 evaluation of (correspondence) [Linko], 431

stored, simple method for sealing used blood bags for (correspondence) [Dhamee & Bardeen-Henschel], 92

transfusion, used blood bags in, simple method for sealing (correspondence) [Dhamee & Bardeen-Henschel], 92

Blood flow, see under Measurement techniques; individual organs Blood pressure, hypertension, following nitroprusside and hepatic blood flow (correspondence) [Gelman & Patel], 90

naloxone, and ruptured cerebral aneurysm (correspondence) [Estilo & Cottrell], 352

hypotension, following nitroprusside and hepatic blood flow (correspondence) [Gelman & Patel], 90

and increased cerebrospinal fluid pressure, in awake and anesthetized humans, following nitroglycerin administration [Dohi & others], 511

measurement, in critically ill newborns, automated oscillometric technique for estimating (clinical report) [Kimble & others],

direct-dynamic response requirements (medical intelligence) [Gardner], 227

peripheral vascular resistance, measurements, during acute coronary artery occlusion and halothane anesthesia in dog [Bachhuber & others], 481

BONIN, J. D., 177

Book reviews, Armstrong, P. W., and Baigrie, R. S. (eds.), Hemodynamic Monitoring in the Critically Ill, 442

Britt, B. A. (ed.), Malignant Hyperthermia, 357 Bruce, D. L., Functional Toxicity of Anesthesia, 442

Erikkson, E. (ed.), Illustrated Handbook in Local Anesthesia, 176

Gravenstein, J. S., Newbower, R. S., Ream, A. K., and Smith, N. T. (eds.), Essential Noninvasive Monitoring in Anesthesia, 357

Greene, N. M., Key Words in Anesthesiology, 176

Marx, G. F., and Bassell, G. M., Obstetric Analgesia and Anesthesia, 532

Mushin, W. W., Rendell-Baker, L., Thompson, P. W., and Mapelson, W. W., Automatic Ventilation of the Lungs, 3rd edition, 175

Radnay, P. A., and Nagashima, H. (eds.), Anesthetic Considerations for Pediatric Cardiac Surgery (International Anesthesiology Clinics), 175

Shires, G. T., Care of the Trauma Patient, 532

Trickey, D. L., and Sheikh, F. (associate contributor), Self-Assessment of Current Knowledge in Anesthesiology, 2nd edition,

Vandam, L. D. (ed.), To Make the Patient Ready for Anesthesia: Medical Care of the Surgical Patient, 358

Zauder, H. L., Anesthesia for Orthopaedic Surgery, 442

Bosnjak, Z. J., 481 Bowley, C. J., 346

Bradycardia, see under Complications; Heart, arrhythmia

Brain, blood flow, and cerebrospinal fluid pressure during isoflurane administration in neurosurgical patients [Adams & others], 97

carbon dioxide tension, and glycolytic metabolism during lidocaine infusion in rat [Maekawa & others], 278

cerebellum, mouse, halothane effect on cGMP and control of motor activity in [Triner & others], 193

convulsions, are not found with lidocaine or pentylenetetrazol administration after enflurane anesthesia in cats [Heavner & Amory], 403

during lidocaine infusion in rat [Maekawa & others], 278 induced by methohexital (clinical report) [Rockoff & Goudsouzian], 333

lidocaine-induced, selective metabolic activation of hippocampus during [Ingvar & Shapiro], 33

cyclic nucleotide, cGMP, halothane effect on, and control of motor activity in mouse cerebellum [Triner & others], 193

electroencephalography, patterns, in studies of cerebral energy state and glycolytic metabolism during lidocaine infusion in rat [Maekawa & others], 278

processing, automated, for intraoperative monitoring (correspondence) [Klein & Davis], 433

in studies of lidocaine and pentylenetetrazol seizure thresholds in cats, after enflurane anesthesia [Heavner & Amory],

endorphins, and mechanisms of pain inhibition intrinsic to central nervous system (editorial views) [Liebeskind], 445

gamma-aminobutyric acid, and current theories about mechanisms of benzodiazepines and neuroleptic drugs (medical intelligence) [Richter], 66

hippocampus, selective metabolic activation of, during lidocaineinduced pre-seizure activity [Ingvar & Shapiro], 33

intracranial pressure, in cats, effects of high-frequency positive-pressure ventilation on [Todd & others], 496

metabolism, and energy state, during lidocaine infusion in rat [Maekawa & others], 278

in rats, effect of diazepam on, and its interaction with nitrous oxide [Carlsson & Chapman], 488

selective, during lidocaine-induced pre-seizure activity [Ingvar & Shapirol, 33

methionine synthetase activity of, inactivation of, by nitrous oxide in mice [Koblin & others], 318

neurotransmitters, and current theories about mechanisms of benzodiazepines and neuroleptic drugs (medical intelligence) [Richter], 66

oxygenation, during lidocaine infusion in rat [Maekawa & others], 278

seizure threshold, during lidocaine infusion in rat [Maekawa & others], 278

lidocaine or pentylenetetrazol, in cats, after enflurane anesthesia [Heavner & Amory], 403

surface movement, in cats, effects of high-frequency positivepressure ventilation on [Todd & others], 496

synapses, quantitation of, and determination of anesthetic requirements, in quaking mouse [Koblin], 17

BRAMWELL, R. S. B., 435

BRAVERMAN, B., 259

BRITT, B. A. (ed.), Malignant Hyperthermia (book review), 357

BRITT, M. R., 364

BRODSKY, J. B., 91

Bronchoscope(s), see under Equipment

Bronchus, see under Lung(s)

Brown, B. R., Jr., 383

Brown, D. R., 409 Brown, R. H., 249

BRUCE, D. L., Functional Toxicity of Anesthesia (book review), 442

BRUNNER, E. A., 515

Bullae, see under Complications

Bupivacaine, see under Anesthetics, local

Burns, see under Complications; Electrical systems

BYER, D. E., 255

CAHALAN, M. K., 3

Calcium, see under Antagonists, neuromuscular relaxants; Ions

CALKINS, J. M., 237

Cancer, in chromosomal modifications, and low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

Carbon dioxide, elimination, during nutrition for patient with respiratory failure [Askanazi & others], 373

production, during nutrition for patient with respiratory failure [Askanazi & others], 373

Carbon dioxide tension, brain, and glycolytic metabolism during lidocaine infusion in rat [Maekawa & others], 278

Cardiac arrest, see Complications, arrest, cardiac

Cardiac output, see under Heart Cardiac surgery, see under Surgery

Cardiopulmonary bypass, see under Surgery, cardiovascular

Cardiovascular anesthesia, see under Anesthesia

CARLSSON, C., 488

Carotid artery, see under Arteries; Brain, blood flow; Surgery, carotid endarterectomy

CARPENTIER, Y. A., 373

Catheters, see under Equipment

Caudal anesthesia, see under Anesthetic techniques, peridural Cells, chromatin, extraction of, in investigation of low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

chromosomal alterations, in low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

histones, rat liver, low-level binding of halothane metabolites to, in vivo [Edmunds & others], 298

Cerebrospinal fluid, disposition of morphine in, in intravenous injection into anesthetized dog [Hug & others], 38

leak, cutaneous, following attempted extradural block (clinical report) [Jawalekar & Marx], 348

pressure, diazepam and (clinical report) [Tateishi & others], 335 effects of nitroglycerin on, in awake and anesthetized humans [Dohi & others], 511

following isoflurane administration in neurosurgical patients [Adams & others], 97

CERVENKO, F. W., 253

Cesarian section, see under Anesthesia, obstetric(s): Pregnancy; Surgery

CHAPIN, J. W., 527

CHAPMAN, A. G., 488

Chloroform, see under Anesthetics, volatile

Chloroprocaine, see under Anesthetics, local

Chromatography, see under Measurement techniques

Circuits, anesthetic, see under Equipment Citric acid cycle, see under Metabolism

CLOFINE, R., 125 COHEN, E. N., 298

COLE, R. P., 169

COLLEY, P. S., 81

COLLINS, J. G., 153

COLLINS, P., 314

Compliance, see under Heart; Lung(s); Veins

Complications, airway obstruction, following surgical manipulation of posterior cranial fossa (clinical report) [Gorski & others], 80

aortic cannulation, inadvertent carotid cannulation in, in cardiopulmonary bypass (clinical report) [Ross & others], 85

arrest, cardiac, from asystole after intravenous dantrolene sodium in pigs (correspondence) [Chapin & others], 527

arrhythmia, endotracheal, in airway-obstructing supraglottic edema following anesthesia with head positioned in forced flexion (clinical report) [Bennett & others], 78

intubation, in airway-obstructing supraglottic edema following anesthesia with head positioned in forced flexion (clinical report) [Bennett & others], 78

aspiration, in achalasia of esophagus, upper-airway obstruction in (clinical report) [Travis & others], 87

blisters, formation, from contoured stethoscope (clinical report)
[Wolf], 521

bradycardia, in glossopharyngeal neuralgia with syncope, anesthetic considerations in (clinical report) [Roa & Krupin], 426

bullae, formation, from contoured stethoscope (clinical report) [Wolf], 521

burns, prevention of, during laser microsurgery (correspondence) [Kumar & Frost], 350

d-tubocurarine hyposensitivity related to, elevated plasma binding cannot account for [Leibei & others], 378

cerebral edema, following inadvertent carotid cannulation in cardiopulmonary bypass (clinical report) [Ross & others], 85

convulsions, are not found with lidocaine or pentylenetetrazol administration after enflurane anesthesia in cats [Heavner & Amory], 403

induced by methohexital (clinical report) [Rockoff & Goudsouzian], 333

cutaneous cerebrospinal fluid leakage. following attempted extradural block (clinical report) [Jawalekar & Marx], 348

embolism, as hazard of methylmethacrylate bone cement, new device increases (correspondence) [Westerlund], 90 pulmonary, hypoxemia following [Fisher & others], 204

equipment, medical gas line systems, low failure rate for, in United Kingdom (correspondence) [Howell], 526

new, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Davis], 437

new, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Malone], 436

errant epidural catheter (clinical report) [Blass & others], 419

foreign bodies, intrathoracic, thoracoscopy for retrieval of (correspondence) [Brodsky & others], 91

glossopharyngeal neuralgia, with syncope, anesthetic considerations in (clinical report) [Roa & Krupin], 426

hepatic, rat, in low-level binding of halothane metabolites to liver histones in vivo [Edmunds & others], 298

hyperalimentation, in perioperative period (editorial views) [Biebuyck], 360

hypertension, following nitroprusside, and hepatic blood flow (correspondence) [Gelman & Patel], 90

hypotension, as hazard of methylmethacrylate bone cement, new device increases (correspondence) [Westerlund], 90

in glossopharyngeal neuralgia with syncope, anesthetic considerations in (clinical report) [Roa & Krupin], 426

in massive intraoperative pulmonary tumor embolus from renal cell carcinoma (clinical report) [Milne & others], 253 hypoxia, from gas mixture, failure of new system to prevent

hypoxia, from gas mixture, failure of new system to prevent (correspondence) [Davis], 43

from gas mixture, failure of new system to prevent (correspondence) [Malone], 436

inadvertent intravascular injection, of 2-chloroprocaine, plasma

levels of, and lack of sequelae following (correspondence) [Gross & others], 173

during lumbar epidural anesthesia (correspondence) [Kenepp & Gutsche], 172

infections, postoperative, bacterial air filters in reduction of (editorial views) [Mazze], 359

malignant hyperpyrexia, puzzles in (editorial views) [Gronert], 1 nerve damage, permanent paralysis of C-5 in, after cannulation of internal jugular vein (correspondence) [Frasquet & Belda], 528

neurologic, after intrathecal morphine (clinical report) [Paulus & others], 517

obesity, and effect of massive weight loss on arterial oxygenation and pulmonary function tests [Vaughan & others], 325 morbid, general anesthesia in—an examination of postoperative outcomes [Cork & others], 310

pain, glossopharyngeal neuralgic, with syncope, anesthetic considerations in (clinical report) [Roa & Krupin], 426

pneumonia, incidence of, after inhalation anesthesia, failure of bacterial filters to reduce [Garibaldi & others], 364 postoperative, bacterial air filters in reduction of (editorial

views) [Mazze], 359
postoperative, sterile anesthesia breathing circuits do not

prevent [Feeley & others], 369 pruritis, following epidural administration of morphine for

relief of postsurgical pain [Weddel & Ritter], 210 respiratory depression, after intrathecal morphine (clinical re-

port) [Paulus & others], 517 sore throat, postoperative, what are real factors associated

with? (correspondence) [Loeser & Stanley], 171 postoperative, what are real factors associated with? (correspondence) [Youngberg], 171

respondence; (Youngoerg), 171
urinary retention, following epidural administration of morphine
for relief of postsurgical pain [Weddel & Ritter], 210

for rehef of postsurgical pain [Weddel & Ritter], 210 ventilatory failure, postoperative, following intercostal block (clinical report) [Cory & Mulroy], 418

Computers, see under Equipment; Measurement techniques; Records, anesthesia; Statistics

Contamination, anesthetic, see Anesthetics, gases, trace concentrations; Anesthetics, volatile, trace concentrations; Equipment, exhaust systems; Operating room(s), contamination; Toxicity, trace concentrations

Contractility, see under Heart; Muscle; Uterus

Convulsions, see under Anticonvulsants; Brain; Complications; Toxicity

Соок, Т. G., 421

CORK, R. C., 310, 325

Coronary, see Heart, blood flow, myocardial; Heart, coronary occlusion

CORY, P. C., 418

COTTRELL, J. E., 352

COVINO, B. G., 148, 182, 263

CRONNELLY, R., 399

CRUMRINE, R. S., 29

CUCCHIARA, R. F., 97

Cuffs, endotracheal, see under Equipment

CULLEN, D. J., 432

CURTIS, B. M., 265, 270

Cyclopropane, see under Anesthetics, gases

Cylinders, see under Equipment

Dantrolene, see under Hyperthermia, malignant pyrexia, Neuromuscular relaxants

DARNALL, R. A., Jr., 423

DATTA, S., 438

Davis, D. A., 433

DAVIS, T. M., 437 DEADY, J. E., 318

Deafness, see under Ear; Hearing

DEBOARD, J. W., 164

DEJONG, R. H., 177

DELANEY, D. J., 409

DELANEY, T. J., 199

DENLINGER, J. K., 346

Depth (anesthetic), see under Anesthesia; Measurement techniques; Potency, anesthetic; individual anesthetics

DERBY, G. C., 284 DESANCTIS, C. A., 421

DESMONTS, J-M., 57

DHAMEE, M. S., 92

Diagnostic anesthesia, see under Anesthesia; Anesthetic techniques Diazepam, see under Anesthetics, intravenous; Anticonvulsants; Ataractics; Hypnotics, benzodiazepines

Dibucaine, see under Anesthetics, local

Diethyl ether, see under Anesthetics, volatile

Distribution, see under Pharmacokinetics; Solubility; Ventilation; individual organs, blood flow

DNA, see under Metabolism; Mitosis

Доні, S., 511

DOKA, J. C., 429 DOOLEY, S., 515

Dorsal horn ganglia, see under Spinal cord DURANT, N. N., 61

Duration, see under Anesthesia

DUVALDESTIN, P., 57

ED50, see under Potency, anesthetic Edema, see under Complications

EDMUNDS, H. N., 298

Edrophonium, see under Antagonists, neuromuscular relaxants

EDSALL, D. W., 258

EGER, E. I., II, 3, 314, 318, 369

EKSTRAND, J., 48

Electrical systems, defect, high leakage current in new in-line blood warmer (correspondence) [Mantia], 257

high leakage current in new in-line blood warmer (correspondence) [Schmidt], 257

Electroencephalography, see under Brain; Monitoring

Electromyogram, see under Monitoring; Muscle, Skeletal

ELWYN, D. H., 373 Embolism, bone cement, methylmethacrylate, new device in-

creases hazards of (correspondence) [Westerlund], 90 pulmonary, hypoxemia following [Fisher & others], 204

thromboembolism, massive intraoperative pulmonary tumor, from renal cell carcinoma (clinical report) [Milne & others], 253

Endorphins, see under Brain

Endotracheal intubation, see under Intubation

Endotracheal tubes, see under Equipment, tubes

Enflurane, see under Anesthetics, volatile

Enzyme induction, see under Biotransformation (drug); Induction; Metabolism

Enzymes, pseudocholinesterase, atypical, response of patient with, to small intermittent succinyldicholine doses (clinical report) [Azar & Betcher], 519

Epidural anesthesia, see Anesthetic techniques, peridural, epidural Epinephrine, see under Heart, arrhythmias; Sympathetic nervous system, catecholamines

EPSTEIN, R. M., 166

Equipment, alarms, subatmospheric, another benefit of (correspondence) [Sprague], 526

bacterial filters, failure of, to reduce incidence of pneumonia after inhalation anesthesia [Garibaldi & others], 364

blood warmer, in-line, new, high leakage current in (correspondence) [Mantia], 257

in-line, new, high leakage current in (correspondence) [Schmidt], 257

bronchoscope, fiberoptic, to change endotracheal tubes in critically ill patients (clinical report) [Rosenbaum & others],

cannulas, arterial, inadvertent carotid cannulation with, in cardiopulmonary bypass (clinical report) [Ross & others], 85 catheters, flow directed, in simplified pulmonary artery/right

atrial pressure monitoring system (correspondence) [Gard-

ner & Parker], 353

peridural, errant (clinical report) [Blass & others], 419 venous, in new technique for location and cannulation of

internal jugular vein (correspondence) [Gibbs & Arandia],

circuit(s), closed, economy is not major benefit of (correspondence) [Edsall], 258

closed, in-circuit vaporizer for anesthesia with (correspondence) [Garlington & Neff], 434

computers, hybrid multiple model used in studies of interactions among ventilation, circulation, and uptake and distribution of halothane [Fukui & Smith], 107, 119

cuffs, endotracheal, postoperative sore throat and, what are real factors associated with? (correspondence) [Loeser & Stanley], 171

endotracheal, postoperative sore throat and, what are real factors associated with? (correspondence) [Youngberg], 171

cylinders, error in pipeline gas concentration of, unanticipated consequence of defective check valve (clinical report) [Bageant & others], 166

failsafe, new, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Davis], 437

new, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Malone], 436

failure, low rate of, for medical gas line systems in United Kingdom (correspondence) [Howell], 526

filters, bacterial, in breathing circuit (editorial views) [Mazze], 359 blood, evaluation of (correspondence) [Cullen], 432

blood, evaluation of (correspondence) [Linko], 431

in sterile anesthesia breathing circuits, do not prevent postoperative pulmonary infection [Feeley & others], 369

flowmeters, new system of, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Davis], 437

new system of, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Malone], 436

humidifier(s), disposable, evaluation of, for use during anesthesia (clinical report) [Weeks], 337

in volume ventilation systems for infants (clinical report) [Bazaral], 240

laryngoscope, fiberoptic, to avoid tracheostomy, in acromegaly (clinical report) [Ovassapian & others], 429

replaced by flexible fiberoptic bronchoscope for changing endotracheal tubes in critically ill patients (clinical report) [Rosenbaum & others], 169

laser, in microsurgery, prevention of fire hazard during (correspondence) [Kumar & Forst], 350

medical gas systems, error in pipeline gas concentration of, unanticipated consequence of defective check valve (clinical report) [Bageant & others], 166

monitors, in direct blood pressure measurement-dynamic response requirements (medical intelligence) [Gardner], 227 stethoscope, contoured, bullae formation from (clinical report) [Wolf], 521

tracheostomy, avoidance of, in acromegaly, use of fiberoptic laryngoscopy in (clinical report) [Ovassapian & others], 429

tubes, endotracheal, coating of, in prevention of fire hazard during laser microsurgery (correspondence) [Kumar & Frost], 350

endotracheal, technique for changing, is neither new nor better (correspondence) [Millen], 352

endotracheal, in thoracoscopy for retrieval of intrathoracic foreign bodies (correspondence) [Brodsky & others], 91

endotracheal, use of flexible fiberoptic bronchoscope to change, in critically ill patients (clinical report) [Rosenbaum & others], 169

vaporizer(s), simple in-circuit, for closed-circuit anesthesia (correspondence) [Garlington & Neff], 434

in volume ventilation systems for infants (clinical report) [Bazaral], 240

ventilators, error in pipeline gas concentration of, unanticipated

consequence of defective check valve (clinical report) [Bageant & others], 166

fluidic oscillator, in high-frequency alternating lung ventilation (laboratory report) [Hameroff & others], 237

in volume ventilation systems for infants (clinical report) [Bazaral], 240

ERIKKSON, E. (ed.), Illustrated Handbook in Local Anesthesia (book review), 176

ESTILO, A. E., 352

Excretion, respiratory, see under Pharmacokinetics

Extracorporeal circulation, see under Surgery, cardiovascular Eyes, pupil, dilation of, in human subjects after intravenous

thiopental (clinical report) [Larson], 246

FAHEY, M. R., 399

FAHMY, N. R., 305

Failsafe equipment, see under Equipment

FAIRLEY, H. B., 9, 413

FAURE, E., 515

FEELEY, T. W., 369

FEINGOLD, A., 260

FELDMAN, H. S., 141 FELDMAN, S. A., 350

Fentanyl, see under Analgesics, narcotics; Anesthetics, intravenous

FINUCANE, B. T., 435

FISHER, J., 204

FITZGIBBONS, D. C., 73

Flowmeters, see under Equipment

Fluoride, see under Ions; Structure, molecular

Fluorometabolites, see under Biotransformation (drug); Phar-

macology; Toxicity FOOTERMAN, D. S., 524

FRASQUET, F. J., 528

FRAZER, B. M., 390

FROST, E., 350

FRUMIN, M. J., 524

FUKUI, Y., 107, 119 Functional residual capacity, see under Lung(s)

GAL, T. J., 141

Gamma-aminobutyric acid, see under Brain

GAMO, S., 289

GANDOLFI, A. J., 383

GARDNER, R. M., 227, 353

GARIBALDI, R. A., 364

GARLINGTON, L., 434

Gas systems, see under Equipment

Gastrointestinal tract, achalasia, of esophagus, upper-airway obstruction and (clinical report) [Travis & others], 87

GELMAN, S., 90

Genetic factors, and strain differences in minimum anesthetic concentrations in Drosophila melanogaster [Gamo & others],

Germine monoacetate, see under Antagonists, neuromuscular relaxants; Neuromuscular transmission

Сніа, J. N., 164, 343

GHONEIM, M. M., 220

GIBBS, C., 89

GILLMAN, M. A., 524

Glucose, see under Blood; Metabolism

GOLDBERG, S. K., 141

GORSKI, D. W., 80

GOUDSOUZIAN, N. G., 333

GOULD, A. B., Jr., 255
GRAVENSTEIN, J. S., NEWBOWER, R. S., REAM, A. K., and SMITH, N. T. (eds.), Essential Noninvasive Monitoring in Anesthesia (book review), 357

GREENE, N. M., Key Words in Anesthesiology (book review), 176

GRONERT, G. A., 1, 97, 259

GROSS, T. L., 173

GRUNDY, B. L., 249

GUILFORD, W. B., 164 GUTSCHE, B. B., 172

Hajj, S., 136

Halothane, see under Anesthetics, volatile

HAMEROFF, S. R., 237

HAMILTON, W. K., 369

HARPER, M. H., 314

HAWES, D., 515

Hearing, loss, sudden profound, stellate ganglion block for (clinical report) [Cook & others], 421

Heart, atria, pressure in, and renal effects of sodium nitroprusside in postoperative cardiac surgical patients [Maseda & others], 284

cardiac output, in blood flow alteration induced by saralasin or sodium nitroprusside in rats [Miller & Delaney], 199

and renal effects of sodium nitroprusside in postoperative cardiac surgical patients [Maseda & others], 284

in response to mechanical ventilation with PEEP [Brown

& others], 409

cardiovascular reflexes, elicited by acute coronary artery oc-clusion, effect of halothane on, in dog [Bachhuber & others], 481

congenital defects, single ventricle, intrathecal morphine in parturient with (clinical report) [Ahmad & others], 515

contractility, in response to mechanical ventilation with PFEP [Brown & others], 409

coronary occlusion, a complex regional disease (editorial views) [Tinker], 449

halothane anesthesia during, effect of, in dog [Bachhuber & others], 481

HEAVNER, J. E., 81, 403

HILBERMAN, M., 284

HILGENBERG, J. C., 341

HILL, A. B., 346

Hippocampus, see under Brain

H1RSH, R. A., 93

HOLADAY, D. A., 100

HOLLANDER, D., 325

HOLLMÉN, A. I., 131

HORRIGAN, R. W., 390 HOWELL, R. S. C., 526

HOYT, J. W., 166

Hug, C. C., Jr., 38, 187

Humidifiers, see under Equipment

HYMAN, A. I., 169, 373

Hypertension, see under Blood pressure; Complications

Hyperthermia, malignant pyrexia, following preoperative oral administration of dantrolene (clinical report) [Fitzgibbons],

porcine, intravenous dantrolene sodium in (correspondence) [Chapin & others], 527

puzzles in (editorial views) [Gronert], 1

sevoflurane triggers, in swine (correspondence) [Shulman & others], 259

Hypnotics, benzodiazepines, diazepam, effect of, on cerebral metabolic state in rats and its interaction with nitrous oxide [Carlsson & Chapman], 488

diazepam, and intracranial pressure (clinical report) [Tateishi & others], 335

and neuroleptic drugs, current theories about mechanisms of (medical intelligence) [Richter], 66

Hypotension, see under Anesthetic techniques, hypotension, induced; Blood pressure; Complications; Position; Shock

Hypothermia, during awakening from anesthesia [Rosenberg & others], 125

Hypoxia, from gas mixture, failure of new system to prevent (correspondence) [Davis], 437

failure of new system to prevent (correspondence) [Malone],

lung, perfusion shift to, following pulmonary embolism [Fisher & others], 204

IMAMURA, A., 278

Induction, anesthesia, with intravenous thiopental, dilation of pupil in human subjects after (clinical report) [Larson], 246

INGVAR, M., 33 INOUE, K., 75

INOUE, K., 75

Intercostal block, see under Anesthetic techniques, regional Intracranial pressure, see under Brain; Cerebrospinal fluid,

pressure

Intubation, endotracheal, complications, in acromegaly, use of fiberoptic laryngoscopy to avoid (clinical report) [Ovassapian & others], 429

complications, postoperative sore throat as, what are real factors associated with? (correspondence) [Loeser & Stanley], 171

complications, postoperative sore throat as, what are real factors associated with? (correspondence) [Youngberg], 171 technique, for changing tube, is neither new nor better (correspondence) [Millen], 352

technique, fiberoptic laryngoscopy, to avoid tracheostomy, in acromegaly (clinical report) [Ovassapian & others], 429

Ions, fluoride, renal excretion of, and plasma levels of, during and after enflurane anesthesia are dependent on urinary pH [Järnberg & others], 48

IRESTEDT, L., 48

Isoflurane, see under Anesthetics, volatile

IVANKOVICH, A. D., 259

JACOBS, L., 220
JAMES, F. M., III, 215
JÄRNBERG, P-O., 48
JAWALEKAR, S. R., 348
JELLUM, E., 329
JOHNSON, B. H., 3, 314
JOUPPILA, P., 131
JOUPPILA, R., 131
Iugular vein, see under Veins

KAMPINE, J. P., 481 KANEL, J. S., 237 KATZ, J. A., 9 KATZ, R. L., 61

KAY, J. C., 204 KENEPP, N. B., 172

Ketamine, see under Anesthetics, intravenous

Kidney, blood flow, following sodium nitroprusside in postoperative cardiac surgical patients [Maseda & others], 284

carcinoma, massive intraoperative pulmonary tumor embolus from (clinical report) [Milne & others], 253

disease, massive intraoperative pulmonary tumor embolus from (clinical report) [Milne & others], 253

function, fluoride clearance, and plasma fluoride levels during and after enflurane anesthesia are dependent on urinary pH [Järnberg & others], 48

following sodium nitroprusside in postoperative cardiac

surgical patients [Maseda & others], 284 nephrotoxicity, and plasma fluoride levels during and after enflurane anesthesia are dependent on urinary pH [Järn-

berg & others], 48 urine, fluoride excretion, and plasma fluoride levels during and after enflurane anesthesia are dependent on urinary pH [Järnberg & others], 48

KIMBLE, K. J., 423 KINNEY, J. M., 373 KIRSH, M. M., 346 KITAHATA, L. M., 153 KLEIN, F. F., 433 KNIGHT, P. R., 346

KOBLIN, D. D., 17, 314, 318

KOIVULA, A., 131 KORTTILA, K., 220

Квонд, К., 329

KRUPIN, B. R., 426 KUHNERT, B. R., 173

KUHNERT, P. M., 173

KUHNERT, P. M., I KUMAR, A., 350

LAKE, C. L., 85

Laminae of dorsal horn, see under Spinal cord

LAND, P. C., 53

LARSON, M. D., 246

Laryngoscope(s), see under Equipment

Laser, see under Equipment

LEBOWITZ, P. W., 294

LEE, C., 61

LEE, T. S., 78

LEIBEL, W. S., 378

Lidocaine, see under Anesthetics, local; Heart, arrhythmias

LIEBESKIND, J. C., 445

LIND, R. C., 383 LINDE, H. W., 53

LINDE, H. W.,

LINKO, K., 431

Lipid solubility theory, see under Theories of anesthesia

Liver, blood flow, hypertension following nitroprusside (correspondence) [Gelman & Patel], 90

enzymes, methionine synthetase, inactivation of, by nitrous oxide, in mice [Koblin & others], 318

LOESER, E. A., 171

Lov, C. G., 527

Lung(s), acute respiratory failure, time course and mechanisms of lung-volume increase with PEEF in [Katz & others], 9

blood flow, in hypoxemia following pulmonary embolism [Fisher & others], 204

bronchus, postoperative infection of, sterile anesthesia breathing circuits do not prevent [Feeley & others], 369

compliance, time course and mechanisms of, with PEEP, in acute pulmonary failure [Katz & others], 9

and vital capacity, relationship between, during partial curarization in awake subjects [Gal & Goldberg], 141 embolus, tumor, massive intraoperative, from renal cell carcinoma

(clinical report) [Milne & others], 253 function, tests, effect of massive weight loss on arterial oxy-

tunction, tests, effect of massive weight loss on arterial oxygenation and [Vaughan & others], 325 and vital capacity relationship between, during partial curariza-

tion in awake subjects [Gal & Goldberg], 141 functional residual capacity, measurement of, during mechanical

functional residual capacity, measurement of, during mechanical ventilation by simultaneous exchange of two insoluble gases (laboratory report) [Ozanne & others], 413

time course and mechanisms of, with PEEP, in acute pulmonary failure [Katz & others], 9

hypoxic pulmonary vasoconstriction, following pulmonary embolism [Fisher & others], 204

obstructive pulmonary disease, postoperative respiratory failure following intercostal block in (clinical report) [Cory & Mulroy], 418

pneumonia, failure of bacterial filters to reduce incidence of, after inhalation anesthesia [Garibaldi & others], 364

postoperative, sterile anesthesia breathing circuits do not prevent [Feeley & others], 369

respiratory failure, nutrition for patient with, glucose vs. fat [Askanazi & others], 373

shunting, in hypoxemia following pulmonary embolism [Fisher & others], 204

trachea, postoperative infection, sterile anesthesia breathing circuits do not prevent [Feeley & others], 369

vital capacity, and respiratory muscle strength, relationship between, during partial curarization in awake subjects [Gal & Goldberg], 141

washout, open-circuit, by simultaneous exchange of two insoluble gases, for measurement of functional residual capacity during mechanical ventilation (laboratory report) [Ozanne & others], 413

MAC, see under Potency, anesthetic

MAEKAWA, T., 278, 335 MAIORINO, R. M., 383

Malignant pyrexia, see under Hyperthermia

MALONE, B. T., 436

MANDELL, V. S., 343

Manpower, anesthesiologists, and quality of care review in anesthesia (report of scientific meeting) [Orkin & Hirsh], 93 nurse anesthetists, and quality of care review in anesthesia (report of scientific meeting) [Orkin & Hirsh], 93

MANTIA, A. M., 257

Mark, J. B. D., 91

MARTYN, J. A. J., 378

MARX, G. F., 348

MARX, G. F., and BASSELL, G. M., Obstetric Analgesia and Anesthesia, 532

Maseda, J., 284

Mass spectroscopy, see under Measurement techniques

Матѕимото, М., 511

MAZZE, R. 1., 57, 93, 359, 505

Measurement techniques, blood flow, alteration of, induced by saralasin or sodium nitroprusside in rats [Miller & Delaney],

blood pressure, direct-dynamic response requirements (medical intelligence) [Gardner], 227

central venous, new, for location and cannulation of internal jugular vein (correspondence) [Gibbs & Arandia], 89

gas chromatography, and mass spectrometry, urinary metabolites of chloroprocaine studied by (laboratory report) [Krohg & Jellum], 329

intervillous blood flow, epinephvine does not alter, during epidural anesthesia [Albright & others], 131

mass spectrometry, and gas chromatography, urinary metabolites of chloroprocaine studied by (laboratory report) [Krohg & Jellum], 329

microspheres, radioactive, in investigation of blood flow alteration induced by saralasin or sodium nitroprusside in rats [Miller & Delaney], 199

neuromuscular blockade, in awake subjects, relationship between respiratory muscle strength and vital capacity during [Gal & Goldberg], 141

nondepolarizing, recovery from, twitch, tetanus and train-offour as indices of [Ali & others], 294

d-tubocurarine, in man, pharmacokinetics of edrophonium and neostigmine when antagonizing [Morris & others], 399

simultaneous exchange of two insoluble gases, in measurement of functional residual capacity during mechanical ventilation (laboratory report) [Ozanne & others], 413

Mechanical ventilation, see under Ventilation

Memory, consolidation, during high-dose fentanyl-oxygen anesthesia (clinical report) [Hilgenberg], 341

Meperidine, see under Analgesics, narcotic

Mepivacaine, see under Anesthetics, local

MESSICK, J. M., 97, 523

Metabolism, amino acids, in rats, effect of diazepam on, and its interaction with nitrous oxide [Carlsson & Chapman], 488 citric acid cycle, in rats, effect of diazepam on, and its interac-

tion with nitrous oxide [Carlsson & Chapman], 488 DNA, in low-level binding of halothane metabolites to rat liver

histones in vivo [Edmunds & others], 298 enzyme induction, in anesthetists, occupational exposure to

halothane results in [Duvaldestin & others], 57 and factors affecting formation of chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383

fat emulsions, vs. glucose, in nutrition for patient with respiratory failure [Askanazi & others], 373

glucose, in rats, effect of diazepam on, and its interaction with nitrous oxide [Carlsson & Chapman], 488

and total parenteral nutrition in perioperative period (editorial views) [Biebuyck], 360

vs. fat emulsions, in nutrition for patient with respiratory failure [Askanazi & others], 373

metabolites, of enflurane, and renal fluoride excretion and plasma fluoride levels are dependent on urinary pH [Järnberg & others], 48

of halothane, low-level binding of, to rat liver histones in vivo [Edmunds & others], 298

urinary, of chloroprocaine, studied by combined gas chromatography-mass spectrometry (laboratory report) [Krohg

& Jellum], 329 microsomes, hepatic, and factors affecting formation of chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383

rat liver, low-level binding of halothane metabolites to, in vivo [Edmunds & others], 298

nitrous oxide, and inactivation of methionine synthetase by, in

mice [Koblin & others], 318 nutrition, total parenteral, in perioperative period (editorial views) [Biebuyck], 360

oxygen consumption, during total parenteral nutrition, using glucose vs. fat [Askanazi & others], 373

parenteral nutrition, for patient with respiratory failure [Askanazi & others], 373

proteins, and total parenteral nutrition in perioperative period (editorial views) [Biebuyck], 360

respiratory quotient, during total parenteral nutrition, using glucose vs. fat [Askanazi & others], 373

RNA, in low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

starvation, and total parenteral nutrition in perioperative period (editorial views) [Biebuyck], 360

Metabolites, see under Metabolism; Toxicity

Methohexital, see under Anesthetics, intravenous; Anesthetics, rectal; Hypnotics, barbiturates

Methoxyflurane, see under Anesthetics, volatile

Metocurine, see under Neuromuscular relaxants

MEWALDT, S. P., 220 MICHENFELDER, J. D., 97

Microfilters, blood, see under Blood

Microsomes, see under Biotransformation (drug); Liver, metabolism; Metabolism, hepatic

Microspheres, see under Measurement techniques

MILLEN, J. E., 353

MILLER, E. D., JR., 199

MILLER, K. W., 378 MILLER, R. D., 399

MILNE, B., 253

Minimum alveolar concentration, see Potency, anesthetic, MAC

Molecular structure, see Structure, molecular

Monitoring, blood pressure, direct-dynamic response requirements (medical intelligence) [Gardner], 227

during Allen's test (correspondence) [Messick], 523

mean arterial, in critically ill newborns, automated oscillometric technique for (clinical report) [Kimble & others], 423

central venous, new technique for location and cannulation of internal jugular vein for (correspondence) [Gibbs & Arandia],

electroencephalography, automated, intraoperative (correspondence) [Klein & Davis], 433

electromyogram, frequency sweep, in assessment of neuromuscular function in infants following anesthesia [Crumrine & Yodlowskil, 29

frequency sweep, and receptor occlusion, relationship between, during competitive neuromuscular blockade [Yodlowski & Mortimer], 23

pressures, vascular, simplified pulmonary artery/right atrial pressure monitoring system in (correspondence) [Gardner & Parkerl, 353

somatosensory cortical evoked potential, in assessment of spinal cord function during correction of scoliosis (clinical report) [Grundy & others], 249

stimulator, nerve, in comparison of edrophonium and neostigmine pharmacokinetics when antagonizing d-subocurarine neuromuscular blockade in man [Morris & others], 399

nerve, twitch, tetanus and train-of-four as indices of recovery from nondepolarizing neuromuscular blockade [Ali & othersl. 294

ventilation, during partial curarization in awake subjects [Gal & Goldberg], 14

and measurement of functional residual capacity during mechanical ventilation by simultaneous exchange of two insoluble gases (laboratory report) [Ozanne & others], 413

Monitors, see under Equipment

MORALES, A., 253 MORGAN, D. J., 468, 474

MORISHIMA, H. O., 182

Morphine, see under Analgesics, narcotic; Anesthetics, intravenous

MORRIS, R. B., 399 MORTIMER, J. T., 23

MOYERS, J., 369 MULROY, M. F., 418

Munson, E. S., 517

MURPHY, M. R., 38, 187

MUSHIN, W. W., RENDELL-BAKER, L., THOMPSON, P. W., and MAPELSON, W. W., Automatic Ventilation of the Lungs, 3rd edition (book review), 175

Mutagenicity, see under Toxicity

Myers, B. D., 284

NAHRWOLD, M. L., 346

NAKASHIMA-TANAKA, E., 289

Naloxone, see under Antagonists, narcotic

NASH, C. L., JR., 249

NATH, P. H., 409

NEFF, W. B., 434

Neostigmine, see under Antagonists, neuromuscular relaxants; Enzymes, cholinesterase

Nephrotoxicity, see under Kidney

Nerve, damage, permanent paralysis of C-5, after cannulation of internal jugular vein (correspondence) [Frasquet & Belda],

Neuroleptanesthesia, see under Anesthetic techniques; Anesthetics, intravenous

Neuromuscular block(ade), see under Measurement techniques; Monitoring; Neuromuscular relaxants

Neuromuscular junction, blockade of, competitive, relationship between receptor occlusion and frequency sweep electromyogram during [Yodlowski & Mortimer], 23

Neuromuscular relaxants, dantrolene, depression of skeletal muscle in cat induced by, reversal of [Lee & others], 61

malignant hyperthermia following pretreatment with, puzzle of (editorial views) [Gronert], ! preoperative oral administration of, malignant hyperthermia

following (clinical report) [Fitzgibbons], 73 metocurine, hyposensitivity, burn-related, elevated plasma

binding cannot account for [Leibel & others], 378 recovery from, twitch, tetanus and train-of-four as indices of [Ali & others], 294

pancuronium, partition coefficient vs. dissociation rate constant as determinant of duration of neuromuscular blockade with (correspondence) [Feldman], 350

partition coefficient vs. dissociation rate constant as determinant of duration of neuromuscular blockade with (correspondence) [Stanski], 351

recovery from, twitch, tetanus and train-of-four as indices of [Ali & others], 294

succinylcholine, for depolarization, in studies of relationship between receptor occlusion and frequency sweep electromyogram during competitive neuromuscular blockade IYodlowski & Mortimer), 23

small intermittent doses of, response of patient with atypical pseudocholinesterase to (clinical report) [Azar & Betcher], 519

d-tubocurarine, hyposensitivity, burn-related, elevated plasma binding cannot account for [Leibel & others], 378

neuromuscular blockade with, in man, pharmacokinetics of edrophonium and neostigmine when antagonizing [Morris & othersl, 399

neuromuscular blockade with, relationship between receptor occlusion and frequency sweep electromyogram during [Yodlowski & Mortimer], 23

in partial curarization in awake subjects, relationship between respiratory muscle strength and vital capacity during [Gal & Goldberg], 141

partition coefficient vs. dissociation rate constant as determinant of duration of neuromuscular blockade with (correspondence) [Feldman], 350

partition coefficient vs. dissociation rate constant as determinant of duration of neuromuscular blockade with (correspondence) [Stanski], 351

questions regarding time-dependent increase in sensitivity to, during enflurane anesthesia (correspondence) [Feingold],

questions regarding time-dependent increase in sensitivity to, during enflurane anesthesia (correspondence) [Stanski], 261 recovery from, twitch, tetanus and train-of-four as indices of [Ali & others], 294

Neuromuscular transmission, as index of recovery from nondepolarizing neuromuscular blockade [Ali & others], 294

in infants, measurement of, following nitrous oxide anesthesia [Crumrine & Yodlowski], 29

receptor occlusion, and frequency sweep electromyogram, relationship between, during competitive neuromuscular blockade [Yodlowski & Mortimer], 23

Neurosurgery, see under Surgery

Neurosurgical anesthesia, see under Anesthesia

Neurotransmitters, see under Brain

Nitroglycerin, see under Anesthetic techniques, hypotension, induced; Pharmacology Nitroprusside, see under Anesthetic techniques, hypotension,

induced

Nitrous oxide, see under Anesthetics, gases

NIVOCHE, Y., 57 NOBLE, W. H. 204

NORDENSTROM, J., 373

Norepinephrine, see under Sympathetic nervous system, catecholamines

NOUEIHID, R., 136

Nunn, J. F., 527

Nurse anesthetists, see under Manpower

Obesity, see under Complications

Obstetric anesthesia, see under Anesthesia

Obstruction, see under Airway; Arteries; Gastrointestinal tract; Lung(s)

Obstructive pulmonary disease, see under Lung(s)

OGAKI, M., 289

OLSON, W. A., 38

Operating room(s), contamination, with trace concentrations of halothane, results in enzyme induction in anesthetists [Duvaldestin & others], 57

noise (correspondence) [Thomas], 523

sterilization, sterile anesthesia breathing circuits do not prevent postoperative pulmonary infection [Feeley & others], 369

Opiate receptors, see under Receptors

Organizations, Second International Congress of Toxicology (report of scientific meeting) [Baden], 355

Society of Cardiovascular Anesthesiologists, second annual meeting (report of scientific meeting) [Barash], 440

Society for Obstetric Anesthesia and Perinatology, twelfth annual meeting (report of scientific meeting) [Plumer & Datta], 438

ORKIN, F. K., 93

Orthopedic anesthesia, see under Anesthesia

Orthopedic surgery, see under Surgery

OSHIBUCHI, T., 278 O'SULLIVAN, P. T., 87

OVASSAPIAN, A., 429

OWEN, E. L., 53

Oxygen, consumption, during total parenteral nutrition using glucose or fat [Askanazi & others], 373

delivery systems, low failure rate for, in United Kingdom (correspondence) [Howell], 526

new, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Davis], 437

new, failure of, to prevent delivery of hypoxic gas mixture (correspondence) [Malone], 436

supply lines, error in gas concentration in, unanticipated consequence of defective check valve (clinical report) [Bageant & others], 166

tension, arterial, and pulmonary function tests, effect of massive weight loss on [Vaughan & others], 325

postoperative, following general anesthesia for morbidly obese patients [Cork & others], 310
OZANNE, G. M., 9, 413

PACE, N. L., 364

Pain, diagnosis, differential, use of saline for (correspondence) [Winniel, 432

glossopharyngeal neuralgic, with syncope, anesthetic considerations in (clinical report) [Roa & Krupin], 426

mechanisms, intrinsic to central nervous system, multiple mechanisms of inhibition of (editorial views) [Liebeskind], 445

placebo, in differential diagnosis of pain mechanisms (correspondence) [Winnie], 432

postoperative, epidural administration of morphine in relief of, serum levels following [Weddel & Ritter], 210

studies in primate, of analgetic effects associated with intrathecal actions of opiates, a-adrenergic agonists and baclofen [Yaksh & Reddy], 457

therapy, multiple mechanisms of, in pain intrinsic to central nervous system (editorial views) [Liebeskind], 445

Pancuronium, see under Neuromuscular relaxants

PARKER, J., 353

PATEL, K., 90 PAUL, W. L., 517

PAULL, J. D., 468, 474

Paulus, D. A., 517 Pediatric anesthesia, see under Anesthesia

PEEP, see Ventilation, positive end-expiratory pressure

Peripheral vascular resistance, see under Arteries; Blood pressure

PETERSEN, R. C., 220

Pharmacokinetics, distribution, of halothane, interactions among ventilation, circulation and-use of hybrid computer multiple model [Fukui & Smith], 107, 119

of intravenous morphine, in patients anesthetized with en-flurane-nitrous oxide [Murphy & Hug], 187

of morphine, injected intravenously into anesthetized dog [Hug & others], 38

neuromuscular relaxants, partition coefficients vs. dissociation rate constant as determinant of duration of blockade and (correspondence) [Feldman], 350

neuromuscular relaxants, partition coefficients vs. dissociation rate constant as determinant of duration of blockade and (correspondence) [Stanski], 351

edrophonium, and neostigmine, when antagonizing d-tubo-

curarine neuromuscular blockade in man [Morris & others],

of enflurane, and renal fluoride excretion and plasma fluoride levels are dependent on urinary pH [Järnberg & others], 48 cretion, of sevoflurane, in healthy human volunteers [Holaday & Smith], 100

halothane and enflurane, relationship of concentrations of, in man [Cahalan & others], 3

intranasal, in intranasal administration of nitroglycerin (clinical report) [Hill & others], 346

kinetics, of intranasal administration of nitroglycerin (clinical report) [Hill & others], 346

models, to characterize thiopental (editorial views) [Stanski], 446 hybrid computer multiple, in studies of interactions among ventilation, circulation, and uptake and distribution of halothane [Fukui & Smith], 107, 119

neostigmine, and edrophonium, when antagonizing d-tubo-curarine neuromuscular blockade in man [Morris & others],

thiopental, modelling to characterize (editorial views) [Stanski],

studies at cesarian section [Morgan & others], 474 studies in surgical patients [Morgan & others], 468

30 per cent nitrous oxide, during inhalation and recovery [Korttila & others], 220

d-tubucurarine, time-dependent increase in sensitivity to, during enflurane anesthesia, questions regarding (correspondence) [Feingold], 260

time-dependent increase in sensitivity to, during enflurane anesthesia, questions regarding (correspondence) [Stanski],

uptake, of halothane, interactions among ventilation, circulation and-use of hybrid computer multiple model [Fukui & Smith], 107, 119

neuromuscular relaxants, partition coefficients vs. dissociation rate constant as determinant of duration of blockade and (correspondence) [Feldman], 350

neuromuscular relaxants, partition coefficients vs. dissociation rate constant as determinant of duration of blockade and (correspondence) [Stanski], 351

of sevoflurane, in healthy human volunteers [Holaday & Smith],

Pharmacology, a-adrenergic agonists, analgetic effects associated with intrathecal actions of, studies in primate on [Yaksh & Reddy], 457

baclofen, analgetic effects associated with intrathecal actions of, studies in primate on [Yaksh & Reddy], 457

bicuculline, in induction of seizures, and lidocaine seizure in rat, cerebral energy state and glycolytic metabolism during [Maekawa & others], 278

dantrolene, intravenous, in pigs, asystole after (correspondence) [Chapin & others], 527

nitroglycerin, intranasal administration of (clinical report) [Hill & others], 346

nitroprusside, and consumption of vitamin B12 during administration of, in humans [Fahmy], 305

sodium, in postoperative cardiac surgical patients [Maseda & others], 284

sodium, or saralasin, blood flow alteration induced by, in rats [Miller & Delaney], 199

pentylenetetrazol, after enflurane anesthesia in cats [Heavner & Amory], 403

saralasin, or sodium nitroprusside, blood flow alteration induced by, in rats [Miller & Delaney], 199

serum B12, during sodium nitroprusside administration in humans [Fahmy], 305

PIMENTAL, R., 173

Placenta, blood flow, human, epinephrine does not alter, during epidural anesthesia [Albright & others], 131

PLAZA, J. A., 421 PLUMER, M. H., 438 Pneumonia, see under Complications

Polypeptides, angiotensin, and blood flow alteration induced by saralasin or sodium nitroprusside in rats [Miller & Delaney],

Position, effects, ventilatory, and airway-obstructing supraglottic edema following anesthesia with head positioned in forced flexion (clinical report) [Bennett & others], 78

Positive end-expiratory pressure, see under Ventilation Potency, anesthetic, ED50, and anesthetic doses blocking adrenergic (stress) and cardiovascular responses to incision - MAC BAR [Roizen & others], 390

EDso, in minimum anesthetic concentrations in Drosophilia melanogaster, strain differences in [Gamo & others], 289

ED₅₀, of nitrous oxide, cyclopropane, enflurane, and isoflurane, in quaking mouse [Koblin], 17

MAC, and anesthetic doses blocking adrenergic (stress) and cardiovascular responses to incision-MAC BAR [Roizen & others], 390

MAC, and oil/gas partition coefficients, of four anesthetic isomers [Koblin & others], 314

tolerance, to ketamine, development of, in infant undergoing repeated anesthesia (clinical report) [Byer & Gould], 255

tolerance, of 30 per cent nitrous oxide, during inhalation and recovery [Korttila & others], 220

Pregnancy, nonasphyxiated and asphyxiated baboon fetuses, toxicity and distribution of lidocaine in [Morishima & Covinol, 182

Pressoreceptors, see Receptors, presso-

Protein, binding, plasma, elevated, cannot account for burnrelated d-tubocurarine hyposensitivity [Leibel & others], 378 of thiopental, studies at cesarian section [Morgan & others], 474

of thiopental, studies in surgical patients [Morgan & others],

plasma, elevated binding of, cannot account for burn-related d-tubocurarine hyposensitivity [Leibel & others], 378

Pruritis, see under Complications Pseudocholinesterase, see under Biotransformation (drug);

Enzymes Pupil, see under Eyes

Radial artery, see under Arteries

RADNAY, P. A., and NAGASHIMA, H. (eds.), Anesthetic Considerations for Pediatric Cardiac Surgery (International Anesthesiology Clinics) (book review), 175

RAMSEY, F. M., 294 RAO, T. L. K., 80

REAM, A. K., 423

Receptor occlusion, see under Neuromuscular transmission Receptors, adrenergic, studies of, in primate [Yaksh & Reddy], 457

baclofenergic, studies of, in primate [Yaksh & Reddy], 457 opiate, need for clearer distinction between anesthesia and analgesia in relation to (correspondence) [Gillman & Footerman1, 524

in spinal cord, and spinal action of narcotic analgesics (review) [Kitahata & Collins], 153

in studies of multiple mechanisms of pain inhibition intrinsic to central nervous system (editorial views) [Liebeskind], 445 studies of, in primate [Yaksh & Reddy], 457

presso-, evaluation of, in studies of coronary artery occlusion (editorial views) [Tinker], 449

stretch, evaluation of, in studies of coronary artery occlusion (editorial views) [Tinker], 449

Recovery, following general anesthesia for morbidly obese patients [Cork & others], 310

halothane and enflurane, relationship of concentrations of, in man [Cahalan & others], 3

time course of mental and psychomotor effects of 30 per cent nitrous oxide during inhalation and [Korttila & others], 220

REDDY, S. V. R., 457

Reflexes, during awakening from anesthesia [Rosenberg & others], 125

vascular, evaluation of, in coronary artery occlusion (editorial views) [Tinker], 449

Regional anesthesia, see Anesthetic techniques, peridural; regional; spinal

Reports of scientific meetings, see under Organizations

Respiratory failure, acute, see under Lung(s) Respiratory quotient, see under Metabolism

Rexed laminae, see under Spinal cord

RICHTER, J. J., 66 RIGEL, E. P., 38

RITTER, R. R., 210 RNA, see under Metabolism

Roa, N. L., 426

ROBERTS, R. B., 419 **ROCKOFF**, М. А., 333

RODRIGUEZ, G. J., 174

ROIZEN, M. F., 390 Romsa, D. E., 429

ROSENBAUM, L. M., 169

ROSENBAUM, S. H., 169, 373

ROSENBERG, H., 125

Ross, W. T., Jr., 85

SAINI, V. K., 87

SALERNO, T. A., 253

Saralasin, see under Anesthetic techniques, hypotension, induced

SAVARESE, J. J., 284 SAWYER, D. D., 421

SCARFF, T. B., 80

SCHMIDT, W. G., 257

Scurlock, J. E., 265, 270

SEAGARD, J. L., 481

Seizure threshold, see under Brain; Complications, convulsions

Sevoflurane, see under Anesthetics, volatile

Shapiro, H. M., 33, 496

SHIBATA, T., 75

SHIRES, G. T., Care of the Trauma Patient (book review), 532

SHULMAN, M., 259

Shunt(ing), see under Heart; Lung; Oxygen, gradients; Ventilation

SIPES, I. G., 383 SMITH, F. R., 100

Sмітн, N. Т., 107, 119

Soga, T., 75

SPEERS, L., 314

SPENCER, R. J., 284

SPIELMAN, F. J., 343

Spinal anesthesia, see under Anesthetic techniques

Spinal cord, blood flow, during correction of scoliosis, arterial pressure manipulation alters (clinical report) [Grundy & others], 249

dorsal horn ganglia, as site of blockade during epidural anesthesia (correspondence) [Frumin], 524

function, during correction of scoliosis, arterial pressure manipulation alters (clinical report) [Grundy & others], 249

laminae of dorsal horn, and spinal action of narcotic analgesics (review) [Kitahata & Collins], 153

opiate receptors, in studies of multiple mechanisms of pain inhibition intrinsic to central nervous system (editorial views) [Liebeskind], 445

pressure, during correction of scoliosis, arterial pressure manipulation alters (clinical report) [Grundy & others], 249 rexed laminae, and spinal action of narcotic analgesics (review)

SPRAGUE, D. H., 526

STANLEY, T. H., 171

STANSKI, D. R., 261, 351, 399, 446

[Kitahata & Collins], 153

Starvation, see under Metabolism

Stellate ganglion, see under Anatomy; Anesthesia, diagnostic;

Anesthesia, therapeutic; Anesthetic techniques, regional; Heart; Sympathetic nervous system, ganglia

Stethoscope, see under Equipment

Stimulator, nerve, see under Equipment; Monitoring; Nerve; Neuromuscular transmission

STINSON, E. B., 284 STOKSTAD, E. L. R., 318

Stretch receptors, see under Receptors

Structure, molecular, of four anesthetic isomers, and minimum alveolar concentrations and oil/gas partition coefficients of [Koblin & others], 314

Succinylcholine, see under Neuromuscular relaxants

Surgery, cardiac, high-dose fentanyl-oxygen anesthesia for, intraoperative awareness during (clinical report) [Hilgenberg], 341

intranasal administration of nitroglycerin for (clinical report) [Hill & others], 346

sodium nitroprusside following, renal effects of [Maseda & others], 284

cardiovascular, cardiopulmonary bypass, complicated by inadvertent carotid cannulation (clinical report) [Ross & others],

extracorporeal circulation, in massive intraoperative pulmonary tumor embolus from renal cell carcinoma during (clinical report) [Milne & others], 253

laser microsurgery, prevention of fire hazard during (correspondence) [Kumar & Frost], 350

neurologic, high-frequency positive-pressure ventilation during, effects of, on intracranial pressure and brain surface movement in cats [Todd & others], 496

neurosurgery, airway-obstructing supraglottic edema following anesthesia for, with head positioned in forced flexion (clinical report) [Bennett & others], 78

of posterior cranial fossa, airway obstruction following (clinical report) [Gorski & others], 80

orthopedic, hip arthroplasty, caudal anesthesia in patient with ankylosing spondylitis for (clinical report) [DeBoard & others], 164

in scoliosis, arterial pressure manipulation alters spinal cord function during (clinical report) [Grundy & others], 249 new device in, increases hazards of methylmethacrylate bone

cement in (correspondence) [Westerlund], 90 thoracoscopy, for retrieval of intrathoracic foreign bodies (correspondence) [Brodsky & others], 91

Sympathetic nervous system, anesthesia, coronary artery occlusion and (editorial views) [Tinker], 449

catecholamines, epinephrine, does not alter human intervillous blood flow during epidural anesthesia [Albright & others],

norepinephrine, plasma, responses in, to induction of anesthesia and incision [MAC BAR], 390

dystrophy, reflex, ulnar artery occlusion simulating (clinical report) [Spielman & others], 343

reflexes, elicited by acute coronary artery occlusion, effect of halothane on, in dog [Bachhuber & others], 481

Synapses, see under Anatomy; Brain; Neuromuscular junction SZYFELBEIN, S. K., 378

TAKAHASHI, T., 511 TAKESHITA, H., 278, 335 **TATEISHI**, A., 335 TEEPLE, E., 343

Temperature, body, during awakening from anesthesia [Rosenberg & others], 125

hyperthermia, malignant, sevoflurane triggers, in swine (correspondence) [Shulman & others], 259

Tension, see under Carbon dioxide; Cerebrospinal fluid, pressure; Eye, intraocular pressure; Oxygen; Temperature, vapor pressure

Teratogenicity, see under Pregnancy; Toxicity TERRELL, R. C., 314

Tetracaine, see under Anesthetics, local

Tetraethylammonium derivatives, see under Anesthetics, local Theories of anesthesia, lipid solubility, and anesthetic potency, of general anesthetics in quaking mouse [Koblin], 17 lipid solubility, and minimum alveolar concentrations, of four

anesthetic isomers [Koblin & others], 314

Thiopental, see under Anesthetics, intravenous; Anesthetics, rectal; Hypnotics, barbiturates

THOMAS, D. V., 523

Thoracic anesthesia, see under Anesthesia; Anesthetic techniques, peridural

Thoracoscopy, see under Surgery

Thromboembolism, see under Complications; Embolism

Tidal volume, see under Lung(s); Ventilation

TINKER, J. H., 449 TODD, M. M., 496

Tolerance, see under Analgesics, narcotic; Potency, anesthetic

TOUTANT, S. M., 496

Toxicity, carcinogenicity, in low-level binding of halothane metabolites to rat liver histones in vivo, 298

convulsions, during lidocaine infusion in rat [Maekawa & others], 278

lidocaine-induced, selective metabolic activation of hippocampus during [Ingvar & Shapiro], 33

mixtures of local anesthetics are no more likely to cause than parent drugs [deJong & Bonin], 177

cyanide, and vitamin B12 levels in serum, during sodium nitroprusside administration in humans [Fahmy], 305

deaths, mixtures of local anesthetics are no more likely to cause than parent drugs [deJong & Bonin], 177

fetal, in mice chronically exposed to enflurane [Wharton & others], 505

nonasphyxiated and asphyxiated baboon fetuses, lidocaine in [Morishima & Covino], 182

hepatic, in formation of chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383 rat, in low-level binding of halothane metabolites to rat liver histones in vivo [Edmunds & others], 298

metabolites, chlorotrifluoroethane and chlorodifluoroethylene from halothane [Maiorino & others], 383

of enflurane, and renal fluoride excretion and plasma fluoride levels are dependent on urinary pH [Järnberg & others],

of halothane, and low-level binding of, to rat liver histones in vivo [Edmunds & others], 298

of sevoflurane, in healthy human volunteers [Holaday & Smith], 100

mutagenicity, in mouse spermatozoa after exposure to inhalational anesthetics during early spermatogenesis [Land & others], 53

reproductive, in mice chronically exposed to enflurane [Wharton & others], 505

teratogenicity, in mice chronically exposed to enflurane [Wharton & others], 505

in mouse spermatozoa after exposure to inhalational anesthetics during early spermatogenesis [Land & others], 53 thiocyanate, and vitamin B12 levels in serum, during sodium

nitroprusside administration in humans [Fahmy], 305 tissue uptake, of lidocaine, in nonasphyxiated and asphyxiated

baboon fetuses [Morishima & Covino], 182

trace concentrations, of enflurane, in chronically exposed mice [Wharton & others], 505

Trace anesthetics, see under Anesthetics, gases; Anesthetics, volatile; Equipment, exhaust systems; Operating rooms, exhaust systems; Toxicity

Trachea, see under Lung(s)

Transfusion, filters, microfilters, evaluation of (correspondence) [Cullen], 432

microfilters, evaluation of (correspondence) [Linko], 431 stored blood, used blood bags for, simple method for sealing (correspondence) [Dhamee & Bardeen-Henschel], 92

TRAVIS, K. W., 87

Trichloroethylene, see under Anesthetics, volatile

TRICKEY, D. L., and SHEIKH, F. (associate contributor), Self-Assessment of Current Knowledge in Anesthesiology, 2nd edition (book review), 175

Trimethaphan, see under Anesthetic techniques, hypotension, induced; Sympathetic nervous system, ganglionic blocking agents

TRINER, L., 193
TRUDELL, J. R., 298

Tubes, endotracheal, see Equipment, tubes, endotracheal d-Tubocurarine, see under Neuromuscular relaxants

Ulnar artery, see under Arteries Uptake, see under Induction; Pharmacokinetics Urinary retention, see under Complications Urine, see under Kidney

VANDAM, L. D. (ed.), To Make the Patient Ready for Anesthesia: Medical Care of the Surgical Patient (book review), 358

Vaporizers, see under Equipment

Vascular pressures, see under Heart; Lung(s); Monitoring

VAUGHAN, R. W., 310, 325

1 I

Veins, internal jugular, new technique for location and cannulation of (correspondence) [Gibbs & Arandia], 89

jugular, complications, permanent paralysis of C-5, after cannulation (correspondence) [Frasquet & Belda], 528

Ventilation, alternating lung, high-frequency (laboratory report) [Hameroff & others], 237

artificial, in study of interactions among ventilation, circula-tion, and uptake and distribution of halothane—use of hybrid computer multiple model [Fukui & Smith], 119

depression, and pharmacokinetics of morphine injected intravenously into anesthetized dog [Hug & others], 38 high-frequency alternating lung (laboratory report) [Hameroff

& others], 237

high-frequency positive-pressure, effects of, on intracranial pressure and brain surface movement in cats [Todd & othersl, 496

mechanical, measurement of functional residual capacity during, by simultaneous exchange of two insoluble gases (laboratory report) [Ozanne & others], 413

tidal volume, low, effects of, on intracranial pressure and brain surface movement in cats [Todd & others], 496

in volume ventilation systems for infants (clinical report) [Bazaral], 240

positive end-expiratory pressure, canine left ventricular volume response to [Brown & others], 409

time course and mechanisms of lung-volume increase with, in acute pulmonary failure [Katz & others], 9

shunting, in hypoxemia following pulmonary embolism [Fisher & othersl, 204

spontancous, in study of interactions among ventilation, cir-culation, and uptake and distribution of halothane—use of hybrid computer multiple model [Fukui & Smith], 119

Ventilators, see under Equipment

VEROSKY, M., 193

VIEROLA, H., 131

Vital capacity, see under Lung(s) VULLIEMOZ, Y., 193

WAKUTA, K., 335

Washout, see under Lung(s)

WATERSON, C. K., 237

WATSON, J. E., 318

WEBSTER, C., 364

WEDDEL, S. J., 210

WEEKS, D. B., 337

WELLONS, H. A., 85

WELTI, R. S., 91

WESTERLUND, R., 90

WHARTON, R. S., 505

WHEELER, A. S., 215

WILEY, J. K., 419

WILSON, A. I., 505

WINGARD, D. W., 527

WINNIE, A. P., 432

WOLF, L. J., 468, 474

WOLF, S., 521

WRIGHT, B. D., 78 WRITER, W. D. R., 215

XAVIER, B., 369

Xenon, see under Anesthetics, gases

YAKSH, T. L., 457

YELDERMAN, M., 423

YODLOWSKI, E. H., 23, 29

YOUNGBERG, J. A., 171

ZAUDER, H. L., Anesthesia for Orthop edic Surgery (book review), 442 ZINN, S. E., 9, 413

INDEX OF AUTHORS AND SUBJECTS . VOLUME 55

Index of Issues: July, pp. 1-92; August, pp. 93-194; September, pp. 195-338; October, pp. 339-490; November, pp. 491-610; December, pp. 611-774.

Author entries for original articles include the titles of the articles and co-authors under the first author; reference is made from the joint authors.

Subject entries for all material in the JOURNAL appear in this index. The name of the author of an original article, in brackets, follows the subject entry. Entries from the JOURNAL departments are identified by the departments in which the subject matter appears, e.g., Clinical Reports.

ABBOUD, T. K., A301, A315

ABBRECHT, P. H., 423

ABOULEISH, E., 478, 604, A153, A304, A317

ABRAM, S., A277

ABRAMOWITZ, H. B., 603

ABRAMOWITZ, M. D., 71, A329

ABRAMS, L. M., A29

Acid base equilibrium, acidosis, metabolic, and dopamine, reduced glutathione modifies hemodynamic responses to (abstr) [Tajimi & others], A93

and respiratory distress and beta-endorphin-like immunoreactivity in humans [Yanagida & Corssen], 515

in diabetic mothers and their infants following spinal anesthesia (abstr) [Datta & others], A319

and lactic acid concentration, maternal and fetal, effects of halothane on, in general anesthesia for cesarean section (abstr) [Datta & others], A309

Acidosis, see under Acid-base equilibrium

ADAMS, J. F., 96

ADAMS, T., JR., A76

ADDONIZIO, V. P., 621

Adenosine triphosphate, see under Metabolism

Adrenal, see under Hormones

Age factors, drug effect, pharmacokinetics of metocurine (abstr) [Matteo & others]. A215

in hypertensive rats, influencing cerebral blood flow during hypotension (abstr) [Hoffman & others], A12

Air embolism, see under Complications; Embolism

Airway(s), bronchi, permeability, mannitol uptake as marker of (abstr) [Taylor & others], A360

conducting, role of, in N₂-washout during high-frequency mechanical ventilation (abstr) [Eriksson], A354

diameters in high frequency jet ventilation (abstr) [Calkins & others], A366

epiglottitis, in adult (clinical report) [Bishop], 697

extubation, from ambient or expiratory positive airway pressure in adults [Quan & others], 53

hemorrhage, pulmonary, from pulmonary artery catheterization treated with endobronchial intubation (clinical report) [Stein & Lisbon], 694

management, difficult tracheal intubations, use of flexible radiopaque directable catheter for (correspondence) [Davidson & others], 605

obstruction, anatomy, anomalous tracheal bronchus, with endotracheal intubation (clinical report) [Vredevoe & others], 581

by mediastinal lymphoma, cervical node biopsy in, death on induction of anesthesia for (clinical report) [Keon], 471

emergency transtracheal ventilation in (correspondence) [deLisser & others], 606

of endotracheal tube by lidocaine jelly (clinical report) [Uehira & others], 598

in epiglottitis in adult (clinical report) [Bishop], 697

oral, in uvular edema without endotracheal intubation (correspondence) [Shulman], 82

pressure, and pulmonary vessels, during pulmonary edema (abstr) [Ngeow & others]. A83

trachea, constriction of, by succinylcholine, mechanism of [Koga & others]. 138

tracheal model, endotracheal tube cuff residual volume and lateral wall pressure in (laboratory report) [Tonnesen & others], 676 AKINS, C. W., 292

ALBIN, M. S., 343, A232, A268

ALBRECHT, R. F., A1, A10, A12

Albumin, see under Blood; Protein

Alcohol, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34

and opiate analgesia, anesthesia and withdrawal (abstr) [Diamond & others], A228

ALDRETE, J. A., 707, A261

ALEJANDRO, S. B., A291

ALEXANDER, C., 597

ALEXANDER, H., A97, A99

Alfentanil, see under Analgesics; Anesthetics, intravenous

ALFERY, D. D., 376, 381, A376

ALI, H. H., 586, A197, A198, A207

ALI, M., A170

ALLEN, P. D., A373

Allergy, anaphylaxis, in morphine administration, hemodynamics, plasma histamine, and catecholamine concentrations during (clinical report) [Fahmy], 329

in protamine administration to patient allergic to fish (clinical report) [Knape & others], 324

ALPERT, M., A285, A295

Alpha-adrenergic receptors, see under Sympathetic nervous system ALTHAUS, J., A66

Althesin (alphadione), see under Anesthetics, intravenous, steroid

Alveolar-arterial tension difference, see under Oxygen

Alveolus, see under Lung(s)

4-Aminopyridine, see under Antagonists, neuromuscular relaxants

AMORTEGUI, A. J., 604

Analeptics, doxapram, physostigmine, or naloxone, electroencephalographic evidence of arousal in dogs from halothane after [Roy & Stullken], 392

Analgesics, alfentanil, high and low dose, pharmacokinetics of (abstr) [Borel & others], A256

and sufentanil, kinetics of, compared (abstr) [Bovill & others], A174

narcotic, abuse, survey of training programs 1970-1980; final results and comment (abstr) [Ward & Saidman], A346

abuse, survey of training programs 1970-1980; format and initial results (abstr) [Ward & Saidman], A345

buprenorphine, effects of, on body temperature: heterogenicity of receptor mechanisms (abstr) [Rosow & others], A245

- butorphanol, "ceiling effect" of, as anesthetic supplement (abstr) [Murphy & Hug], A260
- butorphanol, effects of, on body temperature: heterogenicity of receptor mechanisms (abstr) [Rosow & others], A245
- epidural, IM or IV injection, placental transfer following, compared (abstr) [Finster & others], A321
- fentanyl, anesthetic potency of, in terms of its reduction of enflurane MAC (abstr) [Murphy & Hug], A249
- fentanyl, cerebral blood flow and oxygen consumption after (abstr) [Carlsson & others], A193
- fentanyl, effects of, on cerebral circulation (abstr) [McPherson & Traystman], A98
- fentanyl, high-dose, effects of, on electroencephalogram [Sebel & others], 203
- fentanyl, metabolism of, in rats and man (abstr) [Goromaru & others], A173
- fentanyl, and morphine, biotransformation of, in anhepatic dogs (abstr) [Hug & others], A261
- fentanyl, in narcotic "anesthesia" in eighties (editorial views) [Lowenstein & Philbin], 195
- fentanyl, -oxygen anesthesia for aortocoronary bypass operation, hemodynamic changes during [Waller & others], 212
- fentanyl, pharmacokinetics, in children with heart disease (abstr) [Baskoff & Stevenson], A194
- [Bentley & others], A177

 [Bentley & others], A177
- fentanyl, placental passage of, and uterine effects of (abstr) [Craft & others], A320
- fentanyl, tissue redistribution of, and termination of its effects in rats [Hug & Murphy], 369
- lofentanyl, evaluation of, in cat (abstr) [Tung & Yaksh], A155 meperidine, in comparison of several common premedications
- meperidine, in comparison of several common premedication (abstr) [Reynolds & others], A277
- meperidine, evaluation of, in cat (abstr) [Tung & Yaksh], A155 meperidine, peridural, in humans [Glynn & others], 520
- meperidine, placental transfer after epidural, IM or IV injection (abstr) [Finster & others], A321
- methadone, evaluation of, in cat (abstr) [Tung & Yaksh], A155 morphine, anesthesia, ketamine anesthesia and, 4-aminopyridine reversal of (abstr) [Tung & others], A240
- morphine, changes in rib cage and diaphragm contribution to ventilation after [Rigg and Rondi], 507
- morphine, changes in rib cage and diaphragm contribution to ventilation after (editorial views) [Marsh & others], 491
- morphine, dibutyryl cyclic GMP, acetylcholine, and carbamycholine, comparison of analgetic activities of (abstr) [Cohn & others], A294
- morphine, effects on cardiac output and regional blood flow distribution in conscious dogs [Priano & Vatner], 236
- morphine, epidural, following epidural local anesthesia: effect on ventilatory and airway occlusion pressure responses to CO₂ [Doblar & others], 423
- morphine, epidural and I.V., CO₂ sensitivity after (abstr) [Nielsen & others], A372
- morphine, epidural, for post-cesarean section (abstr) [Danielson & others], A323
- morphine, evaluation of, in cat (abstr) [Tung & Yaksh], A155 morphine, and fentanyl, biotransformation of, in anhepatic dogs (abstr) [Hug & others], A261
- morphine, hypothermia and, association of, with epinephrine-induced arrhythmias (abstr) [Ohmura & others], A54
- morphine, intrathecal, for obstetric analgesia (abstr) [Srinivasan],
- morphine, intrathecal, for obstetric analgesia, more experience with (correspondence) [Mok & Tsai], 481

- morphine, intrathecal, in obstetrics (correspondence) [Crawford],
- morphine, intrathecal, tolerance to, in rat (abstr) [Tung & others], A171
- morphine, and nalbuphine, anesthesia and ventilatory depression with, compared (abstr) [Gal & DiFazio], A375
- morphine, physostigmine alone and after, respiratory effects, antagonist or not? (abstr) [Bourke & others], A373
- morphine, physostigmine and respiratory depression (abstr) [Smith & others], A374
- morphine, plasma, CSF and, after epidural and intrathecal application (correspondence) [Jørgensen & others], 710
- morphine, in study of hemodynamic response to endotracheal intubation (abstr) [Bedford & Marshall], A270
- nalbuphine, anesthesia and ventilatory depression with (abstr) [Gal & DiFaziol, A375
- nalbuphine, effects of, on body temperature: heterogenicity of receptor mechanisms (abstr) [Rosow & others], A245
- opiate, alcohol and, anesthesia and withdrawal (abstr) [Diamond & others], A228
- pentazocine, effects of, on body temperature: heterogenicity of receptor mechanisms (abstr) [Rosow & others], A245
- pentazocine, L- and L-,D-, on EEG and respiration (abstr) [Enomoto & others]. A297
- spinal opiates, central action of (correspondence) [Bahar & others],
- opiate receptors, agonist-antagonists, effects of, on body temperature: heterogenicity of receptor mechanisms (abstr) [Rosow & others],
- analeptic action of naloxone unrelated to (abstr) [Kraynack & others]. A287
- bioassay, ketamine effects in (abstr) [Finck & Ngai], A242
- brain stem, nitrous oxide and, in rats (abstr) [Ngai & Finck], A247
- dysphoric sigma, ketamine interacts with (abstr) [Smith & Bouchal], A243
- ketamine interacts with, in vivo (abstr) [Finck & Ngai], A241 multiple, in spinally mediated analgesia (abstr) [Tung & Yaksh],
- in study of plasma beta endorphin immunoreactivity raised by surgical stress, but not anesthetic induction (abstr) [Dubois & others], A244
- plasma endorphins, in pregnant women at term (abstr) [Budiamal & others], A322
- sufentanil, and alfentanil, kinetics of, compared (abstr) [Bovill & others], A174
- intravenous, pharmacokinetics of (abstr) [Borel & others], A251 Anaphylaxis, see under Allergy; Complications
- ANDERSEN, H. B., 710
- ANDERSEN, H. W., A377
- ANDRITSCH, R. F., 311
- Anemia, see under Blood; Complications
- Anesthesia, beneficial for ischemic heart (editorial views) [Merin], 341 cardiac, hemodynamic and hormonal effects of high dose fentanyl vs. halothane for (abstr) [Zurick & others], A248
 - use of H₁ and H₂ histamine antagonists with morphine anesthesia in: double-blind study [Philbin & others], 292
 - cardiovascular, and adequate rewarming during cardiopulmonary bypass, rectal temperature is best indicator of (correspondence) [Azar], 189
 - for cardiopulmonary bypass, in man, hypothermia after (correspondence) [Caldwell & others], 86
 - for cardiopulmonary bypass, monitoring during (correspondence)
 [Granwehr], 338

fentanyl-oxygen, for aortocoronary bypass operation, hemodynamic changes during [Waller & others], 212

high-dose fentanyl, effects of, on electroencephalogram [Sebel & others], 203

high-dose fentanyl in, hemodynamic changes prior to and after sternotomy in patients anesthetized with (clinical report) [Edde], 444

inadvertent carotid cannulation during, another sign of (correspondence) [Dalal & Patel], 487

narcotic, in eighties (editorial views) [Lowenstein & Philbin], 195 cardiovascular complications during, in chronic spinal cord injured patients (medical intelligence) [Schonwald & others], 550

depth, and brain condition, monitoring of, by advanced EEG (abstr)
[Demetre cu & others], A130

general, and chest wall (medical intelligence) [Schmid & Rehder], 668

increasing halothane concentration in, in dog, regional ischemic ventricular dysfunction in myocardium supplied by narrowed coronary artery with [Lowenstein & others], 349

and muscle paralysis, thoracic gas volume measured by body plethysmography during [Hedenstierna & others], 439

neurosurgical, positioning right atrial catheter in, model for reappraisal [Bunegin & others], 343

in posterior fossa craniotomy, pneumocephalus after (abstr) [Pandit & others), A233

reversible narcotic coma for (abstr) [Shupak & Harp], A230

in seated position, atrial pressures and air embolism in (abstr) [Perkins-Pearson & others], A236

for surgery of acoustic neurinomas, respiratory complications following (abstr) [Clergue & others], A362

obstetric, acid-base status in diabetic mothers and their infants following spinal anesthesia (abstr) [Datta & others], A319

antacid(s), in vitro and in vivo evaluation of sodium citrate as (abstr) [Gibbs & others], A311

cesarean section, effects of halothane on maternal and fetal acidbase and lactic acid concentration during (abstr) [Datta & others], A309

cesarean section, emergency, sodium bicarbonate, injection, U.S.P., as oral antacid for (abstr) [Lim & Tan], A339

cesarean section, epidural morphine for analgesia following (abstr) [Danielson & others], A323

cesarean section, euglycemic hydration prior to epidural block for (abstr) [Peng & others], A307

cesarean section, ketamine versus thiopental as induction agents for (abstr) [Schultetus & others], A306

cesarean section, prevention of hypotension with hydration prior to (abstr) [Gibbs & others], A308

diabetes, acid-base status in, and in infants of diabetic mothers following spinal anesthesia (abstr) [Datta & others], A319

diabetes, buffering capacity and oxyhemoglobin affinity of infants following (abstr) [Brouillard & others], A318

epidural, bupivacaine, influence of maternal blood concentration of, on placental transfer at delivery (abstr) [Gamulin & others], A340

epidural, is chloroprocaine safe for? (abstr) [Abouleish], A317

epidural, and subarachnoid block, case of unilateral analgesia following, revisited (correspondence) [deRosayro], 478

epidural, with bupivacaine, chloroprocaine, and lidocaine, comparative fetal, maternal and neonatal responses following (abstr) [Abboud & others], A315

epidural catheter insertion for, incidence of doppler-detected air embolism during (abstr) [Naulty & others], A299

general, maternal end-tidal CO₂ values during (abstr) [Wheeler & others], A300

halothane, requirement during pregnancy and lactation in rats (laboratory report) [Strout & Nahrwold], 322

intrathecal morphine in (correspondence) [Crawford], 487

intrathecal morphine for (abstr) [Srinivasan], A298

intrathecal morphine for, more experience with (correspondence) [Mok & Tsai], 481

local, quantitative uptake of, in fetal lambs (abstr) [Kennedy & others], A314

local anesthetic pharmacokinetics, of etidocaine in fetal, newborn and adult sheep (abstr) [Morishima & others], A316

neonatal evaluation, of buffering capacity and oxyhemoglobin affinity in infants of diabetic mothers (abstr) [Brouillard & others]. A318

neonatal evaluation, following epidural analgesia with bupivacaine, chloroprocaine, and lidocaine (abstr) [Abboud & others], A315

for patient with long Q-T syndrome, perioperative anesthetic management in (clinical report) [Brown & others], 586

pre-eclampsia, effect of albumin 25% infusion (abstr) [Joyce & Loon], A313

and rare types of cholinesterase in two parturients (correspondence) [Abouleish & others], 478

and shivering curing epidural analgesics in women in labor (clinical report) [Webb & others], 702

sodium nitroprusside for hypertension in gravid ewes (abstr) [Ellis & others], A302

spinal, effects of, en maternal circulating catecholamines (abstr) [Abboud & others], A301

study of disposition of bupivacaine in mother, fetus, and neonate following epidural anesthesia for cesareaa section, use of selected ion monitoring technique in [Kuhnert & others], 611

thrombelastography during (abstr) [Kang & Abouleish], A304 two new drugs improve anesthetic management in (correspondence) [Downing & others], 334

orthopedic, spine fusion, preferred anesthetic technique in: "wakeup" test and spinal cord function (abstr) [Tompkins & Breed], A231

otolaryngologic, for laser microlaryngeal surgery, protection of endotracheal tubes during (correspondence) [Ngeow & Kashima], 710

outpatient, antiemetic premedication in (abstr) [Chen & Watkins], A280

pediatric strabismic surgery, effect of droperidol in reducing vomiting in (abstr) [Abranowitz & others], A329

recovery after, instrumented force platform as test of (abstr) [Korttila & others], A123

residual effects of, evaluation of instrumented force platform as test to measure [Korttila & others], 625

pediatric, allaying fear of, in children (correspondence) [Lee], 189 cardiac, in cardiothoracic surgery, transport of children following (abstr) [Sudan & others], A337

catheters for arterial pressure monitoring in (abstr) [Browning & others], A131

caudal anesthesia in, for early onset myotonic dystrophy (clinical report) [Alexander & others], 597

and dose-response effects of preanesthetic oral cimetidine on gastric pH and volume in children [Goudsozian & others], 533

dose response to intramuscular succinylcholine in (clinical report)
[Liu & others], 599

eight anesthetic circuits used in, wasted ventilation with (abstr) [Coté & others], A334

fentanyl, pharmacokinetics of, in children with heart disease (abstr) [Baskoff & Stevenson], A194

general, in unpremedicated children, dose response of intravenous thiopental for induction of (clinical report) [Coté & others], 699 Anesthesia-Anesthetic techniques

in infant lambs, effect of increased intracranial pressure on (abstr) [Backofen & others], A100

intravenous induction doses of methohexital in, response to (abstr) [Liu & others], A330

and lung mechanics and experimental meconium aspiration (abstr) [Chen & others], A305

metocurine, requirements, in burned patients; relation of plasma concentration to neuromuscular blockade (abstr) [Martyn & others], A214

neuromuscular sensitivity to, studied in neonatal puppies (abstr) [Lee & others], A279

in newborn dogs, local cerebral blood flow autoregulation in (abstr) [Shapiro & others], A225

on-line pulmonary resistance and elastance measurements during (abstr) [Goldman & others], A333

outpatient, psychological effects of, on five to eight-year-old children [Morgan & others], 386

outpatient surgery, efficacy of oral premedication in children for (abstr) [Brzustowicz & others], A328

pharmacokinetics and dynamics of d-tubocurarine in, relative to use in adults (abstr) [Fisher & others], A391

retrolental fibroplasia (abstr) [Quinn & others], A326

and serum bromide post-halothane in infants and young children (abstr) [Resurreccion & others], A327

simple device for remote monitoring of respiration during (correspondence) [Saunders & Humphrey], 609

strabismic outpatient surgery, effect of droperidol in reducing vomiting in (abstr) [Abramowitz & others], A329

thiopental induction in burned children: dose-response study (abstr) [Coté & others], A338

regional, anticoagulation following placement of epidural and subarachnoid catheters in: evaluation of neurologic sequelae [Rao & El-Etr]. 618

urologic, in transurethral prostatic surgery, intraocular pressure after (clinical report) [Peters & others], 327

Anesthesiologists, sperm studies in [Wyrobek & others], 527

Anesthesiology, recruitment, when do physicians choose anesthesiology as a speciality? (abstr) [Seltzer & Veloski], A341

Anesthetic techniques, bronchoscopy, bronchofiberscopic high fre-

quency ventilation (abstr) [Ramanathan & others], A352

closed circle, cost of delivery of anesthetic gases in, re-examined (correspondence) [Patel & Milliken], 706

cost of delivery of anesthetic gases in, re-examined (correspondence) [Spain], 707

cost of delivery of anesthetic gases in, re-examined (correspondence) [Virtue & Aldrete], 707

use of, and waste anesthetic gases, ASA brochure on, fails to consider prevention (correspondence) [Mazze], 333

use of, and waste anesthetic gases, ASA brochure on, fails to consider prevention (correspondence) [Virtue], 332

electronarcosis, transcutaneous cranial, increases MAC of nitrous oxide in man (abstr) [Stanley & others], A222

epidural, morphine, and I.V. morphine, CO₂ sensitivity after (abstr) [Nielsen & others], A372

hypotensin, induced, nitroglycerin, nitroprusside versus, in pulmonary hypertension (abstr) [Rosenthal & others], A79

induced, nitroglycerin, pulmonary gas exchange effects of, in canine edematous lungs [Colley & others], 114

induced, nitroprusside, and ATP in controlled hypotension (abstr) [Satinover & others], A10

induced, nitroprusside, and ATP, hemodynamic effects of (abstr) [Fukunaga & others], A13 induced, nitroprusside, cyanide release by, during hypothermic CPB (abstr) [Geller & others], A20

induced, nitroprusside, in humans, effects of propranolol on cardiovascular and renin-angiotensin systems during [Marshall & others], 277

induced, nitroprusside, for hypertension in gravid ewes (abstr) [Ellis & others], A302

induced, nitroprusside, is hypotension mediated by cyclic GMP? (abstr) [Arnold & others], A185

induced, nitroprusside, nitroglycerin versus, in pulmonary hypertension (abstr) [Rosenthal & others], A79

induced, nitroprusside, and propranolol, combined effects of, on hypoxic pulmonary vasconstriction (abstr) [Benumof & others], A378

induced, nitroprusside, propranolol pretreatment and catecholamines during (abstr) [Khambatta & others], A8

induced, nitroprusside, survival with hemorrhage during (abstr) [Brown & others], A16

induced, phentolamine, effects on intracranial pressure (abstr) [Giffin & others], A234

induced, trimetaphan, evoked responses during (abstr) [Bunegin & others], A232

induction, with fentanyl-oxygen, prevention of rigidity during (clinical report) [Hill & others], 452

in laryngeal microsurgery, endotracheal tube is not necessary for (correspondence) [Talmage], 332

nerve block, see Nerve, block

neurolept anesthesia, influence of, on human dose-response of ORG-NC45 (abstr) [Nagashima & others], A202

and ketamine, effects of, on oxygen consumption (VO₂) and cardiac output (CO) in hypermetabolic burned patients (abstr) [Pavlin & others], A190

relaxation with ORG-NC45 during (abstr) [Nagashima & others], A200

"wake-up" test and spinal cord function in (abstr) [Tompkins & Breed], A231

peridural, caudal, for early onset myotonic dystrophy (clinical report) [Alexander & others], 597

epidural, catheter insertion for, incidence of doppler-detected air embolism during (abstr) [Naulty & others], A299

epidural, for cesarean section, euglycemic hydration prior to (abstr) [Peng & others], A307

epidural, for cesarean section, use of selected ion monitoring technique to study disposition of bupivacaine in mother, fetus and neonate following [Kuhnert & others], 611

epidural, continuous, for laparoscopic tubal ligation (abstr) [Soni & Burney], A145

epidural, continuous, and subarachnoid, anticoagulation following: evaluation of neurologic scquelae [Rao & El-Etr], 618

epidural, continuous bupivacaine infusion in kinetics of (abstr) [Denson & others], A159

epidural, integrated electromyographic measurement of abdominal motor blockade in: comparison of bupivacaine and etidocaine (abstr) [Chamberlain & Crawford], A157

epidural, or intrathecal morphine application, CSF and plasma morphine after (correspondence) [Jørgensen & others], 710

epidural, lidocaine vs. morphine in, sympathetic reflexes in (abstr) [Liao & others], A148

epidural, meperidine, placental transfer after, and after IM or IV injection, compared (abstr) [Finster & others], A321

epidural, millipore filters are not necessary for (correspondence) [Abouleish & Amortegui], 604

epidural, morphine, dose response for postoperative analgesia (abstr) [Crawford & others], A150

epidural, morphine, epidural narcotic infusion pump I: implant (method/flow rates) in (abstr) [Coombs & others], A152 epidural, morphine, for post-cesarean analgesia (abstr) [Danielson & others], A323

epidural, morphine, rostral spread in (abstr) [Bromage & others],

epidural, morphine, vs. lidocaine in, sympathetic reflexes in (abstr) [Liao & others], A148

epidural, narcotics, following epidural local anesthesia: effect on ventilatory and airway occlusion pressure responses to CO₂ [Doblar & others], 423

epidural, opiates, evaluation of, in cat (abstr) [Tung & Yaksh], A155

epidural, prevention of hypotension with hydration prior to (abstr) [Gibbs & others], A308

epidural, steroids, and adrenal response to stress (abstr) [Gorski & others]. A147

epidural, and subarachnoid block, case of unilateral analgesia following, revisited (correspondence) [deRosayro], 478

epidural, with bupivacaine, chloroprocaine, and lidocaine, comparative fetal, maternal and neonatal responses following (abstr) [Abboud & others], A315

in humans [Glynn & others], 520

lumbar, injection into interspace adjacent to inadvertant dural perforation in, total spinal block after (clinical report) [Hodgkinson], 593

lumbar, shivering during, in women in labor (clinical report) [Webb & others], 702

regional, axillary, difficult, use of Doppler for (correspondence) [Abramowitz & Cohen], 603

brachial block, axillary, using computed tomography (abstr) [Thompson], A146

cervical plexus block, for carotid endarterectomy (abstr) [Satyanarayana & others], A170

intercostal nerve block, with 0.5% bupivacaine, lung volume changes produced by (abstr) [Cory & Horton], A144

phrenic nerve, block, value of fluoroscopy before performance of (clinical report) [Benzon & others]

stellate, ganglion block, pneumochylothorax as rare complication of (clinical report) [Thompson & others], 589

stellate, sympathetic block, direct non-penetrating injury to cervical sympathetic chain and brachial plexus, hypersympathetic dysfunctional state following—Pourfour Du Petit syndrome (clinical report) [Teeple & others], 591

spinal, absorption kinetics of hypoosmotic lidocaine solutions in (abstr) [Denson & others], A142

acid-base status in diabetic mothers and their infants following (abstr) [Datta & others], A319

cardiac effects of halothane with (abstr) [Hantler & others], A4 and central action of spinal opiates (correspondence) [Bahar & others], 334

controlled study of dibucaine and tetracaine in (abstr) [Rocco & others], A141

diagnostic subarachnoid block, placebo injection in (abstr) [MacMurdo & others], A143

effect of, on adrenergic tone and neuroendocrine responses to surgical stress in humans [Pflug & Halter], 120

effects of, on maternal circulating catecholamines (abstr) [Abboud & others], A301

or epidural morphine application, CSF and plasma morphine after (correspondence) [Jørgensen & others], 710

interaction of, with angiotensin converting enzyme inhibitor (captopril) (abstr) [Ohmura & others], A51

& others], A148 morphine, intrathecal, in monkeys, acute and chronic effects of

(abstr) [Abouleish & others], A153 morphine, for obstetric analgesia, more experience with (corre-

spondence) [Mok & Tsai], 481 morphine in, in obstetrics (correspondence) [Crawford], 487

morphine in, in obstetrics (correspondence) [Crawford], 487 morphine vs. lidocale in, sympathetic reflexes in (abstr) [Liao & others], A148

narcotics, for obstetric analgesia (abstr) [Srinivasan], A298 opiates, tolerance to, in rat (abstr) [Tung & others], A171

post-lumbar puncture headache as complication of, intracerebral hemorrhage following (clinical report) [Mantia], 680

recurring error concerning, time to correct (correspondence) [Davis], 715

subarachnoid block, by 2-chloroprocaine monitored with somatosensory-evoked potentials (SEP) and reversed by cholinesterase (abstr) [Wang & others], A160

subarachnoid block, and epidural, case of unilateral analgesia following, revisited (correspondence) [deRosayro], 478

subarachnoid, continuous, and epidural, anticoagulation following: evaluation of neurologic sequelae [Rao & El-Etr], 618

test dose, peridural, caudal, block, components of effective test dose prior to (clinical report) [Moore & Batra], 689

peridural, epidural, block, components of effective test dose prior to (clinical report) [Moore & Batra], 689

Anesthetics, gases, cyclopropane, halothane, and ketamine, dissimilar effects of, on brainstem nuclei associated with cardiovascular and respiratory control (abstr) [Roizen & others], A288

nitrous oxide, and air-filled balloon-tipped catheters (laboratory report) [Kaplan & others], 71

nitrous oxide, in assessment of psychological effects of general anesthesia on children [Morgan & others], 386

nitrous oxide, and brain stem opiate receptors in rats (abstr) [Ngai & Finck], A247

nitrous oxide, changes left ventricular geometry, sonomicrometry demonstrating (abstr) [Christian & others], A32

nitrous oxide, during coronary artery surgery, left ventricular enddiastolic pressure (LVEDP) as index for use of (clinical report) [Balasaraswathi & others], 704

nitrous oxide, effects of, on fetal development and male fertility in mice (abstr) [Mazze & others], A188

nitrous oxide, and halothane induced increases in plasma catecholamines, thiopental blocks (abstr) [Joyce & others], A272

nitrous oxide, halothane plus, increases sperm abnormalities in mice (abstr) [Land & Owen], A196

nitrous oxide, human bone marrow biochemical function and megaloblastic hematopoiesis after anesthesia with [O'Sullivan & others], 645

nitrous oxide, intracranial pressure monitoring during posterior fossa craniotomy with, pneumoencephalus after (abstr) [Pandit & others], A233

nitrous oxide, for laparoscopic tubal ligation (abstr) [Soni & Burney], A145

nitrous oxide, in man, transcutaneous cranial electrical stimulation increases MAC of (abstr) [Stanley & others], A222

nitrous oxide, and mechanical ventilation, canine \hat{V}_A/\hat{Q} distribution responses to [Dueck & others], 127

nitrous oxide, rats anesthetized with, CNS metabolism during stimulation in (abstr) [Crosby & others], A389

nitrous oxide, is teratogenic: halothane is not (abstr) [Lane & others], A252

nitrous oxide, trace concentration, contamination of operating room, effect of airway leak on (abstr) [Becker & others], A335

- nitrous oxide, venous air embolism during, relation of right and left atrial pressure during (abstr) [Mehta & Sokoll], A238
- nitrous oxide, liter flows of, table for—use of compressed air made easy (clinical report) [Teeple & Pavlov], 692
- nitrous oxide, in olive oil, new value for solubility of (correspondence) [Cooper & Joseph], 716
- trace concentration detection, N₂O, alternative sites for measuring (abstr) [Kaarakka & others], A139
- trace concentrations, anesthesiologists exposed to, sperm studies in [Wyrobek & others], 527
- trace concentrations, ASA brochure on, fails to consider prevention (correspondence) [Mazze], 333
- trace concentrations, ASA brochure on, fails to consider prevention (correspondence) [Virtue], 332
- intravenous, alfentanil, anesthetic induction with: comparison with thiopental, midazolam and etomidate (abstr) [Nauta & others], A255
- alfentanil, -oxygen anesthesia, comparison of continuous infusion and frequent bolus techniques for coronary artery surgery (abstr) [deLange & others], A42
- alfentanil, -oxygen and sufentanil-oxygen anesthesia, antidiuretic hormone responses during coronary artery surgery with, in man (abstr) [deLange & others], A47
- barbiturates, dose-related attenuation of brain free fatty acid liberation during global ischemia (abstr) [Shiu & Nemoto], A269
- barbiturates, in pressure-induced focal ischemia (abstr) [Albin & others], A268
- diazepam, -fentanyl, effects of anesthesia with, on hemodynamics, plasma catecholamines and renin activity in critically-ill patients (abstr) [Lappas & others], A250
- diazepam, residual effects of, evaluation of instrumented force platform as test to measure [Korttila & others], 625
- droperidol, effect on left ventricular performance in man (abstr)
- [Marty & others], A19 droperidol, specificity of alpha blockade by (abstr) [Ramanathan
- & others], A7 etomidate, improves anesthetic management in obstetrics (correspondence) [Downing & others], 334
- etomidate, thiopental and midazolam, compared with anesthetic induction with alfentanil (abstr) [Nauta & others], A255
- fentanyl, anesthesia, oxygen uptake and delivery during, versus during halothane anesthesia (abstr) [Huang & others], A271
- fentanyl, -diazepam, effects of anesthesia with, on hemodynamics, plasma catecholamines and renin activity in critically-ill patients (abstr) [Lappas & others], A250
- fentanyl, high-dose, effects of, on electronencephalogram [Sebel & others], 203
- fentanyl, high-dose, hemodynamic changes prior to and after sternotomy in patients anesthetized with (clinical report) [Edde], 444
- fentanyl, high-dose, optimum relaxant for induction of (abstr) [Hill & others], A208
- fentanyl, high-dose, and oxygen anesthesia in reversible narcotic coma for neuroanesthesia (abstr) [Shupak & Harp], A230
- fentanyl, high-dose, vs. halothane for cardiac anesthesia, hemodynamic and hormonal effects of (abstr) [Zurick & others], A248 fentanyl, for laparoscopic tubal ligation (abstr) [Soni & Burney], A145
- fentanyl, in narcotic "anesthesia" in eighties (editorial views) [Lowenstein & Philbin], 195
- fentanyl, -oxygen anesthesia for aortocoronary bypass operation, hemodynamic changes during [Waller & others], 212
- fentanyl, and oxygen induction of anesthesia, prevention of rigidity during (clinical report) [Hill and others], 452

- fentanyl, plasma levels of, relationship of, to postoperative course of open heart patients (abstr) [Howie & others], A45
- fentanyl, tissue redistribution of, and termination of its effects in rats [Hug & Murphy], 369
- Innovar, in study of hemodynamic response to endotracheal intubation (abstr) [Bedford & Marshall], A270
- ketamine, anesthesia, and morphine analgesia, 4-aminopyridine reversal of (abstr) [Tung & others], A240
- ketamine, brain cyclic-AMP and possible mechanisms of cerebrovascular dilation by, in rats (laboratory report) [MacMurdo & others], 435
- ketamine, effects of, and effects of neurolept anesthesia on oxygen consumption (VO₂) and cardiac output (CO) in hypermetabolic burned patient (abstr) [Pavlin & others], A190
- ketamine, effects in opiate receptor bioassay (abstr) [Finck & Ngail, A242
- ketamine, halothane, and cyclopropane, dissimilar effects of, on brainstem nuclei associated with cardiovascular and respiratory control (abstr) [Roizen & others], A288
- ketamine, influence of, on cardiac output and tissue perfusion in rats subjected to hemorrhage [Idvall], 297
- ketamine, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34
- ketamine, interacts with dysphoric sigma opiate receptors (abstr) [Smith & Bouchal]. A243
- ketamine, interacts with opiate receptors in vivo (abstr) [Finck & Ngai], A241
- ketamine, plasma catecholamine response to, in hypertensive rats (abstr) [Althaus & Miller], A66
- ketamine, and psychoactive drugs, interaction of, on CNS regional glucose use (abstr) [Oguchi & others], A282
- ketamine, responses of lamb with left to right shunt to (abstr) [Hanowell & others], A15
- ketamine, in study of analeptic action of naxolone as related to opiate receptors (abstr) [Kraynack & others], A287
- ketamine, versus thiopental, as induction agents for cesarean section (abstr) [Schultetus & others], A306
- meperidine, for laparoscopic tubal ligation (abstr) [Soni & Burney]. A145
- methohexital, induction doses of, in children, response to (abstr) [Liu & others], A330
- method exital, residual effects of, evaluation of instrumented force
- platform as test to measure [Korttila & others], 625 methohexital, seizures induced by (correspondence) [Metriyakool], 714
- midazolam, cerebral blood flow response to, in human volunteers (abstr) [Forster & others], A263
- midazolam, effective dose of (correspondence) [Reves & others],
- midazolam, induction and emergence in renal failure patients (abstr) [Vinik & others], A262
- midazolam, induction time: association with serum albumin (abstr) [Reves & others], A259
- midazolam, pharmacokinetics, automated gas chromatography for studies of (laboratory report) [Greenblatt & others], 176
- midazolam, splanchnic circulation and, in chronic experiments (abstr) [Gelman & Reves], A192
- midazolam, thiopental and etomidate, compared with anesthetic induction with alfentanil (abstr) [Nauta & others], A255
- midazolam, and thiopental, ventilation after, in subjects with COPD (abstr) [Gross & Smith], A384
- morphine, hemodynamics, plasma histamine, and catecholamine concentrations during anaphylactoid reaction to morphine (clinical report) [Fahmy], 329

- morphine, and synaptosomal GABA disposal [Cheng & Brunner],
- morphine, use of H₁ and H₂ histamine antagonists with: doubleblind study [Philbin & others], 292
- pentobarbital, additive effect of, on protein synthesis (abstr) [Watkins & others], A189
- pentobarbital, in attenuation of brain free fatty acid liberation during global ischemia (abstr) [Shiu & Nemoto], A266
- pentobarbital, brain cyclic-AMP and possible mechanisms of cerebrovascular dilation by, in rats (laboratory report) [Mac-Murdo & others], 435
- pentobarbital, cerebrovascular responses to oxygen during anesthesia with (abstr) [Shinozuka & Nemoto], A92
- pentobarbital, infusions, compatibility and stability of (correspondence) [Walker & Iazzetta], 487
- pentobarbital, lidocaine, and hypothermia, inhibition of cerebral oxygen and glucose consumption in dog by [Astrup & others], 263
- pentobarbital, rats anesthetized with, CNS metabolism during stimulation in (abstr) [Crosby & others], A389
- pentobarbital, in study of analeptic action of naxolone as related to opiate receptors (abstr) [Kraynack & others], A287
- pentobarbital, in study of influence of ketamine anesthesia on cardiac output and tissue perfusion in rats subjected to hemorrhage [Idvall], 297
- pentobarbital, 24 hours deep anesthesia with, canine cerebral metabolic tolerance during [Gronert & others], 110
- steroid, Althesin, regional brain glucose utilization during anesthesia with (abstr) [Hawkins & others], A258
- sufentanil, electroencephalographic effects of, in man (abstr) [Sebel & others], A254
- sufentanil, -oxygen and alf-ntanil-oxygen anesthesia, antidiuretic hormone responses during coronary artery surgery with, in man (abstr) [del.ange & others], A47
- sufentanil, requirements, and cardiovascular dynamics, intraoperative, influence of chronic preoperative beta-adrenergicblocker therapy on, in coronary artery disease (abstr) [Stanley & others], A48
- thiamylal, in assessment of psychological effects of general anesthesia on children [Morgan & others], 386
- thiopental, after global brain ischemia in monkeys (abstr) [Gisvold & others], A97
- thiopental, anesthesia with, and muscle paralysis, thoracic gas volume and chest-abdomen dimensions during [Hedenstierna & others], 499
- thiopental, blocks halothane and nitrous oxide induced increases in plasma catecholamines (abstr) [Joyce & others], A272
- thiopental, dose response of, for induction of general anesthesia in unpremedicated children (clinical report) [Coté & others], 699
- thiopental, high dose, hemodynamics and oxygenation during (abstr) [Liao & others], A257
- thiopental, hypothermia plus: prolonged electroencephalographic suppression [Quasha & others], 636
- thiopental, induction in burned children: dose-response study (abstr) [Coté & others], A338
- thiopental, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34
- thiopental, kinetics in obese surgical patients (abstr) [Mayersohn & others], A178
- thiopental, lidocaine, and hypothermia, effects of, increase in extracellular potassium in brain during circulatory arrest [Astrup & others], 256

- thiopental, mechanism of action of, on airways (abstr) [Hirshman & others], A387
- thiopental, metabolism and termination of effect of (abstr) [Burch & Stanski], A175
- thiopental, midazolam and etomidate, compared with anesthetic induction with affentanil (abstr) [Nauta & others], A255
- thiopental, and midazolam, ventilation after, in subjects with COPD (abstr) [Gross & Smith], A384
- thiopental, pharmacokinetics of, in renal failure (abstr) [Burch & Stanski], A176
- thiopental, protein binding (abstr) [Burch & Stanski], A253
- thiopental, residual effects of, evaluation of instrumented force platform as test to measure [Korttila & others], 625
- thiopental, in study of outcome after cardiac arrest: role of plasma glucose (abstr) [Todd & others], A265
- thiopental, vs. ketamine, as induction agents for cesarean section (abstr) [Schultetus & others], A306
- local, adjuvants, potent, dextran is not (correspondence) [Rosenblatt], 486
 - bupivacaine, action of, on human uterine arteries (abstr) [Gintautas & Kravnack]. A324
 - tautas & Kraynack], A324 bupivacaine, cerebral and cardiac toxicity of, in presence of nor-
- mokalemia versus hyperkalemia (abstr) [Avery & others], A164 bupivacaine, and chloroprocaine, interaction of (abstr) [Corke & others], A162
- bupivacaine, chloroprocaine, and low pH (3.0) saline, neurological effects of subarachnoid injection of large volumes of, in dogs (abote) [Pavindran & others] A163
- (abstr) [Ravindran & others], A163 bupivacaine, continuous epidural infusion of, kinetics of (abstr) [Denson & others], A159
- bupivacaine, convulsant levels of (correspondence) [Fitzgibbons & others], 476
- bupivacaine, disposition of, in mother, fetus, and neonate following epidural anesthesia for cesarean section, use of selected ion monitoring technique to study [Kuhnert & others], 611
- bupivacaine, influence of maternal blood concentration on placental transfer of, at delivery (abstr) [Gamulin & others], A340 bupivacaine, is more cardiotoxic than lidocaine (abstr) [Loehning & others], A165
- bupivacaine, lidocaine, and chloroprocaine, epidural analgesia with, comparative fetal, maternal and neonatal responses following (abstr) [Abboud & others], A315
- bupivacaine, and lidocaine, effects of, on AV conduction in isolated rat heart: modification by hyperkalemia [Komai & Rusy], 281
- bupivacaine, local neurotoxicity of (abstr) [Barsa & others], A161 bupivacaine, and other local anesthetic agents, comparative CNS and cardiovascular toxicity of (abstr) [Liu & others], A156
- bupivacaine, quantitative uptake of, in fetal lambs (abstr) [Kennedy & others], A314
- bupivacaine, in study of components of effective test dose prior to epidural block (clinical report) [Moore & Batra], 689
- chloroprocaine, action of, on human uterine arteries (abstr) [Gintautas & Kraynack], A324
- chloroprocaine, and bupivacaine, interaction of (abstr) [Corke & others], A162
- chloroprocaine, bupivacaine, and low pH (3.0) saline, neurological effects of subarachnoid injection of large volumes of, in dogs (abstr) [Ravindran & others], A163
- chloroprocaine, is it safe for epidural analgesia? (abstr) [Abouleish], A317
- chloroprocaine, lidocaine, and bupivacaine, epidural analgesia with, comparative fetal, maternal and neonatal responses following (abstr) [Abboud & others], A315

Anesthetics—Anesthetics

chloroprocaine, in study of components of effective test dose prior to epidural block (clinical report) [Moore & Batra], 689

chloroprocaine, subarachnoid block by, monitored with somatosensory-evoked potentials (SEP) and reversed by cholinesterase (abstr) [Wang & others], A160

dibucaine, and tetracaine, controlled study of, in spinal anesthesia (abstr) [Rocco & others], A141

differential nerve block by, unitary explanation for, remains elusive (correspondence) [Fink], 191

differential sensitivities of nerve fibers to, conclusions concerning, may not be justified (correspondence) [Galindo], 482

differential sensitivities of nerve fibers to, conclusions concerning, may not be justified (correspondence) [Gissen], 483

etidocaine, kinetics in fetal, newborn and adult sheep (abstr) [Morishima & others], A316

etidocaine, and other local anesthetic agents, comparative CNS and cardiovascular toxicity of (abstr) [Liu & others], A156

lidocaine, action of, on human uterine arteries (abstr) [Gintautas & Kraynack], A324

lidocaine, before endotracheal intubation: intravenous or laryngotracheal? (clinical report) [Hamill & others], 578

lidocaine, bupivacaine, and chloroprocaine, epidural analgesia with, comparative fetal maternal and neonatal responses following (abstr) [Abboud & others], A315

lidocaine, and bupivacaine, effects of, on AV conduction in isolated rat heart: modification by hyperkalemia [Komai & Rusy], 281 lidocaine, bupivacaine is more cardiotoxic than (abstr) [Loehning & others], A165

lidocaine, effects of, on whole body distribution of radioactively labeled microspheres in conscious rat [Lescanic & others], 269 lidocaine, hypoosmotic, absorption kinetics of (abstr) [Denson & others], A142

lidocaine, jelly, obstruction of endotracheal tube by (clinical report) [Uehira & others], 598

lidocaine, local neurotoxicity of (abstr) [Barsa & others], A161 lidocaine, and other local anesthetic agents, comparative CNS and cardiovascular toxicity of (abstr) [Liu & others], A156

lidocaine, pentobarbital, and hypothermia, inhibition of cerebral oxygen and glucose consumption in dog by [Astrup & others], 263

lidocaine, quantitative uptake of, in fetal lambs (abstr) [Kennedy & others], A314

lidocaine, in study of components of effective test dose prior to epidural block (clinical report) [Moore & Batra], 689

lidocaine, thiopental, and hypothermia, effects of, increase in extracellular potassium in brain during circulatory arrest [Astrup & others], 256

lidocarrie, toxicity of, in adult, newborn, and fetal sheep [Morishkna & others], 57

mepivacaine, in study of components of effective test dose prior to epidural block (clinical report) [Moore & Batra], 689

procaine, block in vivo reversal of, by adenine nucleotides (abstr) [Krayrack & others], A151

and temperature, effects of, on conduction velocity and amplitude of nerve electrical potentials (abstr) [Galindo & Witcher], A290 tetracaine, and dibucaine, controlled study of, in spinal anesthesia (abstr) [Rocco & others], A141

tetracaine, and other local anesthetic agents, comparative CNS and cardiovascular toxicity of (abstr) [Liu & others], A156

toxicity, CNS and cardiovascular, compared (abstr) [Liu & others], A156

toxicity, convulsions in, benzodiazepine treatment of (abstr) [deJong & others], A158

toxicity, local neurotoxicity of (abstr) [Barsa & others], A161 volatile, chloroform, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34

diethyl ether, hypothermia and, association of, with epinephrineinduced arrhythmias (abstr) [Ohmura & others], A54

diethyl ether, respiratory tract infections and, in mice (abstr) [Knight & others], A383

enflurane, in anesthetic induction, plasma beta endorphin immunoreactivity is raised by surgical stress, but not by (abstr) [Dubois & others], A244

enflurane, as anesthesia for patients with insulinoma treatment with oral diazoxide (clinical report) [Burch & McLeskey], 472 enflurane, blood-gas solubility: influence of weight, hemoglobin, and hematocrit (abstr) [Borel & others], A195

enflurane, but not isoflurane, inhibits neutrophils (abstr) [Welch & Zaccaril, A293

enflurane, carcinogen bioassay of, in mice (abstr) [Baden & others], A187

enflurane, cardiovascular and catecholamine responses to verapamil during anesthesia with (abstr) [Kapur & others], A14

enflurane, in comparison of neurolept analgesia and general anesthesia "wake-up" times and spinal cord function (abstr) [Tompkins & Breed], A231

enflurane, depresses L.V. dynamics, sonomicrometry demonstrating (abstr) [Christian & others], A39

enflurane, depresses myocardial slow action potentials (abstr) [Lynch & others], A216

enflurane, deuterated: no MAC or cardiorespiratory isotope effect (abstr) [Tinker & others], A3

enflurane, direct measurement of cardiac oxygenation during anesthesia with (abstr) [Schaenzer & others], A64

enflurane, effect of, on neuromuscular blockade (abstr) [Gencarelli & others]. A392

enflurane, effect of, on pacing threshold (abstr) [Zaidan & others],

enflurane, effects of, on ornithine decarboxylase levels in liver toxicity (abstr) [Van Dyke & others], A180

enflurane, electromechanical MAC monitor of (abstr) [Calkins & others], A110

enflurane, fatal misuse of (correspondence) [Lingenfelter], 603 enflurane, and halothane anesthesia increases shunt (Q,/Q) in goats following acid aspiration (abstr) [Pavlin & others], A382

enflurane, and halothane, isoflurane sympathoadrenal responses in man compared to (abstr) [Glisson & Balasaraswathi], A296 enflurane, and halothane, myocardial functional and metabolic effects of, and those of isoflurane, compared [Merin], 398

enflurane, or halothane, oxygen uptake by heart cells after (abstr) [Miletich & others], A1

enflurane, influence of, on human dose-response of ORG-NC45 (abstr) [Nagashima & others], A202

enflurane, inhibition of cerebellar afferent pathways (abstr) [Triner & others], A285

enflurane, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34

enflurane, intrarenal distribution of blood flow with (abstr) [Bastron & Enser], A50

enflurane, is safe for therapeutic abortion (abstr) [Sidhu & Cullen], A310

enflurane, and isoflurane, adsorption by soda lime (abstr) [Grodin & others], A124

enflurane, for laparoscopic tubal ligation (abstr) [Soni & Burney], A145

enflurane, liver toxicity associated with, effect of fasting on (abstr) [Van Dyke], A181

- enflurane, MAC, anesthetic potency of fentanyl in terms of its reduction of (abstr) [Murphy & Hug], A249
- enflurane, plasma catecholamine response to, in hypertensive rats (abstr) [Althaus & Miller], A66
- enflurane, rat pancreatic islet metabolism and insulin release influenced by (abstr) [Bradford & others], A184
- enflurane, reduces systemic pressure during cardiopulmonary bypass more effectively than halothane (abstr) [Doherty & others], A40
- enflurane, relaxation with ORG-NC45 during anesthesia with (abstr) [Duncalf & others], A203
- enflurane, respiratory tract infections and, in mice (abstr) [Knight & others], A383
- enflurane, responses of cardiac Purkinje fibers to (abstr) [Pruett & others], A65
- unflurane, in study of hemodynamic response to endotracheal intubation (abstr) [Bedford & Marshall], A270
- enflurane, treatment of stress-induced increases in pulmonary capillary wedge pressure using (clinical report) [Roizen & others],
- enflurane, -ventricular dynamics in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others], A5
- ether, brain cyclic-AMP and possible mechanisms of cerebrovascular dilation by, in rats (laboratory report) [MacMurdo & others], 435
- ether, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34
- fluroxene, in study of myocardial functional and metabolic effects of isoflurane as compared to those of halothane and enflurane [Merin], 398
- halothane, additive effect of, on protein synthesis (abstr) [Watkins & others], A189
- halothane, altered metabolism: obese vs. nonobese subjects (abstr) [Bentley & others], A179
- halothane, anesthesia, oxygen uptake and delivery during, versus during fentanyl anesthesia (abstr) [Huang & others], A271
- halothane, antiviral effect of, pressure reversal of (abstr) [Nahrwold & others], A284
- halothane, in assessment of psychological effects of general anesthesia on children [Morgan & others], 386
- halothane, and A-V conduction: awake vs. anesthesia (abstr) [Atlee & others], A53
- halothane, barostatic reflexes during anesthesia with (abstr) [Price & Davidson], A49
- halotha...e, beneficial effects of, on myocardial ischemia (correspondence) [Smith], 479
- halothane, brain cyclic-AMP and possible mechanisms of cerebrovascular dilation by, in rats (laboratory report) [MacMurdo & others], 435
- halothane, cardiac effects of, with spinal anesthesia (abstr) [Hantler & others]. A4
- halothane, in comparison of neurolept analgesia and general anesthesia "wake-up" times and spinal cord function (abstr) [Tompkins & Breed], A231
- halothane, coronary blood flow during anesthesia with, in intact dogs (abstr) [Beattie & others], A2
- halothane, cyclopropane, and ketamine, dissimilar effects of, on brainstem nuclei associated with cardiovascular and respiratory control (abstr) [Roizen & others], A288
- halothane, decreases negative free water clearance (abstr) [Bastron & Enser], A274
- halothane, depression of myocardial slow action potentials [Lynch & others], 360

- halothane, effects of, on ganglionic transmission (abstr) [Bosnjak & Kampinel, A275
- halothane, effects of, on maternal and fetal acid-base and lactic acid concentration, in general anesthesia for cesarean section (abstr) [Datta & others]. A309
- halothane, effects of, on ornithine decarboxylase levels in liver toxicity (abstr) [Van Dyke & others], A180
- halothane, electroencephalographic evidence of arousal in dogs from, after doxapram, physostigmine, or naloxone [Roy & Stullken], 392
- halothane, electromechanical MAC monitor of (abstr) [Calkins & others]. A110
- halothane, and enflurane, isoflurane sympathoadrenal responses in man compared to (abstr) [Glisson & Balasaraswathi], A296 halothane, and enflurane, myocardial functional and metabolic
- effects of, and those of isoflurane, compared [Merin], 398 halothane, and enflurane anesthesia increases shunt (Q,/Q) in goats following acid aspiration (abstr) [Pavlin & others], A382
- halothane, enflurane reduces systemic pressure during cardiopulmonary bypass more effectively than (abstr) [Doherty & others], A40
- halothane, -epinephrine interactions in children (abstr) [Karl & others], A336
- halothane, exposure and murine progeny learning function (abstr) [Chalon & others], A227
- halothane, free radical formation by UV irradiation (abstr) [Bösterling & others], A186
- halothane, hepatitis mystery, pharmacogenetics and (editorial views) [Brown], 93
- halothane, hypothermia and, association of, with epinephrine-induced arrhythmias (abstr) [Ohmura & others], A54
- halothane, inactivates hepatic microsomal calcium uptake (abstr) [Zucker & others], A182
- halothane, for inhalation anesthesia in man, VCO2, VO2 and RQ during (abstr) [Huang & others], A364
- halothane, inhibition of cerebellar afferent pathways (abstr) [Triner & others], A285
- halothane, inhibition of GABA metabolism in rat brain slices by [Cheng & Brunner], 26
- halothane, in inhibition of synaptosomal GABA disposal [Cheng & Brunner]. 34
- halothane, intrarenal distribution of blood flow with (abstr) [Bastron & Enser], A50
- halothane, is not teratogenic: nitrous oxide is teratogenic (abstr)
 [Lane & others], A252
- halothane, and isoflurane, attenuation of allergic bronchoconstriction by (abstr) [Hirschman & others], A386
- halothane, and isoflurane, effect of, on myocardial cGMP (abstr) [Volliemoz & others], A295
- halothane, lack of mutagenic effects of, in mammals in vivo [Basler & Röhrborn], 143
- halothane, liver toxicity associated with, effect of fasting on (abstr) [Van Dyke], A181
- halothane: local and central effect on carotid sinus reflex (abstr) [Koushanpour & others], A55
- halothane, and mechanical ventilation, canine \dot{V}_A/\dot{Q} distribution responses to [Dueck & others], 127
- halothane, mechanism of action of, on airways (abstr) [Hirschman & others], A387
- halothane, metabolism and cytochrome P-450 destruction (abstr) [Krieter & Van Dyke], A183
- halothane, negative inotropic effect of, in rabbit papillary muscle (abstr) [Komai & Rusy], A276
- halothane, and nitrous oxide induced increases in plasma catecholamines, thiopental blocks (abstr) [Joyce & others], A272

halothane, or enflurane, oxygen uptake by heart cells after (abstr) [Miletich & others], A1

halothane, plasma catecholamine response to, in hypertensive rats (abstr) [Althaus & Miller], A66

halothane, and plasma vasopressin (VP) concentration in hypoand hyperthyroid rats (abstr) [Wu & Zbuzek], A191

halothane, plus N₂O:O₂ increases sperm abnormalities in mice (abstr) [Land & Owen], A196

halothane, recovery from, in obese patients (correspondence) [Ladegaard-Pedersen], 716

halothane, reductive metabolism and hepatotoxicity of, genetic differences in, in three rat strains [Gourlay & others], 96

halothane, renal function changes induced by, perfusion pressure, alpha adrenergic receptors, and renin-angiotensin system mediate (abstr) [Bastron & Enser], A273

halothane, requirement during pregnancy and lactation in rats (laboratory report) [Strout & Nahrwold], 322

halothane, respiratory tract infections and, in mice (abstr) [Knight & others], A383

halothane, responses of cardiac Purkinje fibers to (abstr) [Pruett & others], A65

Malothane, reversibly inhibits human neutrophil bacterial killing [Welch], 650

halothane, SA node responses to, role of calcium in (abstr) [Kam-

pine & others], A58 halothane, serum bromide following, in infants and young children

(abstr) [Resurreccion & others], A327 halothane, in study of analeptic action of naloxone as related to opiate receptors (abstr) [Kraynack & others], A287

halothane, in study of hemodynamic response to endotracheal intubation (abstr) [Bedford & Marshall], A270

halothane, in study of response of radioimmunoreactive endorphins in rat brain and pituitary to nociceptive stimulation and anesthesia (abstr) [Liu & others], A246

halothane, treatment of stress-induced increases in pulmonary capillary wedge pressure using (clinical report) [Roizen & others], 446

halothane, vaporizers specific for, potential hazard in using for isoflurane and vice versa (abstr) [Shih & Wu], A115

halothane, verapamil during, in dog, epinephrine-induced arrhythmias and cardiovascular function after [Kapur & Flacke], 218

isoflurane (review) [Eger], 559

isoflurane, cardiac performance during anesthesia with, in man (abstr) [Shimosato & others], A67

isoflurane, does not inhibit neutrophils, enflurane does (abstr) [Welch & Zaccari], A293

isoflurane, effects of, on ornithine decarboxylase levels in liver toxicity (abstr) [Van Dyke & others], A180

isoflurane, and enflurane, adsorption by soda lime (abstr) [Grodin & others], A124

isoflurane, and halothane, attenuation of allergic bronchoconstriction by (abstr) [Hirschman & others], A386

isoflurane, and halothane, effect of, on myocardial cGMP (abstr) [Vulliemoz & others], A295

isoflurane, liver toxicity associated with, effect of fasting on (abstr) [Van Dyke], A181

isoflurane, mechanism of action of, on airways (abstr) [Hirshman & others], A387

isoflurane, myocardial functional and metabolic effects of, and those of halothane and enflurane, compared [Merin], 398

isoflurane, potential hazard of using halothane-specific vaporizers for, and vice versa (abstr) [Shih & Wu], A115

isoflurane, sympathoadrenal responses in man compared to enflurane and halothane (abstr) [Glisson & Balasaraswathi], A296 methoxyflurane, intrarenal distribution of blood flow with (abstr) [Bastron & Enser], A50

Angiotension, see under Polypeptides

Antacids, see under Gastrointestinal tract; Vomiting

Antagonists, narcotic, cyclazocine, effects of, on body temperature: heterogenicity of receptor mechanisms (abstr) [Roson & others], A245

naloxone, analeptic action of, unrelated to opiate receptors (abstr) [Kraynack & others], A287

naloxone, doxapram, or physostigmine, electroencephalographic evidence of arousal in dogs from halothane after [Roy & Stullken], 392

naloxone, in study of possible mechanisms of phencyclidine alteration of MAC (abstr) [Raja & others], A223

naltrexone, in study of analeptic action of naloxone and opiate receptors (abstr) [Kraynack & others], A287

neuromuscular relaxants, 4-aminopyridine, reversal of ketamine anesthesia and merphine analgesia (abstr) [Tung & others], A240

edrophonium, antagonism of NM effect of ORG-NC45 by (abstr) [Foldes & others], A201

edrophonium, atropine requirement for (abstr) [Morris & others], A206

edrophonium, in study of succinylcholine neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

edrophonium, is duration of antagonism with equal to that of neostigmine or pyridostigmine? (abstr) [Cronnelly & others], A199

neostigmine, or pyridostigmine, is duration of edrophonium antagonism equal to that of? (abstr) [Cronnelly & others], A199 neostigmine, and reversal of pancuronium in renal failure (abstr) [Bevan & others], A212

neostigmine, in study of clinical pharmacology of ORG NC45 (Norcuron®) [Fahey & others], 6

neostigmine, in study of neuromuscular sensitivity of neonatal puppies (abstr) [Lee & others], A279

neostigmine, in study of succinylcholine neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

physostigmine, does not reverse lorazepam effects (abstr) [Pandit & others], A281

physostigmine, doxapram, or naloxone, electroencephalographic evidence of arousal in dogs from halothane after [Roy & Stullken], 392

physostigmine, interaction of ketamine and, on CNS regional glucose use (abstr) [Oguchi & others], A282

physostigmine, morphine and respiratory depression (abstr) [Smith & others], A374

physostigmine, respiratory effects, antagonist or not? (abstr) [Bourke & others], A373

pyridostigmine, or neostigmine, is duration of edrophonium antagonism equal to that of? (abstr) [Cronnelly & others], A199

Antibiotics, and neuromuscular function (reviews) [Sokoll & Gergis],

Anticoagulants, see under Blood

Anticonvulsants, benzodiazepines, diazepam, in treatment of bupivacaine-induced convulsions (abstr) [de Jong & others], A158

lorazepam, in treatment of bupivacaine-induced convulsions (abstr) [de-Jong & others], A158

midazolam, in treatment of bupivacaine-induced convulsions (abstr) [de Jong & others], A158

phenytoin, and synaptosomal GABA disposal [Cheng & Brunner],

Antidiuretic hormone, see under Hormones

Antiemetics, see under Premedication; Vomiting Antihistamines, see under Histamine, antagonists

Apnea, see under Complications; Ventilation

ARAKAWA, K., A102, A282

ARCHER, D., A212

ARENS, J. F., 676

ARISMENDY, J., A7, A352

ARMSTRONG, A. A., A344

ARNOLD, W. P., 277, A185

ARORA, N. S., A218

Arrhythmia, see under Heart

ARTAL, R., A301

Artery(ies), carotid, inadvertent cannulation of, another sign of (correspondence) [Dalal & Patel], 487

iliac, and cardiac output, morphine effects on, in conscious dogs [Priano & Vatner], 236

mesenteric, and cardiac output, morphine effects on, in conscious dogs [Priano & Vatner], 236

pulmonary, hemorrhage, from pulmonary artery catheterization treated with endobronchial intubation (clinical report) [Stein & Lisbon], 694

radial, cannulation of, effect of method of, on postcannulation blood flow and thrombus formation (clinical report) [Jones & others],

catheter replacement (correspondence) [Brown], 333

renal, and cardiac output, morphine effects on, in conscious dogs [Priano & Vatner], 236

ARTHUR, G. R., A316

ASHCRAFT, K. E., 457

ASHTON, J. P. A., A78, A79, A81

ASKANAZI, J., 583, A95, A106, A107, A371

ASKILL, S., A365

Aspiration, see under Complications; Lung(s)

Asthma, see under Complications; Lung(s)

ASTRUP, J., 256, 263

Ataractics, butyrphenones, droperidol, in antiemetic premedication in outpatient anesthesia (abstr) [Chen & Watkins], A280

droperidol, interaction of ketamine and, on CNS regional glucose use (abstr) [Oguchi & others], A282

diazepam, in comparison of several common premedications (abstr) [Reynolds & others], A277

interaction of ketamine and, on CNS regional glucose use (abstr) [Oguchi & others], A282

kinetics and mental effects, ethnic influence on (abstr) [Ghoneim & others], A226

physostigmine alone and after, respiratory effects, antagonist or not? (abstr) [Bourke & others], A373

hydroxyzine, in antiemetic premedication in outpatient anesthesia (abstr) [Chen & Watkins], A280

in comparison of several common premedications (abstr) [Reynolds & others], A277

lorazepam, in comparison of several common premedications (abstr)

[Reynolds & others], A277 physostigmine, does not reverse effects of (abstr) [Pandit & others],

A281 midazolam, sedation and respiratory mechanics in man (abstr) [Southorn & others], A367

phenothiazines, promethazine, in antiemetic premedication in outpatient anesthesia (abstr) [Chen & Watkins], A280

ATLEE, J. L., III, A53

Atracurium, see under Neuromuscular relaxants

Atria, see under Heart

Atrioventricular conduction, see under Heart

Atrioventricular node, see under Heart

Atropine, see under Parasympathetic nervous system; Premedication

AUGERI, J. M. A65

Autotransfusion, see under Transfusion

AV block, see under Heart

AV conduction, see under Heart

AVERY, P., A64, A164

AVRAM, M. J., A278

Axillary block, see under Anesthetic techniques, regional

AZAR, I., 189

INDEX TO VOLUME 55

BABA, S., A173

BABINSKI, M., A71, A370

BACKOFEN, J. E., A100

Bacteria, killing, human neutrophil, halothane reversibly inhibits [Welch], 650

BADEN, J. M., 193, A187, A188

BADOLA, R. P., A201, A203

BAELE, P. L., A113

BAHAR, M., 334

BAIHLY, C. D., A180

Bain circuit, see under Equipment, circuits

BALASARASWATHI, K., 704, A296

BALFOUR, R. I., 476

BALKON, J., A321

BARAKA, A., 78

BARASH, P., A6, A37, A82, A337

BARBERII, J. K., A119

Barbiturates, see under Anesthetics, intravenous; Hypnotics

BAR-JOSEPH, G., A224

BARMADA, M. A., A153

BARNARD, J. L., A344

Baroreflexes, see under Blood pressure; Sympathetic nervous system

BARRERA, G. M., A331

BARSA, J., A143, A161

BARTHWELL, D. A., 469

BARTKOWSKI, R. R., A204, A217

BASCH, S., 392

BASKOFF, J., 423, A194

BASLER, A., 143

BASTA, S. J., A197, A198, A207

BASTRON, R. D., A50, A273, A274

BATRA, M. S., 689, A150, A161

BAUMAN, D. I., A133 BEATTIE, C., A2

BEAVEN, M. A., 3

BECKER, M. J., A335

BECKMAN, J. J., 269

BEDFORD, R. F., 89, 277, 578, A185, A236, A270

BEDOWS, E., A284, A351, A383

BEHNIA, R., A55, A237

BELANI, K. G., A257 BELL, J. U., A314

BELL, R. A268

BENNETT, E., A71

BENTLEY, J. B., A177, A179, A195, A213, A251, A256

BENUMOF, J. L., 226, 376, 381, A376, A377, A378, A379, A380

Benzodiazepines, see under Anesthetics, intravenous; Anticonvulsants; Hypnotics

BENZON, H. T., 469

BERGER, H., A6

BERGER, J. J., A56

BERMAN, M. C., A182 BERNSTEIN, K., A295

BERNTMAN, L., 495

BERRY, A. J., 655

Beta-adrenergic blockade, see under Sympathetic nervous system

BETTS, E. K., 713, A326, A328

BEVAN, D. R., A212

ВІЕВ**ШУСК, J. F., A258**

Biotransformation (drug), cytochrome P-450, destruction, halothane metabolism and (abstr) [Krieter & Van Dyke], A183

enzyme induction, and halothane hepatitis mystery (editorial views) [Brown], 93

and reductive metabolism and hepatotoxicity of halothane, genetic differences in, in three rat strains [Gourlay & others], 96

fentanyl, metabolism in rats and man (abstr) [Goromaru & others], A173

tissue redistribution of, and termination of its effects in rats [Hug & Murphy], 369

fluorometabolites, and halothane hepatitis mystery (editorial views) [Brown], 93

and reductive metabolism and hepatotoxicity of halothane, genetic differences in, in three rat strains [Gourlay & others], 96

genetic factors, in reductive metabolism and hepatotoxicity of halothane in three rat strains [Gourlay & others], 96

halothane, altered metabolism: obese vs. nonobese subjects (abstr)
[Bentley & others], A179
[Controlling Control by LIV invaliation (abstr) [Besterling &

free radical formation by UV irradiation (abstr) [Bösterling & others], A186

metabolism and cytochrome P-450 destruction (abstr) [Krieter & Van Dykel, A183

serum bromide levels following, in infants and young children (abstr) [Resurreccion & others], A327

microsomal metabolism, hepatic calcium, halothane inactivates (abstr) [Zucker & others], A182

of morphine and fentanyl in anhepatic dogs (abstr) [Hug & others], A261

thiopental, metabolism and termination of effect of (abstr) [Burch & Stanski], A175

BIRCHER, N. G., A103, A104

Візнор, М. J. 697, А104, А359, А381

BJORAKER, D. G., A25

BLACKBURN, C. L., A174

BLAKE, B. C., 326

BLAKE, G. J., A390

BLANCATO, L. S., A307

BLANCHET, F., A19

BLANK, W. F., A90

BLEYAERT, A., A91, A99

BLITT, C. D., 683

Blood, albumin, midazolam induction time: association with (abstr) [Reves & others], A259

anemia, and human bone marrow biochemical function, after nitrous oxide anesthesia [O'Sullivan & others], 645

anticoagulants, coumarin, and increased heparin requirement with hypereosinophilic syndrome (clinical report) [Hanowell & oth-

heparin, for anticoagulation following placement of epidural and subarachnoid catheters: evaluation of neurologic sequelae [Rao & El-Etr], 618

heparin, increased requirement for, with hypereosinophilic syndrome (clinical report) [Hanowell & others], 450

coagulation, and bleeding time, following nitroglycerin (abstr) [Lichtenthal & others], A17

heparin, hemodynamics and platelet release with (abstr) [Bjoraker & Ketcham], A25

heparin, requirements, and autotransfusion during open heart surgery (abstr) [Mummaneni & others], A28

and increased heparin requirement with hypereosinophilic syndrome (clinical report) [Hanowell & others], 450 platelets, release, hemodynamics and, with heparin (abstr) [Bjoraker & Ketcham], A25

protamine, anaphylactic reaction to, in patient allergic to fish (clinical report) [Knape & others], 324

protamine, effects of, on myocardial oxygen supply and demand following cardiopulmonary bypass (abstr) [Sethna & others], A24

thrombelastography for monitoring of, in obstetrics (abstr) [Kang & Abouleish], A304

erythrocyte(s), changes, during cardiac surgery (abstr) [Pearl & others]. A73

hematopoiesis, megaloblastic, human bone marrow biochemical function and, after nitrous oxide anesthesia [O'Sullivan & others], 645

hemodilution, calculation of, in study of bypass blood flow during carotid endarterectomy [Fan & others], 305

with hydroxyethyl starch (Volex), cerebral cortical oxygenation and perfusion during (abstr) [Shinozuka & others], A91

hemoglobin, weight, and hematocrit, influence of, on enflurane blood-gas solubility (abstr) [Borel & others], A195

hypereosinophilic syndrome, increased heparin requirement with (clinical report) [Hanowell & others], 450

leukocyte(s), changes, during cardiac surgery (abstr) [Pearl & others], A73

granular, transfusion of, through microaggregate filters (abstr) [Snyder & others], A87

neutrophils, inhibition of, by enflurane, but not be isoflurane (abstr) [Welch & Zaccari], A293

loss, influence of ketamine anesthesia on cardiac output and tissue perfusion in rats subjected to [Idvall], 297

in multiple therapies in pressure-induced focal ischemia (abstr)
[Albin & others], A268

neutrophils, human, bacterial killing by, halothane reversibly inhibits [Welch], 650

osmolality, and visual changes and its relation to serum glycine during transurethral resection of prostate (abstr) [Ovassapian & others], A108

plasma protein, calculation of, in study of bypass blood flow during carotid endarterectomy [Fan & others], 305

plasmapheresis, acute hypoproteinemia induced by, effect of, on organ water distribution (abstr) [Geer & others], A109

platelets, aggregation, and bleeding time, following nitroglycerin (abstr) [Lichtenthal & others], A17

aggregation, in patients susceptible to malignant hyperthermia [Rosenberg & others], 621

release of serotonin, in patients susceptible to malignant hyperthermia [Rosenberg & others], 621

protein, thiopental binding (abstr) [Burch & Stanski], A253

sodium, and visual changes and its relation to serum glycine during transurethral resection of prostate (abstr) [Ovassapian & others], A108

viscosity, calculation of, in study of bypass blood flow during carotid endarterectomy [Fan & others], 305

volume, expansion, and effect of positive end-expiratory pressure ventilation (PEEP) on cerebral blood flow and cerebrospinal fluid pressure in goats [Doblar & others], 244

measurements, in study of fluid resuscitation and lung water accumulation (abstr) [Merrill & others], A78

Blood pressure, baroreflex(es), carotid sinus, local and central effect of halothane on (abstr) [Koushanpour & others], A55

during halothane anesthesia (abstr) [Price & Davidson], A49

cerebral autoregulation, in newborn dogs (abstr) [Shapiro & others], A225

- drug effect(s), and prevention of rigidity during fentanyl-oxygen induction of anesthesia (clinical report) [Hill & others], 452
- of d-tubocurarine in humans, role of histamine in [Moss & others],
- during thiopental treatment after global brain ischemia in monkeys (abstr) [Gisvold & others], A97
- hypertension, after sternotomy, high-dose fentanyl and (clinical report) [Edde], 444
 - lidocaine before endotracheal intubation influencing, route of administration and (clinical report) [Hamill & others], 578
 - sodium nitroprusside for, in gravid ewes (abstr) [Ellis & others], A302
- hypotension, assessment of, during ketamine anesthesia in rats subjected to hemorrhage [Idvall], 297
 - following acute intracranial decompression (abstr) [Zurawski & others], A229
 - nitroprusside-induced, propranolol pretreatment and catecholamines during (abstr) [Khambatta & others], A8
- prevention of, with hydration (abstr) [Gibbs & others], A308 measurement, radial artery catheter replacement for (correspon-
- dence) [Brown], 333
- monitoring, automatic noninvasive, hazard of (correspondence)
 [Betts], 713
- peripheral vascular resistance, effect of sodium nitroprusside on, in canine oleic acid pulmonary edema [Prewitt & Wood], 537
- pulmonary, in pulmonary hypertension, during treatment with nitroglycerin vs. with nitroprusside (abstr) [Rosenthal & others], A79
- pulmonary vascular resistance, in lamb with left to right shunt, effect of ketamine on (abstr) [Hanowell & others], A15
- stump pressure, and bypass blood flow during carotid endarterectomy [Fan & others], 305
- systemic vascular resistance, in lamb with left to right shunt, effect of ketamine on (abstr) [Hanowell & others], A15
- vascular resistance, during high dose thiopental (abstr) [Liao & others], A257
 - enflurane reduces, more effectively than halothane, during cardiopulmonary bypass (abstr) [Doherty & others], A40
 - in pulmonary hypertension, during treatment with nitroglycerin vs. with nitroprusside (abstr) [Rosenthal & others], A79
- study of, in response to ORG-NC45 (Norcuron®) in patients undergoing coronary artery bypass grafting (abstr) [Morris &
- others], A205 systemic, correlates with pulse wave velocity (abstr) [Greene & Gerson], A111
- BLUHM, R., A286
- BOGARD, T. D., A300
- BOLAN, J., A320
- BOLLES, R. E., 76, 452
- BONIN, J. D., A158
- Book reviews, COUSINS, M. J., and BRIDENBAUGH, P. O., Neural Blockade in Clinical Anesthesia and Management of Pain, 490
 - EGER, E. I., II, Isoflurane (Forane®), 610
- TARROW, A. B., and ERICKSON, J. C., III, Basic and Clinical Sciences in Anesthesiology, 194
- BOREL, C. O., A94
- BOREL, J. D., A177, A195, A213, A251, A256, A291
- BORISON, R. L., A228, A286
- BORLAND, L. M., 577
- BOSCOE, M. J., A42, A47, A48
- BOSNJAK, Z. J., A58, A275
- BOSTERLING, B., A186
- BOSTON, J. R., A127
- BOSTROS, S., A20, A61, A62

- BOUCHAL, R. L., A243
- BOURKE, D. L., A373
- BOVILL, J. G., 203, 324, A174, A254
- BOWE, E. A., 477, A74, A348, A349
- Brachial plexus block, see under Anesthetic techniques, regional BRADFORD, M. W., A184
- Brain, autoregulation, effects of fentanyl on (abstr) [McPherson & Traystman], A98
 - blood flow, adequacy of, bypass shunt to ensure, during carotid endarterectomy [Fan & others], 305
 - in aged hypertensive rats during hypotension (abstr) [Hoffman & others], A12
 - canine, during 24 hours deep pentobarbital anesthesia [Gronert & others], 110
 - carotid, effects of PEEP on, during closed chest CPR in dogs (abstr) [Ido & others], A102
 - and cerebral cortical oxgenation during progressive hydroxyethyl starch (Volex) hemodilution (abstr) [Shinozuka & others], A91
 - and cerebrospinal fluid pressure, effect of positive end-expiratory pressure ventilation (PEEP) on, in goats [Doblar & others], 244
 - during carotid occlusion, failure of nasal plethysmography to estimate (clinical report) [Cucchiara & Messick], 585
 - during increased intracranial pressure in infant lambs (abstr) [Backofen & others], A100
 - dynamics of, in response to oxygen (abstr) [Shinozuka & Nemoto], A235
 - effects of counterpressure on, during shock (abstr) [Massion & others], A90
 - effects of midazolam on, in human volunteers (abstr) [Forster & others], A263
 - and glucose consumption in dog, inhibition of, by hypothermia, pentobarbital, and lidocaine [Astrup & others], 263
 - in hypocapnia following cardiac arrest (abstr) [Todd & others], A264
 - local, autoregulation of, in newborn dogs (abstr) [Shapiro & others], A225
 - in "new" CPR (abstr) [Bircher & Safar], A103
 - in open chest CPR and in standard or "new" external CPR, cerebral oxygenation and (abstr) [Bircher & Safar], A104
 - and oxygen consumption, after fentanyl (abstr) [Carlsson & others]. A193
 - and possible mechanisms of cerebrovascular dilation by anesthetics in rats (laboratory report) [MacMurdo & others], 435
 - in response to oxygen during barbiturate anesthesia (abstr) [Shinozuka & Nemoto], A92
 - with high frequency ventilation (abstr) [Gioia & others], A357 cerebellum, afferent pathways, anesthetic inhibition (abstr) [Triner
 - & others], A285 cerebrospinal fluid, β -endorphin in, in pregnant women at term
 - (abstr) [Budiamal & others], A322 convulsions, as manifestation of lidocaine toxicity in adult, newborn,
 - and fetal sheep [Morishima & others], 57 blood levels of bupivacaine resulting in (correspondence) [Fitz-
 - gibbons & others], 476
 - cyclic-AMP levels, and possible mechanisms of cerebrovascular dilation by anesthetics in rats (laboratory report) [MacMurdo & others], 435
 - drug effects, of spinal opiates (correspondence) [Bahar & others],
 - electroencephalography, as evidence of arousal in dogs from halothane after doxapram, physostigmine, or naloxone [Roy & Stullken], 392
 - in assessment of canine cerebral metabolic tolerance during 24 hours deep pentobarbital anesthesia [Gronert & others], 110

- in assessment of cerebral effect of open chest CPR and standard or "new" external CPR (abstr) [Bircher & Safar], A104
- in assessment of cerebral effects of "new" CPR (abstr) [Bircher & Safar], A103
- in assessment of inhibition of cerebral oxygen and glucose consumption in dog by hypothermia, pentobarbital, and lidocaine [Astrup & others], 263
- during controlled ventilation after global brain ischemia in monkeys (abstr) [Gisvold & others], A99
- during thiopental treatment after global brain ischemia in monkeys (abstr) [Gisvold & others], A97
- effects of high-dose fentanyl anesthesia on [Sebel & others], 203 and hemiparesis following carotid endarterectomy (clinical report) [Grundy & others], 462
- prolonged suppression with, in hypothermia plus thiopental [Quasha & others], 636
- endorphins, radioimmunoreactive, response of, in rats brain and pituitary to nociceptive stimulation and anesthesia (abstr) [Liu & others], A246
- evoked responses, during trimetaphan hypotension (abstr) [Bunegin & others]. A232
- gamma-aminobutyric acid, inhibition of metabolism of, in rat brain slices by halothane [Cheng & Brunner], 26
 - inhibition of metabolism of, in rat brain synaptosomes by midazolam (RO-21-3981) [Cheng & Brunner], 41
 - synaptosomal disposal of, effects of anesthetic agents on [Cheng & Brunner], 34
- hematoma, following post-lumbar puncture headache (clinical report) [Mantia], 680
- hemorrhage, following post-lumbar puncture headache (clinical re-
- histamine, endogeneous system for mediating pain? (abstr) [Diamond & others], A286
- infarction, and hemiparesis following carotid endarterectomy: comparison of monitoring methods (clinical report) [Grundy & others], 462
- intracranial pressure, acute decompression of, hypotension following (abstr) [Zurawski & others], A229
- and cerebral blood flow, effect of positive end-expiratory pressure ventilation (PEEP) on, in goats [Doblar & others], 244
- dynamics of, in response to oxygen (abstr) [Shinozuka & Nemoto], A235
- effects of laryngotracheal lidocaine administration on (clinical report) [Hamill & others], 578
- effects of phentolamine on (abstr) [Giffin & others], A234
- following posterior fossa craniotomy, pneumoencephalus after (abstr) [Pandit & others], A233
- in hypocapnia following cardiac arrest (abstr) [Todd & others], A264
- increased, effect of, in infants lambs (abstr) [Backofen & others], A100
- ischemia, brain monitoring in assessment of, during carotid endarterectomy (abstr) [Grundy & others], A129
- computerized EEG monitoring during cerebro-vascular surgery
- for assessment of (abstr) [Rampil & others], A126 focal, pressure-induced, multiple therapies in (abstr) [Albin &
- others], A268
 global, alterations in norepinephrine-inducible cyclic-AMP accumulation in rat cerebral cortex after various durations of
 (abstr) [Henteleff & others], A239
- global, barbiturate attenuation of brain free fatty acid liberation during (abstr) [Shiu & Nemoto], A266
- global, barbiturate dose-related attenuation of brain free fatty acid liberation during (abstr) [Shiu & Nemoto], A269

- global, in monkeys, controlled ventilation after (abstr) [Gisvold & others], A99
- global, in monkeys, thiopental treatment after (abstr) [Gisvold & others]. A97
- increase in extracellular potassium during: effects of hypothermia, lidocaine, and thiopental [Astrup & others], 256
- metabolism, canine, during 24 hours deep pentobarbital anesthesia [Gronert & others], 110
 - and cerebral protective effect of low-grade hypothermia [Berntman & others], 495
- and cerebral protective effect of low-grade hypothermia (editorial views) [Cohen], 492
- during stimulation in anesthetized rats (abstr) [Crosby & others], A389
- glucose, during Althesin anesthesia (abstr) [Hawkins & others], A258
- glucose, interaction of ketamine and psychoactive drugs influencing (abstr) [Oguchi & others], A282
- and glucose consumption in dog, inhibition of, by hypothermia, pentobarbital, and lidocaine [Astrup & others], 263
- neurotransmitters, inhibition of, in rat brain slices by halothane [Cheng & Brunner], 26
- and membrane receptor function in anesthesia (medical intelligence) [Maze], 160
- oxygen consumption, and blood flow, after fentanyl (abstr) [Carlsson & others], A193
- canine, during 24 hours deep pentobarbital anesthesia [Gronert & others], 110
- effects of fentanyl on (abstr) [McPhersen & Traystman], A98 and glucose consumption in dog, inhibition of, by hypothermia, pentobarbital, and lidocaine [Astrup & others], 263
- oxygenation, cortical, and perfusion, during progressive hydroxyethyl starch (Volex) hemodilution (abstr) [Shinozuka & others],
 - during carotid occlusion, failure of nasal plethysmography to estimate (clinical report) [Cucchiara & Messick], 585
 - during circulatory arrest, increase in extracellular potassium in, effects of hypothermia, lidocaine, and thiopental [Astrup & oth-
 - during increased intracranial pressure in infant lambs (abstr) [Backofen & others], A100
 - dynamics of cerebrovascular responses in (abstr) [Shinozuka & Nemoto], A235
- in "new" CPR (abstr) [Bircher & Safar], A103
- in open chest CPR and in standard or "new" external CPR, cerebral oxygenation and (abstr) [Bircher & Safar], A104
- surface oxygen tension (csPO₂), measurements of (abstr) [Bar-Joseph & others], A224
- pentobarbital therapy, infusions in, compatibility and stability of (correspondence) [Walker & Iazzetta], 487
- protection, during circulatory arrest, effects of hypothermia, lidocaine, and thiopental on [Astrup & others], 256
- during inhibition of cerebral oxygen and glucose consumption in dog by hypothermia, pentobarbital, and lidocaine [Astrup & others], 263
- by low-grade hypothermia [Berntman & others], 495
- by low-grade hypothermia (editorial views) [Cohen], 492
- in hypothermia plus thiopental [Quasha & others], 636
- respiratory center, dissimilar effects of cyclopropane, halothane and ketamine on (abstr) [Roizen & others], A288
- synapses, GABA accumulation in, and inhibition of metabolism of, in rat brain slices by halothane [Cheng & Brunner], 26
- GABA disposal in, effects of anesthetic agents on [Cheng & Brunner], 34

in rat, inhibition of GABA metabolism in, by midazolam (RO-21-3981) [Cheng & Brunner], 41

vasomotor center, dissimilar effects of cyclopropane, halothane and ketamine on (abstr) [Roizen & others], A288

BRANDOM, B. W., A240

BRECHNER, T., 581

BREED, A. L., A231

Bretylium, see under Heart, arrhythmias

BRIDENBAUGH, P. O., A142

BRITT, A. L., A312

BROCK-UTNE, J. G., 334

BRODSKY, J., 527

BROE, P. J., A77

BROMAGE, P. R., A149, A372

BRON, K., A99

Bronchopleural fistula, see under Lung(s)

Bronchoscopes, see under Equipment; Equipment, airway

Bronchoscopy, see under Anesthetic techniques; Surgery

BROTHERTON, W. P., 273, A215

BROUILLARD, R. G., A318

Brown, A. C. D., 641, A16

BROWN, B. R., JR., 93, A251, A256

Brown, C. Q., 333, 485, 712

Brown, J., 104

BROWN, M., 586

Browning, D. H., A131

BRUCE, S. L., 57

BRUGGEMAN, G. E., 326

BRUMMETT, C., A101

BRUNNER, E. A., 26, 34, 41, A55, A108, A237, A343

BRYAN, A. C., A353

BRZUSTOWICZ, R. M., A328

BUCKLEY, J. J., A148, A257

BUCKLEY, M. J., A23

BUDIAMAL, L. R., A322

BUFFINGTON, C., 466

BUKOWSKI, E. M., A372

BUNEGIN, L., 343, A105, A232, A268, A370

BUNNEY, W. E., A244

Bupivacaine, see under Anesthetics, local

Buprenorphine, see under Analgesics, narcotic

Burch, P. G., 472, A175, A176, A253

BURKETT, L., 180

BURNEY, R., A145

BURNS, **B.**, **A77**

Burns see under Complications; Electrical systems

BUSARD, T. R., 608

Busch, M. T., A383

BUSSELL, J., A24, A43, A46 Butorphanol, see under Analgesics, narcotic; Anesthetics, intravenous

BUTTNER, E. E., A21, A26, A44

BWA444U, see under Neuromuscular relaxants

Byrick, R. J., 85

Byron, M., A355

CAFFO, A. L., 478

CAHALAN, M., A205

CAIRNS, A. M., A161, A168, A169

Calcium, see under Ions

CALDWELL, C., 86

CALKINS, D. F., 172, A161

CALKINS, J. M., A69, A110, A116, A119, A120, A178, A366

CAMERON, C. B., A325

CAMERON, J. L., A77

CAMPBELL, I. T., 46

CAMPORESI, E. M., A149, A369, A372

CANADA, E. D., 712

CANALIS, R. F., 78

Cannulation, see under Anatomy, specific vessels; Arteries; Monitoring; Veins

CAPAN, L., A363

Captopril, see under Polypeptides

Carbamycholine, see under Parasympathetic nervous system

Carbon dioxide, absorption, and costs of delivery of anesthetic gases in closed-circle anesthesia system, re-examined (correspondence) [Patel & Milliken], 706

and costs of delivery of anesthetic gases in closed-circle anesthesia system, re-examined (correspondence) [Spain], 707

and costs of delivery of anesthetic gases in closed-circle anesthesia system, re-examined (correspondence) [Virtue & Aldrete], 707 and enflurane and isoflurane adsorption by soda lime (abstr) [Grodin & others], A124

consumption, on-line VO2 and VCO2 with compensation for both lag and delay in response (abstr) [Yoshiya & others], A361

end tidal, arterial, gradients with different ventilatory modes (abstr) [Capan & others], A363

maternal values of, during general anesthesia (abstr) [Wheeler & others], A300

hypercarbia, and changes in Paco, and Pao, in cat, modification of laryngospasm in response to [Nishino & others], 286

hypocarbia, cerebrovascular effects of, following cardiac arrest (abstr) [Todd & others], A264

and changes in Paco, and Pao, in cat, modification of laryngospasm in response to [Nishino & others], 286

measurement, expiratory, potential value of, in patients considered to be susceptible to malignant hyperthermia (correspondence) [Triner & Sherman], 482

in temperature correction of arterial blood-gas parameters, methodology compared (medical intelligence) [Andritsch & others],

production, Vo2 and RQ during inhalation anesthesia in man (abstr) [Huang & others], A364

rebreathing, breath by breath analysis of, in awake children (abstr) [Goldman & others], A331

and Rees circuit outflow, capnography of (abstr) [Ramanathan & others], A332

transcutaneous monitoring, on adult ICU and intraoperative patients with and without low flow shock (abstr) [Tremper & others], A136

ventilatory response, effect of epidural morphine following epidural local anesthesia on [Doblar & others], 423

Cardiac output, see under Heart; Measurement techniques

Cardiac surgery, see under Surgery

Cardioplegia, see under Surgery, cardiac

Cardiopulmonary bypass, see under Surgery, cardiac

Cardiopulmonary resuscitation, see under Heart

Carotid endarterectomy, see under Surgery

CARLSON, G., A162

CARLSON, G. L., 683, A291

CARLSON, J., A120

CARLSSON, C., A193

CARPENTIER, Y. A., A106

CARTER, J. G., 542, A67

CASTHELY, P., A29, A327

CASTRO, J. L., A307

Catecholamines, see under Brain, neurotransmitters; Sympathetic nervous system

Catheters, see under Equipment

CATTRAN, C., A353

Caudal anesthesia, see under Anesthetic techniques, peridural

CAZALDA, J. B., A222

Cerebrospinal fluid, density, recurring error concerning, time to correct (correspondence) [Davis], 715

opiates injected into, central action of (correspondence) [Bahar & others], 334

osmolality, and absorption kinetics of hypoosmotic lidocaine solutions (abstr) [Denson & others], A142

pressure, and cerebral blood flow, effect of positive end-expiratory pressure ventilation (PEEP) on, in goats [Doblar & others], 244

Cesarean section, see under Anesthesia, obstetric; Pregnancy; Surgery cGMP, see under Metabolism

CHADWICK, H. S., A265

CHALON, J., A7, A170, A227, A332, A352, A363

CHAMBERLAIN, D. P., A157

CHAN, S. C., A385

CHANG, G-L., A292

CHAPIN, J. W., A292

CHAUDHRY, I., A220

CHEN, C. T., A305

CHEN, L. H., A280

CHEN, R. Y. Z., 305

CHEN, S., A160

CHENEY, F. W., JR., 114, A75, A359, A381

CHENG, S-C., 26, 34, 41

CHERVENAK, F. A., A307

Chest wall, see under Ventilation, rib cage

CHIANG, C-K., A226

CHIEN, S., 305

CHILDRES, W. F., 595

Chloroform, see under Anesthetics, volatile

Chloroprocaine, see under Anesthetics, local

CHODOFF, P., A94

Cholinesterase, see under Enzymes

CHRÆMMER-JØRGENSEN, B., 458

CHRISTIAN, C. M., II, 335, A32, A39

Chromatography, see under Measurement techniques

Cimetidine, see under Gastrointestinal tract; Histamine, antagonists

Circuits, anesthetic, see under Equipment

CLARK, C. C. P., A20

CLARK, D. L., A20, A61, A62

CLARK, P., 83

CLARKE, W., A38

CLERGUE, F., A362

Coagulation, see under Blood

COALDRAKE, L. A., A320

COCHIN, J., A245

Coggins, C. H., A47

COHEN, C., 603

COHEN, E. N., 527

COHEN, M., A244

COHEN, P. J., 492, A233, A252

COHEN, S. E., A303

COHN, M., A294

COHN, M. L., A294

COLLEY, P. S., 114

COLOHAN, A. R., 578

Complications, accidents, drug packaging invites confusion (correspondence) [Freund & Ward], 87

air embolism, atrial pressures and, in seated position (abstr) [Perkins-Pearson & others], A236

doppler-detected, incidence of, during epidural catheter insertion (abstr) [Naulty & others], A299 positioning right atrial catheter for treatment, model for reappraisal [Bunegin & others], 343

venous, relation of right and left atrial pressure during (abstr) [Mehta & Sokoll], A238

airway obstruction, emergency transtracheal ventilation in (correspondence) [deLisser & others], 606

anaphylactoid reaction, to anesthetic drugs (editorial views) [Beaven], 3

anemia, perfluorochemical blood substitute, Fluosol DA-20% for preoperative treatment in (abstr) [Tremper & others], A9

from aortic cannulation, during cardiopulmonary bypass, monitoring in prevention of (correspondence) [Granwehr], 338

apnea, following epidural or intrathecal morphine administration (correspondence) [Jørgensen & others], 710

prolonged, after succinylcholine for cesarean section (correspondence) [Abouleish & others], 478

aspiration, and dose-response effects of oral cimetidine on gastric pH and volume in children [Goudsouzian & others], 533

burns, in children, thiopental induction in: dose-response study (abstr) [Coté & others], A338

in laser-induced endotracheal tube fire (clinical report) [Cozine & others], 583

oxygen consumption (VO₂) and cardiac output (CO) in, effects of ketamine and neurolept anesthesia on (abstr) [Pavlin & others], A190

in pediatric patients, metocurine requirements; relation of plasma concentration to neuromuscular blockade (abstr) [Martyn & others], A214

thermal, caused by laryngoscope (clinical report) [Toung & others], 184

in cannulation of internal jugular vein: cautionary note (.orrespondence) [Ellison & others], 336

cardiac arrest, cerebrovascular effects of hypocapnia following (abstr)
[Todd & others], A264

and death on induction of anesthesia for cervical node biopsy (clinical report) [Keon], 471

outcome after: role of plasma glucose (abstr) [Todd & others], A265

cardiac arrhythmias, in neuro ICU patients (abstr) [McKay & others]. A101

cardiovascular, during anesthesia in chronic spinal cord injured patients (medical intelligence) [Schonwald & others], 550

chest rigidity, prevention of, during fentanyl-oxygen induction of anesthesia (clinical report) [Hill & others], 452

coma, in inadvertent carotid cannulation (correspondence) [Dalal & Patel], 487

convulsions, blood levels of bupivacaine resulting in (correspondence)
[Fitzgibbons & others], 476

seizures, induced by methohexital (correspondence) [Metriyakool],

death, on induction of anesthesia for cervical node biopsy (clinical report) [Keon], 471

misuse of enflurane (correspondence) [Lingenfelter], 603

dental, modified laryngoscope for prevention of (correspondence) [Lisman & others], 190

diabetes mellitus, and blood glucose control during surgery (editorial views) [Palumbo], 94

and effects of enflurane on rat pancreatic islet metabolism and insulin release (abstr) [Bradford & others], A184

infants of mothers with, buffering capacity and oxyhemoglobin affinity in (abstr) [Brouillard & others], A318

perioperative management of [Walts & others], 104

dural puncture, total spinal, inadvertant, epidural injection into in-

edema, as effect of acute hypoproteinemia (abstr) [Geer & others], A109

uvula, without endotracheal intubation (correspondence) [Shulman], 82

embolism, air, central venous catheters in management of (editorial views) [Michenfelder], 339

equipment, further plea to standardize (correspondence) [Spielman & Wolf], 337

unusual cause of leakage in anesthesia system (correspondence) [Wolf & others], 83

equipment failure, Bain circuit breathing system (correspondence) [Brown & others], 712

Fanconi syndrome, and anesthesia (clinical report) [Joel & Rosales], 455

glaucoma, and intraocular pressure after transurethral prostatic surgery (clinical report) [Peters & others], 327

headache, post-lumbar puncture, intracerebral hemorrhage following (clinical report) [Mantia], 680

hematoma, peridural, and anticoagulation following placement of epidural and subarachnoid catheters [Rao & El-Etr], 618

hepatitis, halothane, genetic differences in, in three rat strains [Gourlay & others]. 96

halothane, mystery of, pharmacogenetics and (editorial views) [Brown], 93

hiccups, performance of phrenic nerve block for, value of fluoroscopy before (clinical report) [Benzon & others], 469

hyperkalemia, following spinal cord transection in rat [Carter & others], 542

hypertension, after sternotomy, high-dose fentanyl and (clinical report) [Edde], 444

in aged rats, cerebral blood flow during hypotension in (abstr) [Hoffman & others], A12

in anesthetized rats, catecholamines in (abstr) [Althaus & Miller], A66

minoxidil in, inhibition of hypoxic pulmonary vasoconstriction by (abstr) [Bishop & others], A381

in neuro ICU patients (abstr) [McKay & others], A101

renovascular, in rat, hemodynamics in (abstr) [Woodside & others], A18

hypotension, in neuro ICU patients (abstr) [McKay & others], A101 infection, millipore filters are not necessary for prevention of, with epidural block (correspondence) [Abouleish & Amortegui], 604

intravascular injection, components of effective test dose for signalling, prior to epidural block (clinical report) [Moore & Batra], 689

intubation, endotracheal, obstruction of anomalous tracheal bronchus with (clinical report) [Vredevoe & others], 581

malignant hyperthermia, at rest and in response to food and mild exercise, metabolic rate and blood hormone and metabolite levels of individuals susceptible to [Campbell & others], 46

platelet aggregation in patients susceptible to [Rosenberg & others], 621

porcine, coffee (caffeine) and (abstr) [Chapin & others], A292 potential value of expiratory carbon dioxide measurement in patients considered to be susceptible to (correspondence) [Triner & Sherman], 482

mediastinal lymphoma, cervical node biopsy in, death on induction of anesthesia for (clinical report) [Keon], 471

myalgia, decreasing of, comparative evaluation of pretreatment with nondepolaring neuromuscular blockers in, prior to administration of succinylcholine (clinical report) [Blitt & others], 683 myocardial infarction, is anesthesia beneficial for ischemic heart? II (editorial views) [Merin], 341

perioperative, in regional ischemic ventricular dysfunction in myocardium supplied by narrowed coronary artery with increasing halothane concentration in dog [Lowenstein & others], 349

myotonic dystrophy, early onset, caudal anesthesia for (clinical report) [Alexander & others], 597

nerve damage, postoperative, to phrenic and recurrent laryngeal nerves (clinical report) [Baraka & others], 78

neurologic, evaluation of, in anticoagulation following placement of epidural and subarachnoid catheters [Rao & El-Etr], 618

obesity, altered halothane metabolism in (abstr) [Bentley & others], A179

alternative position for gas exchange in? (abstr) [Finley & others],
A72

fentanyl pharmacokinetics in (abstr) [Bentley & others], A177 massive weight loss will improve arterial oxygenation in, in se-

lected patients (correspondence) [Sugerman & Fairman], 604 recovery from general anesthesia in (correspondence) [Ladegaard-Pederson], 716

succinylcholine requirement and pseudocholinesterase activity in (abstr) [Bentley & others], A213

thiopental kinetics in, during surgery (abstr) [Mayersohn & others]. A178

paralysis, in intracerebral hemorrhage following post-lumbar puncture headache (clinical report) [Mantia], 680

pneumochylothorax, rare complication of stellate ganglion block (clinical report) [Thompson & others], 589

pneumothorax, tension, during pediatric bronchoscopy (clinical report) [Gallagher & Muller], 681

pregnancy, of diabetics, acid-base status in, and in their infants following spinal anesthesia (abstr) [Datta & others], A319

pulmonary disease, chronic obstructive, ventilation after midazolam and thiopental in subjects with (abstr) [Gross & Smith], A384 pulmonary embolism, in neuro ICU patients (abstr) [McKay &

pulmonary embolism, in neuro ICU patients (abstr) [McKay & others], A101

renal failure, in neuro ICU patients (abstr) [McKay & others], A101 respiratory, following surgery of acoustic neurinomas (abstr) [Clergue & others], A362

sore throat, postoperative, influence of endotracheal tube cuff design and lubrication on (abstr) [Loeser & others], A121

subarachnoid injection, components of effective test dose for signalling, prior to epidural block (clinical report) [Moore & Batra], 689

tamponade, and death on induction of anesthesia for cervical node biopsy (clinical report) [Keon], 471

tension pneumoperitoneum, cause of ventilatory obstruction (clinical report) [Roberts & others], 326

thrombosis, effect of method of radial artery cannulation on postcannulation blood flow and (clinical report) [Jones & others], 76

tracheal stenosis, prevention of, study of endotracheal tube culf residual volume and lateral wall pressure in model trachea in (laboratory report) [Tonnesen & others], 676

Computers, see under Equipment; Measurement techniques; Records, anesthesia; Statistics

CONAHAN, T. J., III, A69, A119, A366

CONCEPCION, M., A141

CONKLIN, C., A24, A43, A46

CONTI, J. C., A137

Contractility, see under Heart; Muscle; Uterus

Convulsions, see under Anticonvulsants; Brain; Complications; Toxicity

COOK, R., A45

COOKINHAM, F. T., 191

COOMBS, D. W., A152, A323

COOPER, J. B., 716

CORK, R. C., A72, A135, A179

CORKE, B. C., A162

Coronary artery bypass, see under Surgery, cardiac

Coronary artery disease, see under Heart

CORRELL, J. W., 305, A126

CORSSEN, G., 515

Cortisol, see under Hormones

CORY, P. C., A144

COSTELLO, C., A278

COSTELLO, M., A172

Соте, С. J., 533, 699, А330, А334, А338

COTTRELL, J. E., A234, A327

Coumarin, see under Blood, anticoagulants

COUSINS, M. J., 96, 520

COUSINS, M. J., and BRIDENBAUGH, P. O., Neural Blockade in Clinical Anesthesia and Management of Pain (book review), 490

COVINO, B. G., 57, A141, A156, A316

COZINE, K., 583

CRAFT, J. B., A320

CRANE, A. M., A389

CRAVER, J. M., 212, A133

CRAWFORD, J. S., 187

CRAWFORD, R., 86, A150, A157

CRONNELLY, R., 6, A199, A206, A391

CROSBY, G., A389

CRUCHLEY, P. M., A41

CRUMMER, S. J., A328

CUCCHIARA, R. F., 585

Cuffs, blood pressure, see under Equipment, cuffs

Cuffs, endotracheal, see under Equipment, cuffs

CULLEN, B. F., A310

Curare, see Neuromuscular relaxants, d-tubocurarine

CURLING, P. E., A52, A59

CURTIS, M., A38

Cyclazocine, see under Antagonists, narcotic

Cyclopropane, see under Anesthetics, gases

Cytochrome P-450, see under Biotransformation (drug); Liver, microsomes

DAGGETT, W. M., A60

DALAL, F. Y., 487

DANIELSON, D. R., A323

DATTA, S., A299, A309, A318, A319

Даиснот, Р. J., А36, А132

DAVID, Y., A314

DAVIDSON, A. J., 605

DAVIDSON, B., A284

DAVIDSON, L., A49

DAVIDSON, M. B., 104 DAVIES, L., 349

DAVIS, D. A., A138

DAVIS, D. A., A138 DAVIS, D. W., A258

DAVIS, H., 715

Davis, J. B., A2

DAY, N. S., A390

Death, anesthetic, see under Complications; Medicolegal

DE BRUIJIN, N., A42, A47

DEBRUINE, K., A278

DECOOK, T. H., 599

DEDRICK, D. F., 533, 699, A330, A338

DE HAAN, P., 324

DE JONG, A. P., 324

DE JONG, R. H., A158

DE LANGE, S., A42, A47, A48, A255

DELISSER, E. A., 606

DEMETRESCU, M., A130

Denervation, see under Muscle, skeletal

DENSON, D. D., A142, A159, A312

DE ROSAYRO, A. M., 452, 478

DESMONTS, J. M., A19

DE SOUSA, H., A314 DETTBARN, W-D., A162

Dextran, see under Blood replacement; microcirculation

DEZEROS, G., A362

Diabetes, see under Anesthesia, obstetric; Complications; Metabolism

DIAMOND, B. I., A228, A286

DIAMOND, E. M., A182

DIAMOND, G. R., A326

Diaphragm, see under Muscle, skeletal; Ventilation

DIAZ, A., A121

DIAZ, J., A215

Diazepam, see under Anesthetics, intravenous; Anticonvulsants; Ata-

ractics; Hypnotics, benzodiazepines

Dibucaine, see under Anesthetics, local

DIDIER, E. P., A367

Diethyl ether, see under Anesthetics, volatile

DiFazio, C. A., 269, A223, A375

Digitalis, see under Heart

DIKMEN, S., 386

DINSMORE, P. E., A1

Diphenhydramine, see under Histamine, antagonists, antihistamine

2,3-Diphosphoglycerate, see under Blood; Oxygen

Djordjevich, L., A35, A86, A114

DNA, see under Metabolism; Mitosis

DOAN, T., A315

DOBLAR, D. D., 244, 423

Dobutamine, see under Heart; Sympathetic nervous system

DOHERTY, F., A40

DOMINO, E. F., A281

DONATI, F., A212

DONHAM, R. T., 184 Dopamine, see under Heart; Sympathetic nervous system

Dorsey, L. M., A27, A63

Dose-response curves, see under Pharmacology

Doshi, D. M., A314

Downes, H., 138, A360, A385, A387

DOWNES, J. J., A336

DOWNING, J. W., 334

Downs, P., A90

Doxapram, see under Analeptics

2,3-DPG, see under Blood; Oxygen

DRETCHEN, K. L., A390

DROP, L. J., A60

Droperidol, see under Anesthetics, intravenous; Ataractics, butyrphen-

ones; Vomiting, antiemetics

Duador, see under Neuromuscular relaxants

DUBOIS, M., A244

DUBOULAY, P. M., A252

DUECK, R., 127

DUNCALF, D., A200, A202, A203

DUNDEE, J. W., 334

DURANT, N. N., A209

DURANT, P. A. C., A149, A372

DYKES, M. H. M., A347

EARL, S., A301, A315

ED₅₀, see under Potency, anesthetic

EDDE, R. R., 444

EDELMAN, N. H., 244

EDELSTEIN, G., A386, A387

Edema, see under Complications; Lung(s)

Edrophonium, see under Antagonists, neuromuscular relaxants

Education, demographics of recent anesthesia graduates (abstr) [Bowe & Spielman], A349

nurses, educational graffiti improve CPR performance-bathroom revisited (abstr) [Grogono & others], A342

residency programs, anesthesia, survey of adequacy of (abstr) [Spielman & Bowel, A348

survey of, 1970-1980; final results and comment-controlled substance abuse (abstr) [Ward & Saidman], A345

survey of, 1970-1980; format and initial results-controlled substance abuse (abstr) [Ward & Saidman], A345

EGBERT, B., A187

EGER, E. I., A272, A288

EGER, E. I., II, 559, A392

EGER, E. I., II, Isoflurane (Forane®) (book review), 610

Electrical systems, electrocautery, intraoperative explosion during methane gas and diet (clinical report) [Freund & Radke], 696 surgical field flash fire associated with, during separation of dicephalus dipus conjoined twins (clinical report) [Ashcraft & othersl, 457

fire, surgical field flash, during separation of dicephalus dipus conjoined twins (clinical report) [Ashcraft & others], 457

Electrocardiography, see under Heart; Monitoring

Electrocautery, see under Electrical systems

Electrodes, see under Complications, burns; Electrical systems; Equipment; Heart, electrocardiography; Measurement techniques, carbon dioxide; oxygen

Electroencephalography, see under Brain; Monitoring Electromyography, see under Measurement techniques

Electronarcosis, see under Anesthetic techniques

EL-ETR, A. A., 618, 704, A28

ELLIS, F. R., 46

ELLIS, S. C., A300, A302

ELLISON, N., 186, 336, A350

ELWYN, D. H., A106, A107

Embolism, air, central venous catheters in management of (editorial views) [Michenfelder], 339

positioning right atrial catheter for treatment, model for reappraisal [Bunegin & others], 343

venous, possible persistent lung damage (abstr) [Stevenson-Smith & others], A11

Emphysema, see under Lung(s), disease(s)

Endarterectomy, see under Surgery

Endorphins, see under Brain; Hormones; Polypeptides

Endotracheal intubation, see Intubation, endotracheal

Endotracheal tubes, see under Equipment, tube(s)

Enflurane, see under Anesthetics, volatile

ENGBÆK, J., 458

ENGQUIST, A., 710

Епомото, Н., А297

ENSER, H., A50, A273, A274

Enzyme induction, see under Biotransformation (drug); Induction; Metabolism

Enzymes, cholinesterase, abnormal, succinylcholine neuromuscular blockade in subjects heterozygous for [Viby-Mogensen], 231

atypical, plasma, succinylcholine neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

rare types of, in two parturients (correspondence) [Abouleish &

subarachnoid block by 2-chloroprocaine monitored with somato-

sensory-evoked potentials (SEP) and reversed by (abstr) [Wang & others], A160

ornithine decarboxylase, levels, in liver toxicity (abstr) [Van Dyke & others], A180

pseudocholinesterase, activity, succinylcholine requirement and, total body weight influencing (abstr) [Bentley & others], A213

Epidural anesthesia, see under Anesthetic techniques, peridural

Epiglottitis, see under Airway

Epinephrine, see under Heart, arrhythmias; Sympathetic nervous system, catecholamines

EPSTEIN, B. S., 71, A329, A335

EPSTEIN, M. A. F., A124

EPSTEIN, R. A., A124, A358

Equipment, anesthetic analyzers, in assessment of inhibition of gaseous electron excitation by anesthetics (abstr) [Hameroff & others].

bronchoscope(s), fiberoptic, another use for (correspondence) [Patil & others], 484

fiberoptic, use of, to change endotracheal tube endorsed (correspondence) [Watson], 476

catheter(s), arterial, for arterial pressure monitoring in pediatrics (abstr) [Browning & others], A131

arterial, radial artery, replacement of (correspondence) [Brown],

central venous, in cannulation of internal jugular vein: cautionary note (correspondence) [Ellison & others], 336

central venous, in cannulation of internal jugular vein: variation on theme (correspondence) [Christian], 335

central venous, in management of air embolism (editorial views) [Michenfelder], 339

introducer, Cordis, CVP measurement with fluid infusion (correspondence) [Brown], 485

oximeter, fiberoptic, clinical evaluation of (abstr) [Waller & othersl. A133

pulmonary artery, balloon, in manipulation of pulmonary blood flow during unilateral lung lavage (abstr) [Benumof & others],

pulmonary artery, in cannulation of internal jugular vein: cautionary note (correspondence) [Ellison & others], 336

pulmonary artery, in cannulation of internal jugular vein: variation on theme (correspondence) [Christian], 335

pulmonary artery, ipsilateral balloon inflation of, blood flow manipulation by, in dogs-unilateral lung lavage [Alfery & others],

pulmonary artery, in study of improving oxygenation during onelung ventilation in dogs [Alfrey & others], 381

right atrial, positioning, model for reappraisal [Bunegin & others], 343

Swan-Ganz, air-filled balloon-tipped, nitrous oxide and (laboratory report) [Kaplan & others], 71

Swan-Ganz, pulmonary artery catheterization with, pulmonary hemorrhage from, treated with endobronchial intubation (clinical report) [Stein & Lisbon], 694

catheter introducer sheath, percutaneous, effectiveness of valve mechanisms in (abstr) [Conahan & others], A119

circuits, Bain, breath by breath analysis of rebreathing in awake children connected to (abstr) [Goldman & others], A331

Bain, breathing system, failure of (correspondence) [Brown & others], 712

circle, used on children, wasted ventilation with (abstr) [Coté & othersl, A334

closed, in assessment of enflurane and isoflurane adsorption by soda lime (abstr) [Grodin & others], A124

Jackson-Rees, breath by breath analysis of rebreathing in awake children connected to (abstr) [Goldman & others], A331

Jackson-Rees, outflow capnography of (abstr) [Ramanathan & others], A332

Mapleson D, used on children, wasted ventilation with (abstr) [Coté & others], A334

non-rebreathing, T-piece, factors affecting rebreathing in (correspondence) [Byrick], 85

non-rebreathing, T-piece, factors affecting rebreathing in (correspondence) [Keenan], 84

CO₂ analyzer, in assessment of on-line VCO₂ with compensation for both lag and delay in response (abstr) [Yoshiya & others], A361 computerized axial tomography, in study of axillary block (abstr)

[Thompson], A146 computers, in rapid analysis by multipatient anesthetic mass spec-

trometry (special article) [Ozanne & others], 62 speech recognition by, preliminary evaluation of (abstr) [Sarnat

& others], A128 with advanced EEG, monitoring brain condition by (abstr) [De-

metrescu & others], A130 connectors, as source of leakage in anesthesia system (correspon-

dence) [Wolf & others], 83

cuffs, blood pressure, for automatic noninvasive monitoring, hazard of (correspondence) [Betts], 713

endotracheal, residual volume and lateral wall pressure in model trachea (laboratory report) [Tonnesen & others], 676

Doppler probe, for difficult axillary block (correspondence) [Abramowitz & Cohen], 603

epidural infusion pump, I: implant (method/flow rates) (abstr) [Coombs & others], A152

failure, unusual cause of leakage in anesthesia system causing (correspondence) [Wolf & others], 83

fiberoptic bronchoscope, for nasotracheal intubation: stepwise training versus traditional teaching (abstr) [Ovassapian & others], A347

fiberoptic laryngoscope, for endotracheal intubation of anesthetized patients (clinical report) [Childres], 595

filters, filth, fish and the common man (correspondence) [Busard], 608

millipore, are not necessary for epidural block (correspondence) [Abouleish & Amortegui], 604

flowmeters linear, and rotameters, accuracy of (abstr) [Saunders & others], A116

performance effect of high altitude on (abstr) [Friedman & Lightstone], A117

humidifiers, and maximum inspired humidity produced by forced circulation (abstr) [Jordan & others], A365

instrumented force platform, as test of recovery after anesthesia (abstr) [Korttila & others], A123

laryngoscope(s), modified blade of, for dental protection (correspondence) [Lisman & others], 190

thermal burn caused by (clinical report) [Toung & others], 184 laser, carbon dioxide, microsurgery of larynx, risk of endotracheal

intubation for (correspondence) [Palas], 714 machine, anesthesia, unusual cause of leakage in (correspondence)

[Wolf & others], 83 mass spectometer, multipatient anesthetic, in rapid analysis of data stored in long catheters (special article) [Ozanne & others], 62

monitors, low cost, comfortable and effective anesthesia earpiece for (correspondence) [Swenson], 607

simple, for remote monitoring of respiration of pediatric patients (correspondence) [Saunders & Humphrey], 609

oxygen analyzer in assessment of on-line VO₂ with compensation for both lag and delay in response (abstr) [Yoshiya & others], A361 rubber, tubes, endotracheal, laser-induced fire in (clinical report) [Cozine & others], 583

standards, further plea to standardize (correspondence) [Spielman & Wolf], 337

stethoscope, and acoustic transmission of low frequency sounds (abstr) [Friedman], A122

temperature blanket, efficacy of, in cardiovascular surgery (abstr)
[Noback & Tinker], A118

tissue oxygen electrodes, in measurements of cerebral surface oxygen tension (csPO₂) (abstr) [Bar-Joseph & others], A224

tracheostomy, for emergency transtracheal ventilation (correspondence) [deLisser & others], 606

tube(s), endobronchial, pulmonary hemorrhage from pulmonary artery catheterization treated with (clinical report) [Stein & Lisbon], 694

endotracheal, cold nasogastric, use of, corrects problems due to pliability (correspondence) [Teeple & Bowe], 477

endotracheal, cuff, design and lubrication, influence of, on postoperative sore throat (abstr) [Loesar & others], A121

endotracheal, endorsement of fiberoptic bronchoscope to change (correspondence) [Watson], 476

endotracheal, improved EKG lead (abstr) [Conahan & others], A119

endotracheal, is not necessary for laryngeal microsurgery (correspondence) [Talmage], 332

endotracheal, and mechanism of tracheal constriction by succinylcholine [Koga & others], 138

endotracheal, obstruction of, by lidocaine jelly (clinical report) [Uehira & others], 598

endotracheal, protection of, during laser microlaryngeal surgery (correspondence) [Ngeow & Kashima], 710

endotracheal, use of flexible radiopaque directable catheter in, for difficult tracheal intubations (correspondence) [Davidson & others], 605

tracheostomy, fiberoptic bronchoscope as guide to placement of (correspondence) [Patil & others], 484

vaporizers, halothane-specific, for isoflurane and vice versa, potential hazard in using (abstr) [Shih & Wu], A115

ERGIN, A. M., A29

ERIKSSON, I., A354

Erythrocytes, see under Blood

ESTAFANOUS, F. G., A248

Ether, see under Anesthetics, volatile

Etidocaine, see under Anesthetics, local

Etomidate, see under Anesthetics, intravenous; Hypnotics

EVANS, R. T., 46

Evoked responses, see under Brain

EWART, R. L., A184

EWING, B., A109

Explosions, diet, methane gas and, during electrocautery (clinical report) [Freund & Radke], 696

methane, during electrocautery (clinical report) [Freund & Radke], 696

Extubation, see under Airway; Anesthetic techniques

Eye(s), intraocular pressure, after transurethral prostatic surgery (clinical report) [Peters & others], 327

FAGRAEUS, L., A32, A39

FAHEY, M. R., 6

FAHMY, N. R., 329, A250

FAIRCHILD, P. Y., A258

FAIRLEY, H. B., A229

FAIRMAN, R. P., 604

FALLTRICK, R. T., 53, 416

FAN, F-C., 305

Fasciculations, see under Muscle, skeletal; Neuromuscular relaxants

Fasting, see under Metabolism

Fatty acids, see under Metabolism

FEELEY, T. W., A78, A81

FEEZOR, M., A369

FELDMAN, H. S., A156

Fentanyl, see under Analgesics, narcotic; Anesthetics, intravenous

FERGUSON, A., A212 FERRER, E. B., 591

FIGALLO, E. M., A240

FINCK, A. D., A241, A242, A247

FINDL, E., A137

FINK, B. R., 172, 191, A161, A168, A169

FINLEY, J. H., A72

FINSTER, M., 57, A316, A321

Fire, see under Electrical systems; Explosions

FISH, K. J., 550

FISHER, C. A., 621

FISHER, D. M., A391

FITZGIBBONS, D. C., 476

FLACKE, J. W., A271

FLACKE, W. E., 218, A14

FLETCHER, P. R., A358

Flowmeters, see under Equipment

Fluid balance, albumin, 25% infusion, effect of, on pre-eclampsia (abstr) [Joyce & Loon], A313

colloid vs. crystalloid, and reliability of COP and COP-PAW as

indicators of lung water (abstr) [Rosenthal & others], A81 in therapy of hemorrhagic shock (abstr) [Masud & Masud], A96 in treatment of shock, lung water accumulation and (abstr) [Merrill & others], A78

euglycemic hydration in , prior to epidural block for cesarean section (abstr) [Peng & others], A307

hydration in maintenance of, and prevention of hypotension, during regional anesthesia for cesarean section (abstr) [Gibbs & others], A308

maintenance of, during anesthesia in Fanconi syndrome (clinical report) [Joel & Rosales], 455

pre-bypass IV fluid loading in, in heart failure, tolerance to (abstr) [Stone & others], A31

mannitol, and effect of positive end-expiratory pressure ventilation (PEEP) on cerebral blood flow and cerebrospinal fluid pressure in goats [Doblar & others], 244

perioperative, management of, influence of dopamine on (abstr) [Rosenbaum & others], A95

tissue water distribution, effect of acute hypoproteinemia on (abstr) [Geer & others], A109

water, negative free clearance of, halothane decreases (abstr) [Bastron & Enser], A274

water intoxication, during transurethral resection of prostate, and visual changes and its relation to serum glycine during (abstr) [Ovassapian & others], A108

and intraocular pressure after transurethral prostatic surgery (clinical report) [Peters & others], 327

Fluorocarbons, see under Pharmacology, Transfusion

Fluoroscopy, see under Monitoring

Fluroxene, see under Anesthetics, volatile

FLYNN, P., A365

FOEX, P., 349

FOLDES, F. F., A200, A201, A202, A203, A220

FORD, D. J., A167

FORSTER, A., A263, A340

FORSYTHE, M., A20, A62

Fox, F., A150

FRAGEN, R. J., A278

FRANCIS, C. M., 349

FRANCIS, D., A141

FRANKENBERRY, M. J., 435

FRAZER, B., A288

FREUND, P. R., 87, 696, A38

FRIEDMAN, A., A9

FRIEDMAN, G. A., A122

FRIEDMAN, J., A117

FRIENDLY, D. S., A329

FROESE, A. B., A353

FUJIWARA, T., A54

FUKATSU, O., A54

FUKUNAGA, A. F., A13

Functional residual capacity, see under Lung(s)

FUNG, H. L., A17

FUNK, D. I., A278

FURMAN, E. B., 386

Furosemide, see under Kidney, diuretics

FURUTA, T., A173

GADDE, P., A244

GAL, T. J., A218, A375

GALINDO, A., 482, A166, A290

GALLAGHER, J. D., 186

GALLAGHER, M. J., 681

Gallamine, see under Neuromuscular relaxants

GAMBLE, C. A., A158

Gamma-aminobutyric acid, see under Brain

GAMULIN, Z., A340

GANDOLFI, A. J., A177, A179, A195, A213, A251, A256

Ganglion, see under Anesthetic techniques, regional; Spinal cord; Sympathetic nervous system

Ganglionic blocking agents, see under Sympathetic nervous system
Ganglionic transmission, see under Sympathetic nervous system

GANS, B. J., A10

GASPARIS, P., A340

Gastrointestinal tract, antacid(s), in vitro and in vivo evaluation of sodium citrate as (abstr) [Gibbs & others], A311

oral, sod.sam bicarbonate, injection, U.S.P. as, for emergency cesarean section patients (abstr) [Lim & Tan], A339

aspiration, post-cimetidine (abstr) [Joyce & others], A312

cimetidine, aspiration of gastric contents following treatment with (abstr) [Joyce & others], A312

gastric pH and volume, dose-response effects of oral cimetidine on, in children [Goudsouzian & others], 533

stomach, pressure, succinylcholine-induced fasciculations and, during induction of anesthesia (clinical report) [Muravchick & others], 180

GEER, R. T., A109

GEFFIN, G. A., A60

GEHA, A. S., A6, A37

GELLER, E. A., A20, A61, A62

GELMAN, S., A192

GENCARELLI, P. J., 6, 686, A392

GERGIS, S. D., 148, 542

GERSON, J. I., A111

GERTLER, R. A., A211

GHIA, J. N., 591, 597

GHONEIM, M. M., 625, A123, A226

GIBBS, C. P., A308, A311

GIFFIN, J. P., A234

GILES, R., A6

GILLESPIE, T. J., A177, A251, A256

GILLMOR, S., A246

GILLY, H., A5

GILMAN, R. M., A320

GINTAUTAS, J., A151, A287, A324

GIOIA, F. R., A356, A357

GIONFRIDDO, M., A197, A198

GISSEN, A. J., 483

GISVOLD, S. E., A97, A99, A224

GJERRIS, F., 256

GLENN, J. D., A229

GLISSON, S. N., A147, A296

Glomerular filtration, see under Kidney

Glucose, see under Blood; Metabolism Glutathione, see under Metabolism

Glycopyrrolate, see under Parasympathetic nervous system; Premed-

ication

GLYNN, C. J., 520

GODDARD, J., A225

GOLD, M. I., 180, 311

GOLDMAN, E., A331, A333

GOLDMAN, L., A331, A333

GOLLADAY, E. S., 457

GOLMON, M., A343, A347

GOODEN, T. M., A116

GOODEN, 1. M., A11

GOROMARU, T., A173

GORSKI, D. W., A147

Gото, Н., A102, A282

GOTTLIEB, I., 439

GOTTSCHALK, W., A86

GOUDSOUZIAN, N. G., 533, 599, 699, A197, A214, A219, A330, A338

GOURLAY, G. K., 96

GRAHAM, J. R., 520

GRANEY, W. F., 712

GRANWEHR, J. A., 338 GRAVENSTEIN, J. S., A56

GRAVES, S. A., A131

GRAY, R., A24, A43, A46

GREENBLATT, D. I., 176

GREENE, E. S., A111

GREENHOW, D. E., A350

GREENWALD, M., A329

GREGORY, G. A., A325, A391

GREISS, F. C., A302

GRIEPP, R., A29

GRIFFITHS, C. L., A137

GRODIN, W. K., A124

GROGONO, A. W., A342

GRONERT, G. A., 110, 547

GRONKA, R., A75, A359, A381

GROSS, J. B., A384 GROSS, T. L., 611

Grounding, see under Electrical systems; Operating rooms

Grounding, see under GROVER, T. E., A65

Growth hormone, see under Hormones

GRUNDY, B. L., 462, A127, A129

Guanosine monophosphate, see under Metabolism

GUIER, W. H., A34

GUINEE, W. S., 457

GUMP, F. E., A107

GUTSCHE, B. B., 57

GUYTON, R. A., A27, A63

HAAS, G. S., A60

HACKER, D., A282

HAKALA, M. W., 277

HALL, P., 96

Halothane, see under Anesthetics, volatile

HALTER, J. B., 120

HAM, J., 631

HAMBURGER, C., A357

HAMEROFF, S. R., 683, A69, A291, A366

HAMILL, J. F., 578

HAMILTON, W. K., 446

HAMMOND, G. L., A6

HANIFIN, J., A385

HANOWELL, S. T., 450, A15

HANTLER, C. B., A4

HARP, J. R., 495, A11, A193, A230

HARRIS, A. P., A357

HARRISON, P., A148

HARRISON, W. K., 127

HATANGDI, V. S., 589

HAVDALA, H. S., A228, A286

HAWKINS, R. A., A258

Headache, see under Complications

HEALD, D. L., A314

Heart, action potentials, myocardial slow, halothane depression of [Lynch & others], 360

afterload reduction, effect of sodium nitroprusside on, in canine oleic

acid pulmonary edema [Prewitt & Wood], 537 antiarrhythmics, verapamil as, during halothane anesthesia in dog,

epinephrine-induced arrhythmias and cardiovascular function after [Kapur & Flacke], 218

arrhythmia(s), bretylium, effects of on reperfusion dysrhythmias (abstr) [Curling & others], A52

in epinephrine-halothane interactions in children (abstr) [Karl & others], A336

epinephrine-induced, and cardiovascular function after verapamil during halothane anesthesia in dog [Kapur & Flacke], 218

epinephrine-induced: effects of hypothermia and anesthetics (abstr)
[Ohmura & others], A54

following halothane with spinal anesthesia (abstr) [Hantler & others], A4

lidocaine, effects of, on reperfusion dysrhythmias (abstr) [Curling

& others], A52 new ECG techniques for monitoring of, during anesthesia (abstr)

[Kates & others], A33 in perioperative period, mitral valve prolapse and (abstr) [Roth

& others], A57 PR and AV conduction, and catecholamine responses to verapamil

during enflurane anesthesia (abstr) [Kapur & others], A14 propranolol, effects of, on reperfusion dysrhythmias (abstr) [Curling & others], A52

treatment, amiodarone in, complications associated with (clinical report) [Gallagher & others], 186

atria, in comparison of neuromuscular blocking and vagolytic effects of ORG NC45 and pancuronium [Lee Son & others], 12

atrioventricular block, effects of bupivacaine and lidocaine on, in isolated rat heart: modification by hyperkalemia [Komai & Rusy], 281

atrioventricular conduction, effects of bupivacaine and lidocaine on, in isolated rat heart: modification by hyperkalemia [Komai & Rusy], 281

following halothane with spinal anesthesia (abstr) [Hantler & others], A4

halothane and: awake vs. anesthesia (abstr) [Atlee & others], A53 atrioventricular node, effects of bupivacaine and lidocaine on, in isolated rat heart: modification by hyperkalemia [Komai & Rusy], 281

- blood flow, myocardial, effects of halothane on (correspondence) [Smith], 479
- myocardial, effects of isoflurane, halothane and enflurane on, compared [Merin], 398
- calcium, and halothane depression of myocardial slow action potentials [Lynch & others], 360
- carbon dioxide response, with deuterated enflurane (abstr) [Tinker & others], A3
- cardiac failure, tolerance to pre-bypass IV fluid loading in (abstr) [Stone & others], A31
- cardiac massage, closed chest, in dogs, effects of PEEP on carotid blood flow during (abstr) [Ido & others], A102
- external, in "new" CPR, adverse cerebral effects of (abstr) [Bircher & Safar], A103
- external, standard or "new," open chest CPR is better for brain than (abstr) [Bircher & Safar], A104
- open chest, is better for brain than standard or "new" external CPR (abstr) [Bircher & Safar], A104
- cardiac output, assessment of, in study of peripheral circulatory changes with high frequency ventilation (abstr) [Gioia & others], A357
 - assessment of, in use of alveolar-arterial O_2 difference as index of \dot{Q}_x/\dot{Q}_z (abstr) [Keefer & others], A82
- in calcium infusion, as dependent on plasma ionized calcium, study in dog (abstr) [Drop & others], A60
- and catecholamine responses to verapamil during enflurane anesthesia (abstr) [Kapur & others], A14
- changes in, and gas exchange during PCWP measurement (abstr) [Park & Macnamara], A89
- droperidol effect on, in man (abstr) [Marty & others], A19
- during alfentanil-oxygen anesthesia, comparison of continuous infusion and frequent bolus techniques for coronary artery surgery (abstr) [del.ange & others], A42
- during crystalloid versus colloid fluid therapy in hemorrhagic shock (abstr) [Masud & Masud], A96
- during hypotension with ATP and with nitroprusside, compared (abstr) [Fukunaga & others], A13
- during intubation in patients with ischemic heart disease (abstr) [Barash & others], A6
- during isoflurane anesthesia in man (abstr) [Shimosato & others], A67
- during pneumoperitoneum (abstr) [Shapiro & others], A74
- during reversible narcotic coma for neuroanesthesia (abstr) [Shupak & Harp], A230
- during study of relaxants for high-dose fentanyl induction (abstr) [Hill & others], A208
- during treatment of pulmonary hypertension with nitroglycerin vs. nitroprusside (abstr) [Rosenthal & others], A79
- effect of sodium nitroprusside on, in canine oleic acid pulmonary edema [Prewitt & Wood], 537
- and effects of carotid blood flow during closed chest CPR in dogs (abstr) [Ido & others], A102
- (abstr) [100 & others], A102 effects of counterpressure on, during shock (abstr) [Massion & others], A90
- effects of digoxin on, following coronary artery bypass surgery (abstr) [Sethna & others], A46
- effects of isoflurane, halothane and enflurane on, compared [Merin], 398
- epinephrine and nitroprusside influencing, during coronary artery surgery (abstr) [Cruchley & Kaplan], A41
- following myocardial revascularization, effect of dobutamine on (abstr) [Sethna & others], A43
- halothane effects on, in intact dogs (abstr) [Beattie & others], A2 and hormonal effects of high dose fentanyl vs. halothane for cardiac anesthesia (abstr) [Zurick & others], A248
- how it alters shunt (abstr) [Bishop & others], A359

- in hypoxemic respiratory failure, effect of positive end-expiratory pressure on [Prewitt & others], 409
- in increased intracarnial pressure in infant lambs (abstr) [Backofen & others], A100
- and oxygen consumption, in hypermetabolic burned patient, effects of ketamine and neurolept anesthesia on (abstr) [Pavlin & others], A190
- and oxygen uptake and delivery during halothane vs. fentanyl anesthesia (abstr) [Huang & others], A271
- and oxygenation during high dose thiopental (abstr) [Liao & others], A257
- plasma catecholamines, and renin activity in critically-ili patients, effects of fentanyl-diazepam anesthesia on (abstr) [Lappas & others], A250
- and platelet release with heparin (abstr) [Bjoraker & Ketcham], A25
- protamine sulfate effects on, following cardipulmonary bypass (abstr) [Sethna & others], A24
- and regional blood flow distribution, morphine effects on, in conscious dogs [Priano & Vatner], 236
- and renal effects, between CPAP and HFJV with PEEP (abstr)
 [Marquez & others], A68
- in response to calcium chlo:ide, in adults with regurgitant valvular lesions (abstr) [Geller & others], A62
- in response to Dobutamine in cardiopulmonary bypass (abstr)
 [Jose & others], A61
- in response to dopamine and dobutamine in septic shock, compared (abstr) [Majerus & others], A94
- in response to dopamine and dobutamine in severe metabolic acidosis in dogs (abstr) [Kosugi & others], A88
- in response to endotoxin, inhibition of prostaglandin synthesis and antihistamine administration influencing (abstr) [Traber & others], A78
- in response to endotracheal intubation: four anesthetics (abstr)
 [Bedford & Marshall]. A270
- in response to IMV and HFV in patients with acute respiratory failure (abstr) [Masud & others], A355
- in response to lidoflazine, a calcium channel blocker, during anesthesia (abstr) [Kates & others], A63
- in response to metabolic acidosis and dopamine, reduced glutathione modifies (abstr) [Tajimi & others], A93
- in response to ORG-NC45 (Norcuron[™]) in patients undergoing coronary artery bypass grafting (abstr) [Morris & others], A205
- and tissue perfusion in rats subjected to hemorrhage, influence of ketamine anesthesia on [Idvall], 297
- with deuterated enflurane (abstr) [Tinker & others], A3
- with high frequency ventilation (abstr) [Otto & others], A69
- cardiopulmonary resuscitation, educational graffiti improve performance of-bathroom revisited (abstr) [Grogono & others], A342
- cardiovascular system, complications, during anesthesia in chronic spinal cord injured patients (medical intelligence) [Schonwald & others]. 550
- cell culture, in studies of oxygen uptake by heart cells after halothane or enflurane (abstr) [Miletich & others], A1
- congenital defects, fentanyl pharmacokinetics in children with (abstr)
 [Baskoff & Stevenson], A194
- contractile performance, in calcium infusion, as dependent on plasma ionized calcium, study in dog (abstr) [Drop & others], A60
- and catecholamine responses to verapamil during enflurane anesthesia (abstr) [Kapur & others], A14
- during hypotension with ATP and with nitroprusside, compared (abstr) [Fukunaga & others], A13
- enflurane depresses, sonomicrometry demonstrating (abstr) [Christian & others], A39
- N₂O changes, sonomicrometry demonstrating (abstr) [Christian & others], A32

- contractility, droperidol effect on, in man (abstr) [Marty & others], A19
 - and effect of halothane and isoflurane on myocardial cGMP (abstr) [Vulliemoz & others], A295
 - effects of isoflurane, halothane and enflurane on, compared [Merin], 398
 - in halothane depression of myocardial slow action potentials [Lynch & others], 360
- and left ventricular end-diastolic pressure (LVEDP) as index for nitrous oxide use during coronary artery surgery (clinical report) [Balasaraswathi & others], 704
- and negative inotropic effect of halothane in rabbit papillary muscle (abstr) [Komai & Ruzy], A276
- in response to dopamine and dobutamine in severe metabolic acidosis in dogs (abstr) [Kosugi & others], A88
- in response to metabolic acidosis and dopamine, reduced glutathione modifies (abstr) [Tajimi & others], A93
- slow action potentials, enflurane depresses (abstr) [Lynch & others]. A216
- coronary artery disease, aortocoronary bypass operation in, hemodynamic changes during fentanyl-oxygen anesthesia for [Waller & others], 212
 - is anesthesia beneficial for? II (editorial views) [Merin], 341
- myocardial preservation with lidoflazine in anesthetized dogs in (abstr) [Kates & others], A27
- preservation of global left ventricular function during intubation in patients with (abstr) [Barash & others], A6
- regional ischemic ventricular dysfunction in myocardium in, with increasing halothane concentration in dog [Lowenstein & others], 349
- coronary artery spasm, during general anesthesia (clinical report) [Buffington & Ivev], 466
- coronary blood flow, assessment of, in study of peripheral circulatory changes with high frequency ventilation (abstr) [Gioia & others], A357
- in calcium infusion, as dependent on plasma ionized calcium, study in dog (abstr) [Drop & others], A60
- direct measurement of, during anesthesia (abstr) [Schaenzer & others], A64
- effects of digoxin on, following coronary artery bypass surgery (abstr) [Sethna & others], A46
- following myocardial revascularization, effect of dobutamine on (abstr) [Sethna & others], A43
- halothane effects on, in intact dogs (abstr) [Beatrie & others], A2 and oxygenation during high dose thiopental (abstr) [Liao & others], A257
- protamine sulfate effects on, following cardiopulmonary bypass (abstr) [Sethna & others], A24
- cyclic AMP, and halothane depression of myocardial slow action potentials [Lynch & others], 360
- digitalis, effects of, on myocardial oxygen supply and demand following coronary artery bypass surgery (abstr) [Sethna & others], A46
- ejection fraction, in evaluation of global left ventricular function during intubation in patients with ischemic heart disease (abstr) [Barash & others]. A6
- measurement of, by thermodilution (abstr) [Maruschak & others], Ai12
- electrical pacing, threshold, effect of enflurane on (abstr) [Zaidan & others], A59
- electrocardiography, long Q-T syndrome, perioperative anesthetic management of patient with (clinical report) [Brown & others],
 - in regional ischemic ventricular dysfunction in myocardium sup-

- plied by narrowed coronary artery with increasing halothane concentration in dog [Lowenstein & others], 349
- electrophysiology, Purkinje fibers, enflurane and halothane effects on (abstr) [Pruett & others], A65
- heart rate, BWA444U influencing, correlation with plasma histamine levels (abstr) [Basta & others], A198
 - in man, effect of glycopyrrolate and atropine on (abstr) [Berger & others], A56
 - and narcotic requirements, intraoperative, influence of chronic preoperative beta-adrenergic-blocker therapy on, in coronary artery disease (abstr) [Stanley & others], A48
- His-bundle conduction, following halothane with spinal anesthesia (abstr) [Hantler & others], A4
- ischemia, beneficial effects of halothane on (correspondence) [Smith],
 - direct measurement of, during anesthesia (abstr) [Schaenzer & others]. A64
 - heart elaboration and extraction of catecholamines during repression and (abstr) [Reves & others], A44
 - regional myocardial, is anesthesia beneficial for? II (editorial views) [Merin], 341
 - regional myocardial, in myocardium supplied by narrowed coronary artery with increasing halothane concentration in dog [Lowenstein & others], 349
- metabolism, during cardiac surgery, blood vs. clear cardioplegic myocardial protection for (abstr) [Buttner & others], A26
- effects of digoxin on, following coronary artery bypass surgery (abstr) [Sethna & others], A46
- effects of isoflurane, halothane and enflurane on, compared [Merin], 398
- following myocardial revascularization, effect of dobutamine on (abstr) [Sethna & others], A43
- and oxygenation during high dose thiopental (abstr) [Liao & others], A257
- protamine sulfate effects on, following cardiopulmonary bypass (abstr) [Sethna & others], A24
- mitral valve prolapse, risk of dysrhythmia in perioperative period (abstr) [Roth & others], A57
- myocardial depression, by halothane [Lynch & others], 360
- myocardial function, anesthetics, effects of isoflurane, halothane and enflurane on, compared [Merin], 398
- anesthetics, volatile, treatment of stress-induced increases in pulmonary capillary wedge pressure and (clinical report) [Roizen & others], 446
- enflurane influencing, in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others], A5
- epinephrine-induced arrhythmias and, after verapamil during halothane anesthesia in dog [Kapur & Flacke], 218
- in hypoxemic respiratory failure, effect of positive end-expiratory pressure on [Prewitt & others], 409
- slow channel inhibitors, anesthetics and (editorial views) [Merin], 198
- oxygen consumption, after halothane or enflurane (abstr) [Miletich & others], A1
 - direct measurement of, during anesthesia (abstr) [Schaenzer & others], A64
- effects of digoxin on, following coronary artery bypass surgery (abs.r) [Sethna & others], A46
- effects of isoflurane, halothane and enflurane on, compared [Merin], 398
- following myocardial revascularization, effect of dobutamine on (abstr) [Sethna & others], A43
- and hemodynamics during high dose thiopental (abstr) [Liao & others], A257

- rate pressure product as reliable index of (abstr) [Barash & others], A37
- pressures and volumes, N₂O changes, sonomicrometry demonstrating (abstr) [Christian & others], A32
- pulse rate, assessment of, during fentanyl-oxygen induction of anesthesia, and prevention of rigidity (clinical report) [Hill & others], 452
- in comparison of neuromuscular blocking and vagolytic effects of ORG NC45 and pancuronium [Lee Son & others], 12
- effects of bupivacaine and lidocaine on, in isolated rat heart: modification by hyperkalemia [Komai & Rusy], 281
- lidocaine before endotracheal intubation influencing, route of administration and (clinical report) [Hamill & others], 578
- rate pressure product, as reliable index of myocardial oxygen consumption (abstr) [Barash & others], A37
- rhythm, reperfusion K⁺ and, after cold cardioplegia (abstr) [Buttner & others], A21
- sinoatrial node, effects of halothane on, role of calcium in (abstr) [Kampine & others], A58
- stroke work, left ventricular, unbiased estimate of, from mean arterial pressure and cardiac output (abstr) [Guier & others], A34
- valvular pressures, in response to calcium chloride, in adults with regurgitant valvular lesions (abstr) [Geller & others], A62
- vascular pressure(s), assessment of, in study of peripheral circulatory changes with high frequency ventilation (abstr) [Gioia & others], A 357
- assessment of, in use of alveolar-arterial O_2 difference as index of \hat{Q}_a/\hat{Q}_a (abstr) [Keefer & others], A82
- atrial, and air embolism in seated position (abstr) [Perkins-Pearson & others], A236
- BWA444U influencing, correlation with plasma histamine levels (abstr) [Basta & others], A198
- in calcium infusion, as dependent on plasma ionized calcium, study in dog (abstr) [Drop & others], A60
- and catecholamine responses to verapamil during enflurane anesthesia (abstr) [Kapur & others], A14
- changes in, and gas exchange during PCWP measurement (abstr) [Park & Macnamara], A89
- direct measurement of, during anesthesia (abstr) [Schaenzer &
- droperidol effect on, in man (abstr) [Marty & others], A19
- during alfentanil-oxygen anesthesia, comparison of continuous infusion and frequent bolus techniques for coronary artery surgery (abstr) [deLange & others], A42
- during crystalloid vs. colloid fluid therapy in hemorrhagic shock (abstr) [Masud & Masud], A96
- during hypotension with ATP and with nitroprusside, compared (abstr) [Fukunaga & others], A13
- during intubation in patients with ischemic heart disease (abstr) [Barash & others], A6
- [Barash & others], A6 during isoflurane anesthesia in man (abstr) [Shimosato & others], A67
- during reversible narcotic coma for neuroanesthesia (abstr) [Shupak & Harp], A230
- during study of relaxants for high-dose fentanyl induction (abstr)
 [Hill & others], A208
- during treatment of pulmonary hypertension with nitroglycerin vs. nitroprusside (abstr) [Rosenthal & others], A79
- effects of counterpressure on, during shock (abstr) [Massion & others], A90
- effects of digoxin on, following coronary artery bypass surgery (abstr) [Sethna & others], A46
- effects of isoflurane, halothane and enflurane on, compared [Merin], 398

- enflurane influencing, in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others], A5
- epinephrine and nitroprusside influencing, during coronary artery surgery (abstr) [Cruchley & Kaplan], A41
- following myocardial revascularization, effect of dobutamine on (abstr) [Sethna & others], A43
- halothane effects on, in intact dogs (abstr) [Beattie & others], A2 and hormonal effects of high dose fentanyl vs. halothane for cardiac anesthesia (abstr) [Zurick & others], A248
- left ventricular end-diastolic (LVEDP) as index for nitrous oxide use during coronary artery surgery (clinical report) [Balasaraswathi & others], 704
- and narcotic requirements, intraoperative, influence of chronic preoperative beta-adrenergic-blocker therapy on, in coronary artery disease (abstr) [Stanley & others], A48
- and "new" CPR, adverse cerebral effects of (abstr) [Bircher & Safarl, A103
- in open chest CPR and in standard or "new" external CPR, cerebral oxygenation and (abstr) [Bircher & Safar], A104
- and oxygenation during high dose thiopental (abstr) [Liao & others], A257
- plasma catecholamines, and renin activity in critically-ill patients, effects of fentanyl-diazepam anesthesia on (abstr) [Lappas & others]. A250
- and platelet release with heparin (abstr) [Bjoraker & Ketcham], A25
- protamine sulfate effects on, following cardiopulmonary bypass (abstr) [Sethna & others], A24
- pulmonary capillary wedge, treatment of stress-induced increases in, using volatile anesthetics (clinical report) [Roizen & others], 446
- and renal effects, between CPAP and HFJV with PEEP (abstr)
 [Marquez & others], A68
- in renovascular hypertensive rat (abstr) [Woodside & others], A18 in response to Dobutamine in cardiopulmonary bypass (abstr) [Jose & others], A61
- in response to dopamine and dobutamine, in septic shock, compared (abstr) [Majerus & others], A94
- in response to endotoxin, inhibition of prostaglandin synthesis and antihistamine administration influencing (abstr) [Traber & others]. A78
- in response to endotracheal intubation: four anesthetics (abstr) [Bedford & Marshall], A270
- in response to IMV and HFV in patients with acute respiratory failure (abstr) [Masud & others], A355
- in response to lidoflazine, a calcium channel blocker, during anesthesia (abstr) [Kates & others], A63
- in response to metabolic acidosis and dopamine, reduced glutathione modifies (abstr) [Tajimi & others], A93
- in response to ORG-NC45 (NorcuronTM) in patients undergoing coronary artery bypass grafting (abstr) [Morris & others], A205
- right and left atrial, relation of, during venous air embolism (abstr) [Mehta & Sokoll], A238
- with deuterated enflurane (abstr) [Tinker & others], A3
- with high frequency ventilation (abstr) [Otto & others], A69
- ventilation, with deuterated enflurane (abstr) [Tinker & others], A3 ventricle(s), left, enflurane depresses, sonomicrometry demonstrating (abstr) [Christian & others], A39
 - left, enflurane influencing, in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others], A5
- left, mechanics, in hypoxemic respiratory failure, effect of positive end-expiratory pressure on [Prewitt & others], 409

ventricular function, preservation of, with lidoflazine, in anesthetized dogs (abstr) [Kates & others], A27

regional, in myocardium supplied by narrowed coronary artery with increasing halothane concentration in dog [Lowenstein & others], 349

ventricular septal defect, in lamb, effect of ketamine on (abstr) [Hanowell & others], A15

volumes and pressures, enflurane depresses, sonomicrometry demonstrating (abstr) [Christian & others], A39

enflurane influencing, in intact, chronically instrumented dogs us. in isolated heart preparations (abstr) [Zimpfer & others], A5

HECKMAN, H., A172

HEDENSTIERNA, G., 439, 499

НЕІМВАСН, D., A190

HELKE, C., A288

HELSEL, P. E., 343, A232, A268

Heart-Hormones

tian & othersl. A32

HEMADY, K., 78

Hematoma, see under Blood, anticoagulants; Complications; individual organs

Hematopoiesis, see under Blood

Hemoglobin, see under Blood

Hemorrhage, during shock, effects of counterpressure on (abstr) [Massion & others], A90

shock in, crystalloid versus colloid fluid therapy in (abstr) [Masud & Masud], A96

tissue perfusion, and cardiac output in rats subjected to hemorrhage, influence of ketamine anesthesia on [Idvall], 297

HENDRICKX, H. H. L., A97

HENNESSEY, J. W., A31

HENRIKSEN, E. H., A301, A315

HENRIKSEN, N., A76

HENTELEFF, H. B., A239

Heparin, see under Blood, anticoagulants; Blood, coagulation

HERRERA, R., A232, A268

HEYKANTS, J., A174

HEYMANN, M., A325

HEZZEY, A., A87

Hiccups, see under Complications

Higgs, B. D., A212

HILDEBRANDT, J., A382

HILL, A. B., 76, 452, A208

HILLMAN, D. E., A160

HIRSHMAN, C. A., 138, A360, A385, A386, A387

Histamine, antagonists, antihistamine, diphenhydramine, and ibuprofen, protect lung in sepsis (abstr) [Traber & others], A76

antihistamine, ibuprofen, and diphenhydramine, protect lung in sepsis (abstr) [Traber & others], A76

cimetidine, aspiration of gastric contents following treatment with (abstr) [Joyce & others], A312

cimetidine, and diphenhydramine, use of, with morphine anesthesia: double-blind study [Philbin & others], 292

diphenhydramine, and cimetidine, use of, with morphine anesthesia: double-blind study [Philbin & others], 292

brain, endogeneous system for mediating pain? (abstr) [Diamond & others], A286

plasma, hemodynamics, and catecholamine concentrations during anaphylactoid reaction to morphine (clinical report) [Fahmy], 329

levels of, correlation with cardiovascular effects of BWA444U (abstr) [Basta & others], A198

release, in anaphylactoid reactions to anesthetic drugs (editorial views) [Beaven], 3

and use of H₁ and H₂ histamine antagonists with morphine anesthesia: double-blind study [Philbin & others], 292

role of in hypotensive action of d-tubocurarine in humans [Moss & others], 19

History, specialty boards, founding of (special article) [Little], 317

HLASTALA, M. P., 114

HOAR, P. F., A31

HODGKINSON, R., 593

HOFF, B. H., A71, A105, A370

HOFFMAN, A., 343

HOFFMAN, R., A355

HOFFMAN, W. E., A10, A12

HOLHOUSER, S., A1

HOLLINGER, I., A203

HOLZER, J. A., A126

HONDA, Y., 286

Hormones, adrenal, and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

and neuroendocrine responses to surgical stress in humans, effect of spinal anesthesia on [Pflug & Halter], 120

adrenocortical, in response to stress, epidural triamcinolone and (abstr) [Gorski & others], A147

antidiuretic hormone, responses during coronary artery surgery with sufentanil-oxygen and alfentanil-oxygen anesthesia in man (abstr) [deLange & others], A47

cortisol, plasma, and plasma beta endorphin immunoreactivity, effects of anesthetic induction and surgery on (abstr) [Dubois & others], A244

endorphin(s), pituitary, radioimmunoreactive, response of, in rats brain and pituitary to nociceptive stimulation and anesthesia (abstr) [Liu & others], A246

plasma beta, immunoreactivity, and plasma cortisol, effects of anesthetic induction and surgery on (abstr) [Dubois & others], A244

growth, effects of high dose fentanyl vs. halothane on, for cardiac anesthesia (abstr) [Zurick & others], A248

and neuroendocrine responses to surgical stress in humans, effect of spinal anesthesia on [Pflug & Halter], 120

insulin, hypoglycemic stress induced by, epidural triamcinolone and adrenal response to (abstr) [Gorski & others], A147

in insulinoma, anesthesia for patients under treatment for, with oral diazoxide (clinical report) [Burch & McLeskey], 472

levels of, and metabolic rate of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

in perioperative management of diabetes mellitus [Walts & others], 104

release, and pancreatic islet metabolism, in rat, effects of enflurane on (abstr) [Bradford & others], A184

resistance, and blood glucose control during surgery (editorial views) [Palumbo], 93

prostaglandin(s), changes during cardiopulmonary bypass with and without pulsatile flow (abstr) [Philbin & others], A23

synthesis, inhibition of, effect of, on cardiopulmonary response in sepsis (abstr) [Traber & others], A76

thyroid, effect of halothane anesthesia and plasma vasopressin (VP) concentration on, in hypo- and hyperthyroid rats (abstr) [Wu & Zbuzek], A191

metabolite levels, and metabolic rate, of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

vasopressin, plasma concentration of, halothane anesthesia and, in hypo- and hyperthyroid rats (abstr) [Wu & Zbuzek], A191

Horner's syndrome, see under Sympathetic nervous system

Horrow, J. C., A204, A217

HORTON, W. G., A144

Houge, J. C., A53

HOWARDY-HANSEN, P., 458

Howie, M. B., A45

Howse, J. J., A78

HOYT, J. W., A80

HUANG, D. H., A271, A364

HUANG, T., A75

HUDSON, W. C., A74

Hug, C. C., Jr., 212, 369, A249, A260, A261

HUMPHREY, M., 609

Hung, T-K., 343

HUNT, T. K., 686

HUNTINGTON, H., A268

Hydroxyzine, see under Ataractics; Hypnotics

HYMAN, A. I., A95, A371

Hypercarbia, see under Acid-base equilibrium, acidosis, respiratory; Carbon dioxide

Hyperglycemia, see under Metabolism

Hyperkalemia, see under Complications; Ions, potassium

Hypertension, see under Blood pressure; Complications

Hyperthermia, malignant pyrexia, at rest and in response to food and mild exercise, metabolic rate and blood hormone and metabolite levels of individuals susceptible to [Campbell & others], 46

patients considered to be susceptible to, potential value of expiratory carbon dioxide measurement in (correspondence) [Triner & Sherman], 482

porcine, coffee (caffeine) and (abstr) [Chapin & others], A292 platelet aggregation in patients susceptible to [Rosenberg &

others], 621 Hypnotics, barbiturates, pentobarbital, in inhibition of synaptosomal

GABA disposal [Cheng & Brunner], 34 phenobarbital, and synaptosomal GABA disposal [Cheng & Brun-

ner], 34 thiopental, hypothermia plus: prolonged electroencephalographic suppression [Quasha & others], 636

benzodiazepines, diazepam, and lorazepam, time course of antirecall effect of, following oral administration [Kothary & others], 641

lorazepam, and diazepam, time course of antirecall effect of, following oral administration [Kothary & others], 641

midazolam, effective dose of (correspondence) [Reves & others],

midazolam, inhibition of GABA metabolism in rat brain synaptosomes by [Cheng & Brunner], 41

midazolam, pharmacokinetics, automated gas chromatography for studies of (laboratory report) [Greenblatt & others], 176

midazolam, splanchnic circulation and, in chronic experiments (abstr) [Gelman & Reves], A192

paraldehyde, in inhibition of synaptosomal GABA disposal [Cheng & Brunner], 34

Hypocapnia, see Acid-base equilibrium, alkalosis, respiratory; Carbon dioxide, hypocarbia

Hypocarbia, see under Acid-base equilibrium, alkalosis, respiratory; Carbon dioxide

Hypoglycemia, see under Metabolism

Hypotension, see under Anesthetic techniques, hypotension, induced; Blood pressure; Complications; Position; Shock

Hypothermia, see also under Anesthetic techniques; Temperature after cardiopulmonary bypass in man (correspondence) [Caldwell & others], 86 and anesthetics, association of, with epinephrine-induced arrhythmias (abstr) [Ohmura & others], A54

for CPB, cyanide release by nitroprusside during (abstr) [Geller & others], A20

during cardiopulmonary bypass, rectal temperature is best indicator of adequate rewarming during (correspondence) [Azar], 189

lidocaine, and thiopental effects, in increase in extracellular potassium in brain during circulatory arrest [Astrup & others], 256

low-grade, cerebral protective effect of [Berntman & others], 495 cerebral protective effect of (editorial views) [Cohen], 492

pentobarbital, and lidocaine, inhibition of cerebral oxygen and glucose consumption in dog by [Astrup & others], 263

pharmacokinetics and dynamics of d-tubocurarine during, in humans [Ham & others], 631

plus thiopental: prolonged electroencephalographic suppression [Quasha & others], 636

Hypoxia, see also Oxygen

and changes in Pa_{CO2} and Pa_{O2} in cat, modification of laryngospasm in response to [Nishino & others], 286

hypoxic pulmonary vasoconstriction, intermittent, another point of view on (editorial views) [Marshall], 200

lobar, potentiation of, by intermittent hypoxia in dogs [Pirlo & others]. 226

unilateral lung lavage in, ipsilateral pulmonary artery ballon inflation in, in dogs [Alfery & others], 376

in lambs, effects of curare on oxygen consumption in (abstr) [Cameron & others], A325

minimizing of, during one-lung ventilation in dogs, improving oxygenation in [Alfrey & others], 381

nitroglycerin-induced, deep breathing and (clinical report) [Kopman], 74

and respiratory distress and beta-endorphin-like immunoreactivity in humans [Yanagida & Corssen], 515

IAZZETTA, J., 487

Ibuprofen, see under Histamine, antagonists, antihistamine

IDO, Y., A102

IDVALL, J., 297

INFANTE, M. D. L., A333

Infection(s), endotoxin, ibuprofen and diphenhydramine protect lung in (abstr) [Traber & others], A76

respiratory, and anesthesia in mice (abstr) [Knight & others], A383 sepsis, septic shock in, dopamine and dobutamine compared in (abstr) [Majerus & others], A94

septicemia, ibuprofen and diphenhydramine protect lung in (abstr) [Traber & others], A76

Innovar, see under Anesthetics, intravenous

Insulin, see under Hormones; Metabolism

Intensive care, unit, neuro, patients in hypertension and mortality in (abstr) [McKay & others], A101

Intercostal block, see Anesthetic techniques, regional

Intermittent positive-pressure breathing, see under Ventilation

Intracranial pressure, see under Brain; Cerebrospinal fluid, pressure Intraocular pressure, see under Eye(s)

Intubation, endotracheal, complications, in carbon dioxide laser microsurgery of larynx (correspondence) [Palas], 714

complications, lidocaine in prevention of: intravenous or laryngotracheal (clinical report) [Hamill & others], 578

double lumer tubes for HFV, application of (abstr) [Babinski & others], A370

in epiglottitis in adult (clinical report) [Bishop], 697

hemodynamic response to: four anesthetics (abstr) [Bedford & Marshall], A270

and mechanism of tracheal constriction by succinylcholine [Koga & others], 138

retrograde technique, new approach to, in difficult pediatric intubation (clinical report) [Borland & others], 577

technique, to change tube, endorsement of use of fiberoptic bronchoscope in (correspondence) [Watson], 476

technique, fiberoptic bronchoscope in (correspondence) [Patil & others], 484

technique, use of cold nasogastric tubes in, corrects problems due to pliability (correspondence) [Teeple & Bowe], 477

technique, use of flexible radiopaque directable catheter in, for difficult tracheal intubations (correspondence) [Davidson & others]. 605

nasotracheal, fiberoptic, techniques: stepwise training vs. traditional teaching (abstr) [Ovassapian & others], A347

Ions, calcium, channel blockers, cardiovascular and catecholamine responses to, during enflurane anesthesia (abstr) [Kapur & others], A14

chloride, in adults with regurgitant valvular lesions (abstr) [Geller & others], A62

conductivity, and epinephrine-induced arrhythmias and cardiovascular function after verapamil during halothane anesthesia in dog [Kapur & Flacke], 218

current through myocardial slow channels, enflurane depresses (abstr) [Lynch & others], A216

hepatic microsomal uptake, halothane inactivates (abstr) [Zucker & others], A182

& others], A182 influencing halothane effect on SA node (abstr) [Kampine & others], A58

ionized, major determinant of left ventricular response to calcium infusion, study in dog (abstr) [Drop & others], A60

slow channel inhibitors, anesthetics, and cardiovascular function (editorial views) [Merin], 198

potassium, and cerebral and cardiac toxicity of bupivacaine in presence of normokalemia vs. hyperkalemia (abstr) [Avery & others], A164

change in serum levels of, following spinal cord transection in rat [Carter & others], 542

content of nerve core, and role of glucose or potassium lack in

nerve block (laboratory report) [Fink], 172 excessive, modification of effects of bupivacaine and lidocaine on AV conduction by, in isolated rat heart [Komai & Rusy], 281

extracellular, increase in, in brain during circulatory arrest: effects of hypothermia, lidocaine, and thiopental [Astrup & others], 256

reperfusion, and cardiac activity after cold cardioplegia (abstr) [Buttner & others]. A21

sodium, content of nerve core, and role of glucose or potassium lack in nerve block (laboratory report) [Fink], 172

Isoflurane, see under Anesthetics, volatile

ISTANBOULI, M., A28

ITAKURA, N., A361

IVANKOVICH, A. D., A35, A86, A114

IVEY, T. D., 466

Jackson-Rees circuit, see under Anesthesia, pediatric; Equipment, circuits

JACOBS, L., 625, A123, A226

JACOBY, J., A322

JAMES, F. M., III, 702, A300, A302

JANNETTA, P. J., A127

JÄRNBERG, P-O., 439

JASTREMSKI, M., A342

JEEVENDRA MARTYN, J. A., A214, A389

JEHLE, J., A389

JENNINGS, F., 645

JEWETT, W. R., A110

IOBES, D. R., 336

JOEL, M., 455

JOHNSON, B., A288

JOHNSON, M. M., A342

JOHNSON, R. G., A60

JONES, M., A15, A140

JONES, R. M., 76, 452, A208

JORDAN, M., A365

IGRGENSEN, B. C., 710

JOSE, A. B., A20, A61, A62

JOSEPH, D. M., 716

JOSHI, C. W., A108

JOYCE, J., 686, A272

JOYCE, T. H., III, A159, A312, A313

JUGE, O., A263

JUNG, D., A178

KAARAKKA, P., A139

KAHN, A. U., 244

Камауа, Н., А283

KAMINSKY, A., A121

KAMPINE, J. P., A58, A275

KANESHINA, S., A283

KANG, Y. G., A304

KAPLAN, J. A., A27, A33, A41, A52, A59, A63, A133

KAPLAN, R., 71

KAPLAN, R., A200, A201, A202, A203

KAPLAN, R. A., A214

KAPUR, P. A., 218, A14

KARANJIA, P. N., 462, A129

KARL, H. W., A336

KARP, R. B., A21, A26, A44

KASHIMA, H., 710

KATES, R. A., A27, A33, A63

KATZ, J. A., 416

KATZ, R. L., A9, A136, A209, A210, A279

KAVAN, E., A130

KAY, H., A37, A82

KEANEY, A., A29

KEATS, A. S., A30

KEEFER, J. R., A82

KEEFER, M. J., A82

KEENAN, R. L., 84

KEIFER, J., A225

KELLER, T. S., A233

KEMMOTSU, O., A67

KENDIG, J. J., A289

KENNEDY, M. J., A314

KENNEDY, R. L., A314

KENNEDY, S., A267

KEON, T. P., 471

Ketamine, see under Anesthetics, intravenous

KETCHAM, T. R., A25, A374

КЕҮКНАН, М. М., А193

KEYKHAH, S. S., A11

Кнамватта, Н. Ј., А8, А31

Kidney, blood flow, and cardiac output, morphine effects on, in conscious dogs [Priano & Vatner], 236

changes in, with high frequency ventilation (abstr) [Gioia & others], A357

halothane induced changes in, perfusion pressure, alpha adren-

ergic receptors and renin-angiotensin system mediate (abstr) [Bastron & Enser], A273

in increased intracranial pressure in infant lambs (abstr) [Backofen & others], A100

-pressure relationship, in dog, mannitol effect on (abstr) [Koushanpour & others], A237

with halogenated anesthetics (abstr) [Bastron & Enser], A50 blood pressure, -flow relationship, in dog, mannitol effect on (abstr)

[Koushanpour & others], A237

diuretics, furosemide, in pressure-induced focal ischemia (abstr) [Albin & others], A268

mannitol, effect on dog renal pressure-flow relationship (abstr) [Koushanpour & others], A237

mannitol, in pressure-induced focal ischemia (abstr) [Albin & others], A268

failure, midazolam induction and emergence in (abstr) [Vinik & othersl. A262

pharmacokinetics and pharmacodynamics of metocurine in humans with and without [Brotherton & Matteo], 273

pharmacokinetics of thiopental in (abstr) [Burch & Stanski], A176 reversal of pancuronium in (abstr) [Bevan & others], A212

Fanconi syndrome, and anesthesia (clinical report) [Jeol & Rosales],

function, changes in, and decreased negative free water clearance, halothane as cause of (abstr) [Bastron & Enser], A274 respiratory support and (review) [Berry], 655

glomerular filtration, halothane induced changes in, perfusion pressure, alpha adrenergic receptors and renin-angiotensin system mediate (abstr) [Bastron & Enser], A273

influence of dopamine on, in perioperative period (abstr) [Rosenbaum & others], A95

glomerular filtration rate, and cardiovascular effects between CPAP and HFJV with PEEP (abstr) [Marquez & others], A68

and negative free water clearance, halothane decreases (abstr) [Bastron & Enser], A274

urine, volume and sodium excretion, and cardiovascular effects between CPAP and HF JV with PEEP (abstr) [Marquez & others], A68

KILARU, P., A233

KIM, J. G., 191

KIM, Y. D., 450, A15, A140

KIMURA, T., A77

Kinetics, see under Pharmacokinetics

KINNEY, J. M., A106, A107, A371

KISSIN, I., 82, A44

KITAMURA, S., A221

KITZMILLER, J. L., A318

KLAIN, M., A68, A70

KLEIN, E. F., A74

KLEIN, F. F., A138

KNAPE, J. T. A., 324

KNAPP, R. M., A299, A309, A319

KNIFFEN, K. J., 19

KNIGHT, P. R., 452, A4, A16, A208, A284, A351, A383

KNOPP, T. J., 491 KOBAYASHI, K., A93

KODALI, S. V., A30

KOEHLER, R. C., A100

KOGA, Y., 138

KOHLENBERGER, R. W., A225

KOLTON, M., A353 KOMAI, H., 281, A276

KONG, D. L., A23

KONO, K., 292, A23

KOOPMAN, D., A255

KOPF, G., A337

KOPMAN, E. A., 74

KORTTILA, K., 625, A123, A226

KOSARUSSAVADI, B., A337

Kosugi, I., A51, A54, A88, A93

KOTHARY, S. P., 641, A281

KOUSHANPOUR, E., A55, A237

KRAG, D., A82

KRAYNACK, B. J., A151, A287, A324

KRAYNACK, L. L., A151, A287

KREUL, J. F., A139

KRIETER, P. A., A183

KROLL, D. A., A4 KRONZON, I., A57

KROSL, P., A5

KUHNERT, B. R., 611 KUHNERT, P. M., 611

KUMAR, P., 704 KURTZ, R. J., A137

Lactate, sec under Brain; Hypoxia; Metabolism; Muscle, skeletal Lactic acidemia, see under Metabolism; Shock

LADEGAARD-PEDERSEN, H. J., 716

LAFFAY, N., A19

LAKES, R. S., 625, A123

LAKS, H., A337

LAN, G., A140

LAND, P. C., A196

LANE, G. A., A252

Laparoscopy, see under Surgery

LAPPAS, D. G., A250

Laryngoscopes, see under Equipment; Intubation

Laryngoscopy, see under Anesthetic techniques; Larynx; Surgery

Larynx, cricoid, difficult pediatric endotracheal intubation in: new approach to retrograde technique (clinical report) [Borland & othersl, 577

spasm, modification of, in response to changes in Paco, and Pao, in cat [Nishino & others], 286

Laser, see under Equipment

LAUVEN, P. M., 176

LAVIN, M. J., A102

LAW, T. S., A271

LEE, C., A209, A279

LEE, D. A., 189

LEE, H. R., A90

LEE, K. W., A336

LEE SON, S., 12

LEES, D. E., A140

LEFF, S., 577

Leigh's syndrome, anesthesia for child with (clinical report) [Ward]. 80

LEON, D. A., 138, A360, A385

LESCANIC, M. L., 269

Leukocytes, see under Blood

LEVINE, E., A9

LEVINE, F. H., A23

LIBERTHSON, R. R., 586

LICHTENTHAL, P. R., A17

LIAO, J-C., A148, A257

Lidocaine, see under Anesthetic techniques, spinal; Anesthetics, local; Heart, arrhythmias

LIEBERMAN, R. W., 186

LIGHT, R. B., 251

LIGHTSTONE, P. J., A117

LIM, H. S., A339

LIMOGE, A., A222

LIN, M. L., A239

LINA, A., A127

LINDE, H. W., A108, A343

LINEBERRY, C. G., A197, A198, A207

LINGENFELTER, R. W., 603

Lipid, see under Metabolism; Solubility

LISBON, A., 694

LISMAN, S. R., 190

LITTLE, D. M., JR., 317

LIU, L. M. P., 533, 599, 699, A330, A338

LIU, P. L., 599, A156

LIU, W-S., A246

Liver, blood flow, in increased intracranial pressure in infant lambs (abstr) [Backofen & others], A100

and midazolam in chronic experiments (abstr) [Gelman & Reves], A192

and splanchnic metabolism during parenteral nutrition (abstr) [Askanazi & others], A107

failure, biotransformation of morphine and fentanyl in, in dogs (abstr) [Hug & others], A261

metabolism, and splanchnic metabolism during parenteral nutrition

(abstr) [Askanazi & others], A107 oxygen consumption, and splanchnic metabolism during parenteral

nutrition (abstr) [Askanazi & others], A107 toxicity, anesthetic-associated, effect of fasting on (abstr) [Van Dyke], A181

and hepatic microsomal calcium uptake, halothane inactivation of (abstr) [Zucker & others], A182

ornithine decarboxylase levels in (abstr) [Van Dyke & others], A180

LJUNGQUIST, R., A337

LOCNISKAR, A., 176

LOEHNING, R. W., A165

LOESER, E. A., A121

Lofentanyl, see under Analgesics, narcotic

LÖFSTROOM, B., 499

LONGNECKER, D. E., 277, A18

LOON, M., A313

Lorazepam, see under Anticonvulsants; Ataractics; Hypnotics, benzodiazepines

Louis, G., A17

LOUVILLE, Y., A222

LOWENSTEIN, E., 195, 349, 586

Lu, D. M., A258

LUBIN, A. H., 478

LUCE, J. M., A75

LUNDH, R., 499

Lung(s), alveolar, pressures, measurement of, during HFV (abstr) [Fletcher & Epstein], A358

[Fletcher & Epstein], A358
aspiration, acid, in goats, ethrane and halothane anesthesia increases
shunt (Q'a/Q') following (abstr) [Pavlin & others], A382

of gastric contents, post-cimetidine (abstr) [Joyce & others], A312 in vitro and in vivo evaluation of sodium citrate as an antacid in prophylaxis of (abstr) [Gibbs & others]

meconium, experimental, lung mechanics and (abstr) [Chen & others], A305

asthma, attenuation of, by halothane and isoflurane (abstr) [Hirshman & others], A386

mechanism of action of inhalation anesthesia on airways in (abstr) [Hirshman & others], A387

atelectasis, assessment of, during improvement of oxygenation during one-lung ventilation in dogs [Alfrey & others], 381

assessment of, during unilateral lung lavage: blood flow manipulation by ipsilateral pulmonary artery balloon inflation in dogs [Alfrey & others], 376

and intermittent hypoxia, another point of view on (editoral views) [Marshall], 200

in potentiation of lobar hypoxic pulmonary vasoconstriction by intermittent hypoxia in dogs [Pirlo & others], 226

blood flow, airway pressure and, during pulmonary edema (abstr) [Ngeow & others], A83

assessment of, during improvement of oxygenation during onelung ventilation in dogs [Alfrey & others], 381

assessment of, during unilateral lung lavage: blood flow manipulation by ipsilateral pulmonary artery balloon inflation in dogs [Alrey & others], 376

between two lungs, new method for continuous monitoring of partition of (abstr) [Kim & others], A140

during high frequency ventilation (abstr) [Gioia & others], A356 during unilateral lung lavage, pulmonary artery balloon manipulation of (abstr) [Benumof & others], A376

during venous air embolism, possible persistent lung damage (abstr) [Stevenson-Smith & others], A11

effects of, on lung water measurements, three compartment analysis of (abstr) [Neufeld], A85

and intermittent hypoxia, another point of view on (editorial views) [Marshall], 200

in potentiation of lobar hypoxic pulmonary vasoconstriction by intermittent hypoxia in dogs [Pirlo & others], 226

and pulmonary gas exchange effects of nitroglycerin in canine edematous lungs [Colley & others], 114

bronchoconstriction, allergic, attenuation of, by halothane and isoflurane (abstr) [Hirshman & others], A386

mechanism of action of inhalation anesthesia on airways in (abstr) [Hirshman & others], A387

bronchopleural fistula, high frequency ventilation during (abstr) [Hoff & others], A71

burn, in laser-induced endotracheal tube fire (clinical report) [Cozine & others], 583

compliance, during spontaneous positive-pressure ventilation: advantage of CPAP over EPAP [Schlobohm & others], 416

midazolam sedation and, in man (abstr) [Southorn & others], A367 disease(s), emphysema, effect of, on action of curare (abstr) [Gertler], A211

edema, and acute hypoproteinemia (abstr) [Geer & others], A109 airway pressure and pulmonary vessels during (abstr) [Ngeow & others], A83

canine, pulmonary gas exchange effects of nitroglycerin in [Colley & others], 114

intra-pulmonary shunt and lung weight in (abstr) [Toung & others], A77

models of, accurate lung water measurements in (abstr) [Neufeld], A84

function, and canine VA/Q distribution responses to inhalation anesthesia and mechanical ventilation [Dueck & others], 127

massive weight loss will improve, in selected patients (correspondence) [Sugerman & Fairman], 604

functional residual capacity, assessment of, during spontaneous positive-pressure ventilation: advantage of CPAP over EPAP [Schlobohm & others], 416

effects of PEEP on, in experimental lung injury (abstr) [Cheney & others], A75

measurement of, during anesthesia and muscle paralysis (laboratory report) [Hedenstierna & others], 439

measurement of, during extubation from ambient or expiratory positive airway pressure in adults [Quan & others], 53

- gas exchange, and canine V_A/Q distribution responses to inhalation anesthesia and mechanical ventilation [Dueck & others], 127
- effect of sodium nitroprusside on, in canine oleic acid pulmonary edema [Prewitt & Wood], 537
- hypoxic pulmonary constriction, as result of impairment of pulmonary gas exchange by nitroglycerin in canine edematous lungs [Colley & others], 114
 - combined effects of sodium nitroprusside and propranolol on (abstr) [Benumof & others], A378
- in vivo/in vitro comparison (abstr) [Marshall & Marshall], A388 minoxidil inhibits (abstr) [Bishop & others], A381
- P_AO₂ and P₇O₂ have both direct and indirect effects on (abstr) [Pease & others], A380
- and size of hypoxic compartment (abstr) [Benumof & others], A37 lavage, unilateral: blood flow manipulation by ipsilateral pulmonary
- artery balloon inflation in dogs [Alfrey & others], 376 unilateral, pulmonary artery balloon manipulation of pulmonary blood flow during (abstr) [Benumof & others], A376
- blood flow during (abstr) [Benumof & others], A376 near drowning, pneumoperitoneum in, cardiopulmonary effects of (abstr) [Shapiro & others], A74
- nitrogen washout, during high-frequency mechanical ventilation, role of conducting airways in (abstr) [Eriksson], A354
- obstructive disease, chronic, ventilation after midazolam and thiopental in subjects with (abstr) [Gross & Smith], A384
- oxygen toxicity, in man, early marker of, increased n-pentane excretion as (abstr) [Morita & others], A368
 - in man, studies of early (abstr) [Miller & others], A369
- perfusion, and canine VA/Q distribution responses to inhalation anesthesia and mechanical ventilation [Dueck & others], 127
- pneumonia, canine, effect of unilateral PEEP on gas exchange and pulmonary perfusion in [Light & others], 251
- incidence of, following aspiration of gastric contents post-cimetidine (abstr) [Joyce & others], A312
- production of, in respiratory tract infections and anesthesia in mice (abstr) [Knight & others], A383
- pulmonary artery, assessment of, during improvement of oxygenation during one-lung ventilation in dogs [Alfrey & others], 381
 - hypoxic constriction of, potentiation of, by intermittent hypoxia in dogs [Pirlo & others], 226
 - ipsilateral balloon inflation of, in dogs, blood flow manipulation by—unilateral lung lavage [Alfrey & others], 376
- pulmonary artery pressure, in sepsis, ibuprofen and diphenhydramine in protection of (abstr) [Traber & others], A76
- resistance, midazolam sedation and, in man (abstr) [Southorn & others]. A367
 - on-line, and elastance in pediatrics (abstr) [Goldman & others],
- respiratory distress syndrome, experimental, effects on PEEP on
- (abstr) [Cheney & others], A75 high frequency ventilation during (abstr) [Schuster & Klain], A70
- respiratory failure, acute, hemodynamic effects of IMV and HFV in patients with (abstr) [Masud & others], A355
- shunt, effect of sodium nitroprussi le on, in canine oleic acid pulmonary edema [Prewitt & Wood], 537
- shunting, assessment of, during improvement of oxygenation during one-lung ventilation in dogs [Alfrey & others], 381
 - assessment of, during unilateral lung lavage: blood flow manipulation by ipsilateral pulmonary artery balloon inflation in dogs [Alfrey & others], 376
 - and canine \hat{V}_A/\hat{Q} distribution responses to inhalation anesthesia and mechanical ventilation [Dueck & others], 127
- and gas exchange, effect of unilateral PEEP on, in canine lobar pneumonia [Light & others], 251
- in intermittent hypoxia, another point of view on (editorial views) [Marshall], 200

- in potentiation of lobar hypoxic pulmonary vasoconstriction by intermittent hypoxia in dogs [Pirlo & others], 226
- and pulmonary gas exchange effects of nitroglycerin in canine edematous lungs [Colley & others], 114
- thoracic gas volume, and chest-abdomen dimensions during anesthesia and muscle paralysis [Hedenstierna & others], 499
- thoracic volume, measurement of, during anesthesia and muscle paralysis (laboratory report) [Hedenstierna & others], 439
- trachea, model of, endotracheal tube cuff residual volume and lateral wall pressure in (laboratory report) [Tonnesen & others], 676
- vascular permeability, effect of sodium nitroprusside on, in canine oleic acid pulmonary edema [Prewitt & Wood], 537
- vascular resistance, effect of sodium nitroprusside on, in canine oleic acid pulmonary edema [Prewitt & Wood], 537
 - potentiation of lobar hypoxic pulmonary vasoconstriction by intermittent hypoxia in dogs [Pirlo & others], 226
- volume(s), changes produced by intercostal nerve block with 0.5% bupivacaine (abstr) [Cory & Horton], A144
- and experimental meconium aspiration (abstr) [Chen & others], A305
- mean, high frequency oscillation and (abstr) [Kolton & others], A353
- midazolam sedation and, in man (abstr) [Southorn & others], A367 water, accumulation, fluid resuscitation and (abstr) [Merrill & others]. A78
 - measurements, accurate, in two models of pulmonary edema (abstr) [Neufeld]. A84
- measurements, three compartment analysis of blood flow effects on (abstr) [Neufeld], A85
- reliability of COP and COP-PAW as indicators of (abstr) [Rosenthal & others], A81
- LYNCH, C., 360, A216
- MAC, see under Potency, anesthetic
- MACMURDO, D., 478
- MacMurdo, S. D., 435, A143
- MACNAMARA, T. E., 450, A15, A89, A140, A244
- MADY, V., A228
- MAFFEO, C. J., A80
- MAJERUS, T. C., A94
- Malignant pyrexia, see under Hyperthermia
- MALISCHKE, P. R., A139
- MALKINSON, C. E., A53
- MALMUD, L., A11
- MANGOLD, J. V., A102
- MANKOWITZ, E., 334
- Mannitol, see under Kidney, diuretics
- MANS, A. M., A258
- MANTIA, A. M., 680
- MARGOLIN, L., A385
- MARQUEZ, J., A68
- MARSH, H. M., 491, A113
- MARSHALL, B. E., 200, A109, A388
- MARSHALL, C., A388
- MARSHALL, W. K., 277, A185, A236, A270
- MARTIN, P., A106
- MARTY, J., A19
- MARUSCHAK, G. F., 709, A34, A112
- MARX, P., A6
- Mass spectrometry, see under Measurement techniques
- MASSION, W. H., A90
- MASUD, K. Z., A96, A355
- MASUD, M., A96, A355
- MATHER, L. E., 520
- MATHEWS, E. S., A20, A62

MATJASKO, M. J., 89

MATLOFF, J., A24, A43, A46

MATTEO, R. S., 273, A8, A214, A215

Maxillofacial surgery, see under Surgery

MAYORAL, J., A86, A114

MAZE, M., 160

MAZEL, P., A320

MAZZE, R. I., 333, A187, A188

MAZZEI, W. J., 62

McCann, S., 645

McDaniel, D. D., A215

McDaniel, H. G., A26, A44

McDonald, J. S., A331, A333

McDowell, D., A147

McFarland, L., A262

McGILL, W. A., A335

McKAY, R. D., A101

McLaughlin, G., A56

McLeod, M., A369

McLeskey, C. H., 472

McMichan, J. C., A113

McPherson, R. W., A98

MEARS, J. H., A22

Measurement techniques, blood flow, in bypass blood flow during carotid endarterectomy [Fan & others], 305

blood gases, arterial, temperature correction of parameters for (medical intelligence) [Andritsch & others], 311

blood pressure, in bypass blood flow during carotid endarterectomy [Fan & others], 305

brainstem auditory evoked potentials, during cerebellopontine angle surgery (abstr) [Grundy & others], A127

capillary oncotic pressure and COP-PAW, reliability of, as indicators of lung water (abstr) [Rosenthal & others], A81

cardiac ejection fraction by thermodilution (abstr) [Maruschak & others], A112

cardiac output, in assessment of droperidol effect on left ventricular performance in man (abstr) [Marty & others], A19

noninvasive, EHD in (abstr) [Djordjevich & others], A35

noninvasive assessment of, by systolic time intervals (abstr) [Steinberg & Dauchot], A36

electromyography, in measurement of abdominal motor blockade in epidural anesthesia: comparison of bupivacaine and etidocaine (abstr) [Chamberlain & Crawford], A157

in study of succinylcholine-induced fasciculations and intragastric pressure during induction of anesthesia (clinical report) [Muravchick & others], 180

gas chromatography, automated, for studies of midazolam pharmacokinetics (laboratory report) [Greenblatt & others], 176

in study of disposition of bupivacaine in mother, fetus, and neonate following epidural anesthesia for cesarean section [Kuhnert & others], 611

halogenated anesthetics, electromechanical MAC monitor for (abstr) [Calkins & others], A110

in vivo oxygen saturation, continuous, evaluation of (abstr) [Schmidt & Starr], A125

in critically ill patients (abstr) [Baele & others], A113

new fiberoptic catheter oximeter for, clinical evaluation of (abstr) [Waller & others], A133

indicator dilution, in accurate lung water measurements in models of pulmonary edema (abstr) [Neufeld], A84

thermal, ejection fraction by (abstr) [Maruschak & others], A112 thermal, and STI monitoring of hemodynamic changes during reconstructive surgery of abdominal aorta (abstr) [Dauchot],

intragastric pressure, succinylcholine-induced fasciculations and,

during induction of anesthesia (clinical report) [Muravchick & others], 180

left ventricular dp/dt, in assessment of droperidol effect on left ventricular performance in man (abstr) [Marty & others], A19

mass spectrometry, multipatient anesthetic, in rapid analysis of data stored in long catheters (special article) [Ozanne & others], 62 in study of disposition of bupivacaine in mother, fetus, and neonate following epidural anesthesia for cesarean section [Kuhnert & others], 611

microspheres, in assessment of effect of unilateral PEEP on gas exchange and pulmonary perfusion in canine lobar pneumonia [Light & others], 251

in assessment of influence of ketamine anesthesia on cardiac output and tissue perfusion in rats subjected to hemorrhage [Idvall], 297

radioactive, in assessment of peripheral circulatory changes with high frequency ventilation (abstr) [Gioia & others], A357

radioactive, in controlled hypotension with ATP and sodium nitroprusside (abstr) [Satinover & others], A10

radioactive, in determination of effects of curare on oxygen consumption in hypoxic lambs (abstr) [Cameron & others], A325 radioactive, in study of intrarenal distribution of blood flow with

halogenated anesthetics (abstr) [Bastron & Enser], A50 muscle tension, rectus abdominis and tibialis anterior muscles of dog, evaluation of evoked tensions of (abstr) [Goudsouzian & Welch],

neuromuscular blockade, monitoring of, via crystal earphone (abstr) [Davis & Klein], A138

with intramuscular succinylcholine, dose response to, in children (clinical report) [Liu & others], 599

plethysmography, in assessment of thoracic gas volume and chestabdomen dimensions during anesthesia and muscle paralysis [Hedenstierna & others], 499

body, thoracic gas volume measured by, during anesthesia and muscle paralysis (laboratory report) [Hedenstierna & others],

pulmonary artery catheter, changes in hemodynamics and gas exchange during PCWP measurement using (abstr) [Park & Macnamara], A89

and STI monitoring of hemodynamic changes during reconstructive surgery of abdominal aorta (abstr) [Dauchot], A132

pulmonary artery wedge pressure and COP, reliability of, as indicators of lung water (abstr) [Rosenthal & others], A81

pulmonary blood flow, between two lungs, new method for continuous monitoring of partition of (abstr) [Kim & others], A140 pulse wave analysis, electroarteriography, in noninvasive monitoring of arterial blood velocity (abstr) [Conti & others], A137

pulse wave velocity, systemic vascular resistance correlates with (abstr) [Greene & Gerson], A111

radioactive albumin, in venous air embolism (abstr) [Stevenson-Smith & others], A11

radioactive tracers, in accurate lung water measurements in models of pulmonary edema (abstr) [Neufeld], A84

radionuclide scanning, in evaluation of global left ventricular function during intubation in patients with ischemic heart disease (abstr) [Barash & others], A6

regional blood flow, in conscious dogs, and cardiac output, morphine effects on [Priano & Vatner], 236

in conscious rat, effects of lidocaine on whole body distribution of radioactively labeled microspheres in [Lescanic & others], 269

selected ion monitoring, in study of disposition of bupivacaine in mother, fetus, and neonate following epidural anesthesia for cesarean section [Kuhnert & others], 611

sensory evoked potentials, subarachnoid block by 2-chloroprocaine

- monitored with, and reversed by cholinesterase (abstr) [Wang & others]. A160
- stapedial reflex, an index of neuromuscular weakness (abstr) [Gal & others], A218
- systolic time intervals, in monitoring of hemodynamic changes during reconstructive surgery of abdominal aorta (abstr) [Dauchot], A132
- in noninvasive assessment of stroke volume (abstr) [Steinberg & Dauchot], A36
- thermodilution, in assessment of droperidol effect on left ventricular performance in man (abstr) [Marty & others], A19
 - cardiac output determination, simplified method of preparing iced injectate for (correspondence) [Maruschak & Schauble], 709
- thoracic impedance, relation between chest impedance Z and (dZ/dt)_{min} in (abstr) [Djordjevich & others], A114
- Medicolegal, brain death, apnea testing in diagnosis of (abstr) [Kennedy & others], A267
- Мента, М., А238
- MEIS, P. J., A302
- MELDING, P., 589
- Membrane, receptors, function, clinical implications of, in anesthesia (medical intelligence) [Maze], 160
- Memory, children, assessment of, following general anesthesia [Morgan & others], 386
- and time course of antirecall effect of diazepam and lorazepam following oral administration [Kothary & others], 641
- Meperidine, see under Analgesics, narcotic; Anesthetic techniques, peridural, epidural; Anesthetics, intravenous
- Mepivacaine, see under Anesthetics, local
- MERANZE, J., 186, A350
- MERIN, R. G., 198, 341, 398
- MERRILL, D. G., A78, A81
- MESSICK, J. M., 585
- Metabolic acidosis, see Acid-base equiliberium, acidosis, metabolic
- Metabolism, adenine nucleotides, reversal of procaine block in vivo by (abstr) [Kraynack & others], A151
 - adenosine triphosphate, and nitroprusside, hemodynamic effects of (abstr) [Fukunaga & others]. A13
 - and sodium nitroprusside, controlled hypotension with (abstr)
 [Satinover & others]. A10
 - amino acids, infusions, effect of, on response to CO₂ (abstr) [Weissman & others], A371
 - cyclic GMP, is nitroprusside hypotension mediated by? (abstr) [Arnold & others], A185
 - cyclic nucleotides, and anesthetic inhibition of cerebellar afferent pathways (abstr) [Triner & others], A285
 - dibutyryl, acetylcholine, carbamycholine and morphine, comparison of analgetic activities of (abstr) [Cohn & others], A294
 - myocardial, effect of halothane and isoflurane on (abstr) [Vulliemoz & others], A295
 - more & others), A295
 norepinephrine-inducible, alterations in accumulation of, in rat
 cerebral cortex after various durations of global ischemia (abstr)
 - [Hentelefff & others], A239 diabetes, and anesthesia for patients with insulinoma treatment with oral diazoxide (clinical report) [Burch & McLeskey], 472
 - and blood glucose control during surgery (editorial views) [Palumbol. 94
 - and perioperative management of [Walts & others], 104
 - diazoxide, oral, and anesthesia for patients with insulinoma treatment with (clinical report) [Burch & McLeskey], 472
 - DNA, assessment of, in study of human bone marrow biochemical function and megaloblastic hematopoiesis after nitrous oxide anesthesia [O'Sullivan & others], 645
 - enzyme induction, and halothane hepatitis mystery (editorial views) [Brown], 93

and hepatotoxicity of halothane, genetic differences in, in three rat strains [Gourlay & others], 96

755

- fasting, and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46
 - effect of, on anesthetic-associated liver toxicity (abstr) [Van Dyke],
- fatty acids, brain, barbiturate attenuation of, during global ischemia (abstr) [Shiu & Nemoto], A266
 - brain, barbiturate dose-related attenuation of, during global ischemia (abstr) [Shiu & Nemoto], A269
 - effects of isoflurane, halothane and enflurane on, compared [Merin], 398
 - splanchnic, during parenteral nutrition (abstr) [Askanazi & others]. A107
- genetic factors, and halothane hepatitis mystery (editorial views)
 [Brown], 93
 - in reductive metabolism and hepatotoxicity of halothane, differences in, in three rat strains [Gourlay & others], 96
- glucose, assessment of, during euglycemic hydration prior to epidural block for cesarean section (abstr) [Peng & others], A307
- and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46
- and fat emulsions, metabolic effects of, in acutely ill patients (abstr) [Martin & others], A106
- and perioperative management of diabetes mellitus [Walts & others]. 104
- and selective vulnerability of nerve fibers to lack of (abstr) [Fink & Cairns], A169
- by rat pancreatic islets, and insulin release, effects of enflurance on (abstr) [Bradford & others], A184
- cerebral, during Althesin anesthesia (abstr) [Hawkins & others], A258
- CNS, during stimulation in anesthetized rats (abstr) [Crosby & others], A389
- CNS regional, interaction of ketamine and psychoactive drugs on (abstr) [Oguchi & others], A282
- control of, during surgery (editoral views) [Palumbo], 94
- effects of isoflurane, halothane and enflurane on, compared [Merin], 398
- or potassium lack, role of, in nerve block (laboratory report)
 [Finkl. 172
- plasma, role of, in outcome after cardiac arrest (abstr) [Todd & others], A265
- splanchnic, during parenteral nutrition (abstr) [Askanazi & others], A107
- glutathione, reduced, modifies hemodynamic responses to metabolic acidosis and dopamine (abstr) [Tajimi & others], A93
- hyperglycemia, and anesthesia for patients with insulinoma treatment with oral diazoxide (clinical report) [Burch & McLeskey], 472
 - and blood glucose control during surgery (editorial views) [Palumbol. 94
- and perioperative management of diabetes mellitus [Walts & others], 104
- hyperinsulinism, and anesthesia for patients with insulinoma treatment with oral diazoxide (clinical report) [Burch & McLeskey], 472
- hypoglycemia, and blood glucose control during surgery (editorial views) [Palumbo], 94
 - and perioperative management of diabetes mellitus [Walts & others]. 104
- inorganic phosphate, during open heart surgery, blood vs. clear car-

insulin, and blood glucose control during surgery (editorial views) [Palumbo], 94

Metabolism-Monitoring

and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

and perioperative management of diabetes mellitus [Walts & others], 104

insulinoma, treatment with oral diazoxide, anesthesia for patients with (clinical report) [Burch & McLeskey], 472

ketones, splanchnic, during parenteral nutrition (abstr) [Askanazi & othersl. A107

lactate, and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

during high dose thiopental (abstr) [Liao & others], A257

during open heart surgery, blood vs. clear cardioplegic myocardial protection for (abstr) [Buttner & others], A26

effects of isoflurane, halothane and enflurane on, compared [Merin], 398

lactic acid, and acid-base concentration, maternal and fetal, effects of halothane on, in general anesthesia for cesarean section (abstr) [Datta & others], A309

lactic acidemia, in Leigh's syndrome, anesthesia for child with (clinical report) [Ward], 80

lipid, metabolic effect of, in acutely ill patients (abstr) [Martin & othersl. A106

metabolites, and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

2,6-pipecolylxylidine (PPX), in mother, fetus, and neonate following epidural anesthesia for cesarean section, use of selected ion monitoring technique to study [Kuhnert & others], 611

oxygen consumption, and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46 effects of isoflurane, halothane and enflurane on, compared [Merin], 398

protein, synthesis, additive effect of anesthetics on (abstr) [Watkins & others], A189

pyruvate, and blood hormone and metabolite levels of individuals susceptible to malignant hyperpyrexia at rest and in response to food and mild exercise [Campbell & others], 46

effects of isoflurane, halothane and enflurane on, compared [Merin], 398

respiratory quotient, VCO2 and VO2 during inhalation anesthesia in man (abstr) [Huang & others], A364

total parenteral nutrition, in acutely ill patients (abstr) [Martin & others], A106

triglycerides, splanchnic, during parenteral nutrition (abstr) [Askanazi & others], A107

Metabolites, see under Metabolism; Toxicity

METCALF, J. A., A87

Methadone, see under Analgesics, narcotic

Methohexital, see under Anesthetics, intravenous; Anesthetics, rectal; Hypnotics, barbiturates

Methoxyflurane, see under Anesthetics, volatile

Methylcurare, see Neuromuscular relaxants

Metoclopramide, see under Vomiting, antiemetics

Metocurine, see under Neuromuscular relaxants

METRIYAKOOL, K., 714

MEYERSOHN, M., A178

MICHAELIS, L. L., A17

MICHALIK, R., A140

MICHENFELDER, J. D., 110, 339

Microcirculation, dextran, in pressure-induced focal ischemia (abstr) [Albin & others], A268

hemorrhagic shock, survival with, during deliberate hypotension (abstr) [Brown & others], A16

Microspheres, see under Measurement techniques

Microsurgery, see under Surgery

Midazolam, see under Anesthetics, intravenous, Anticonvulsants; Ataractics; Hypnotics, benzodiazepines

MIHM, F. G., A78, A81

MILDE, J. H., 110, A3

MILETICH, D. J., A1, A10, A12

MILIC-EMILI, J., A371

MILLER, E. D., JR., 269, 277, A18, A66

MILLER, F., A315

MILLER, J., 104

MILLER, J., A163, A245

MILLER, J. N., A369

MILLER, J. R., A378

MILLER, R. D., 6, 631, 686, A199, A205, A206, A391, A392

MILLER, R. P., A314

MILLIKEN, R. A., 706

MINK. S. N., 251

Minoxidil, see under Anesthetic techniques hypotension, induced; Complications, hypertension

MITZNER, W., A83

MIYAO, J., A173

MIYAWAKI, T., A173

MIZISIN, A., A172

MOFFITT, E., A24, A43, A46

Mok, M. S., 481

MONDINO, M., A320

Monitoring, anesthetic gases, with multipatient anesthetic mass spec-

trometry (special article) [Ozanne & others], 62 arterial cannulation, in assessment of adequacy of ulnar arterial flow

to radial artery catheterization (abstr) [Clarke & others], A38 blood pressure, arterial, of acute and chronic effects of intrathecal

morphine in monkeys (abstr) [Abouleish & others], A153 automatic noninvasive, hazard of (correspondence) [Betts], 713

by radial artery cannulation, effect of method of, on postcannulation blood flow and thrombus formation (clinical report) [Jones & others], 76

radial artery catheter replacement for (correspondence) [Brown],

carbon dioxide, expiratory, potential value of, in patients considered to be susceptible to malignant hyperthermia (correspondence) [Triner & Sherman], 482

with multipatient anesthetic mass spectrometry (special article) [Ozanne & others], 62

cardiac output, thermodilution in, simplified method of preparing iced injectate for (correspondence) [Maruschak & Schauble],

during transportation, following cardiothoracic surgery (abstr) [Sudan & others], A337

earpiece, anesthesia, low cost, comfortable and effective (correspondence) [Swenson], 607

electrocardiography, of acute and chronic effects of intrathecal morphine in monkeys (abstr) [Abouleish & others], A153

endotracheal tube as improved lead for (abstr) [Calkins & others], A120

new techniques in, during anesthesia (abstr) [Kates & others], A33

electroencephalography, advanced, monitoring of brain condition by (abstr) [Demetrescu & others], A130

computerized, prognostic value of, during cerebro-vascular surgery (abstr) [Rampil & others], A126

during carotid endarterectomy (abstr) [Grundy & others], A129 and hemiparesis following carotid endarterectomy (clinical report) [Grundy & others], 462

prolonged suppression with, in hypothermia plus thiopental [Quasha & others], 636

and respiration, effect of L- and L-, D-pentazocine on (abstr) [Enomoto & others], A297

of sufentanil anesthesia in man (abstr) [Sebel & others], A254 end-tidal gases, with multipatient anesthetic mass spectrometry (special article) [Ozanne & others], 62

evoked responses, cortical, during trimetaphan hypotension (abstr) [Bunegin & others], A232

fluoroscopy, value of, before performing phrenic nerve block (clinical report) [Benzon & others], 469

heart sounds, low frequency, acoustic transmission of (abstr) [Friedman], A122

oxygen, table for-use of compressed air made easy (clinical report) [Teeple & Pavlov], 692

with multipatient anesthetic mass spectrometry (special article) [Ozanne & others], 62

plethysmography, nasal, failure of, to estimate cerebral blood flow during carotid occlusion (clinical report) [Cucchiara & Messickl. 585

posttetanic count (PTC), new method of evaluation of intense nondepolaring neuromuscular blockade (clinical report) [Viby-Mogensen & others], 458

posttetanic facilitation, as method of evaluating intense nondepolarizing neuromuscular blockade (clinical report) [Viby-Mogensen & others], 458

stimulator, nerve, posttetanic count in, in evaluation of intense nondepolarizing neuromuscular blockade (clinical report) [Viby-Mogensen & others], 458

nerve, train-of-four, dose response to, following intramuscular succinylcholine in children (clinical report) [Liu & others], 599 temperature, Coretemp deep body thermometry system in vivo in

(abstr) [Muravchick & Williams], A134

effect of site and time on (abstr) [Cork & others], A135

inspired gas, in prevention of hypothermia after cardiopulmonary bypass in man (correspondence) [Caldwell & others], 86

rectal, for indication of adequate rewarming during cardiopulmonary bypass (correspondence) [Azar], 189

train-of-four, posttetanic count in, in evaluation of intense nondepolarizing neuromuscular blockade (clinical report) [Viby-Mogensen & others], 458

transcutaneous oxygen and carbon dioxide, on adult ICU and intraoperative patients with and without low flow shock (abstr) [Tremper & others], A136

vascular pressures, Cordis introducers in, CVP measurement with fluid infusion (correspondence) [Brown], 485

during cardiopulmonary bypass (correspondence) [Granwehr],

ventilation, remote, simple device for, in pediatric patients (correspondence) [Saunders & Humphrey], 609

MOON, G. J., 191

MOORE, D. C., 476, 689

MOORE, D. H., II, 527

MOORE, R. A., A20, A61, A62

MORAWETZ, R. B., A101

MOREL, D., A263, A340

MORGAN, S. F., 386

MORISHIMA, H. O., 57, A316, A321

MORITA, S., A368

Morphine, see under Analgesics, narcotic; Anesthetic techniques, peri-

dural, epidural; Anesthetic techniques, spinal; Anesthetics, intravenous

757

MORRIS, L. E., A365

MORRIS, R. B., 6, A199, A205, A206

Moscicki, J., 269, A223

Moss, J., 19, 292, A198, A250

MOTE, P. S., A65

Moy, P., 581

MUDGE, B. J., A233

MUETTERTIES, C. L., A322

MUIR, J., 327

MULDOON, S. M., 423

MULLER, B. J., 681, A208

MUMMANENI, N., A28

MURAD, F., A185

MURAVCHICK, S., 180, 311, 606, A134

MURPHY, M. R., 369, A249, A260, A261

Muscle, biopsy, in diagnosis of malignant hyperthermia [Rosenberg & others], 621

end plate, effect of spinal cord transection on, in rat [Carter & others], 542

skeletal, contraction, correlation of nerve action potential with (abstr) [Raj & others], A167

denervation, causing resistance to pancuronium [Gronert],

disuse atrophy, with resistance to pancuronium [Gronert], 547

fasciculation, obliteration of, comparative evaluation of pretreatment with nondepolarizing neuromuscular blockers in, prior to administration of succinylcholine (clinical report) [Blitt & others], 683

Mutagenicity, see under Toxicity

Myalgia, see under Complications

MYERS, R. R., A172

MYLREA, K. C., A110, A120

Myocardial function, see under Heart

NADIR, B., A382

NAGASHIMA, H., A200, A201, A202, A203

NAGLE, D. M., 212, A52

NAHRWOLD, M. L., 76, 322, 452, A284, A344, A374, A383

Nalbuphine, see under Analgesics, narcotic

Naloxone, see under Antagonists, narcotic

Naltrexone, see under Antagonists, narcotic

Narcotics, see under Analgesics, narcotic

NAULTY, J. S., A299, A309, A319

NAUTA, J., A255

NEGISHI, T., A221

NELSON, D. A., A328

NELSON, P., A129

NELSON, R. M., A180

NELSON, S., A282

NEMOTO, E. M., 435, A91, A92, A153, A235, A239, A266, A269

Neostigmine, see under Antagonists, neuromuscular relaxants; Enzymes, cholinesterase

Nerve, action potential, and conduction velocity-effects of local anesthetics and temperature (abstr) [Galindo & Witcher], A290 correlation of, with muscle twitch (abstr) [Raj & others], A167 and differential resistance of nerve fibers to hypoxia (abstr) [Fink & Cairns], A168

and selective vulnerability, to glucose lack (abstr) [Fink & Cairns], A169

axon, and role of glucose or potassium lack in nerve block (laboratory report) [Fink], 172

block, differential, unitary explanation of, remains elusive (correspondence) [Fink], 191

and differential sensitivities of nerve fibers to local anesthetics,

conclusions concerning, may not be justified (correspondence)

Nerve-Neuromuscular relaxants

and differential sensitivities of nerve fibers to local anesthetics, conclusions concerning, may not be justified (correspondence) [Gissen], 483

role of glucose or potassium lack in (laboratory report) [Fink], 172

sciatic, procaine produced, in vivo, reversal of, by adenine nucleotides (abstr) [Kraynack & others], A151

conduction, and differential sensitivities of nerve fibers to local anesthetics, conclusions concerning, may not be justified (correspondence) [Galindo], 482

and differential sensitivities of nerve fibers to local anesthetics, conclusions concerning, may not be justified (correspondence) [Gissen], 483

in mammalian and amphibian nerves, and different vulnerability to temperature changes (abstr) [Galindo & Witcher], A166

and role of glucose or potassium lack in nerve block (laboratory report) [Fink], 172

and unitary explanation for differential nerve block, as elusive (correspondence) [Fink], 191

conduction velocity, and electrical potentials-effects of local anesthetics and temperature (abstr) [Galindo & Witcher], A290

depolarization, and role of glucose or potassium lack in nerve block (laboratory report) [Fink], 172

metabolism, and role of glucose or potassium lack in nerve block (laboratory report) [Fink], 172

potential, and role of glucose or potassium lack in nerve block (laboratory report) [Fink], 172

voltage clamp, in assessment of local anesthetic and barbiturate sites of action (abstr) [Kendig], A289

NESSLY, M. L., A75

NEUFELD, G. R., A84, A85

Neurolept anesthesia, see under Anesthetic techniques; Anesthetics, intravenous

Neuromuscular blockade, see under Measurement techniques; Monitoring; Neuromuscular relaxants

Neuromuscular junction, antibiotics (reviews) [Sokoll & Gergis], 148 comparison of neuromuscular blocking and vagolytic effects of ORG NC45 and pancuronium at [Lee Son & others], 12

and differential blockade in fast and slow muscle (abstr) [Day & others], A390

and neuromuscular sensitivity of neonatal puppies (abstr) [Lee & othersl, A279

and pancuronium washout as model of rapid degradation (abstr) [Bartkowski & Horrow], A204

succinylcholine causes fasciculation by prejunctional mechanism (abstr) [Kitamura & others], A221

Neuromuscular relaxants, atracurium, in vitro effect of, and of other neuromuscular blocking agents, compared (abstr) [Chaudhry & Foldesl, A220

Norcuron and, cumulative effects of (abstr) [Durant & others]. A209

BWA444U, cardiovascular effects of: correlation with plasma histamine levels (abstr) [Basta & others], A198

clinical neuromuscular pharmacology of (abstr) [Savarese & others], A197

neuromuscular recovery from, and currently used nondepolarizing relaxants, compared (abstr) [Ali & others], A207

duador, in vitro effect of, and of other neuromuscular blocking agents, compared (abstr) [Chaudhry & Foldes], A220

fasciculations, succinylcholine-induced, and intragastric pressure during induction of anesthesia (clinical report) [Muravchick & others], 180

gallamine, in comparative evaluation of pretreatment with nonde-

polarizing neuromuscular blockers prior to administration of succinylcholine (clinical report) [Blitt & others], 683

measurement of response, via crystal earphone (abstr) [Davis & Klein], A138

metocurine, as relaxant for high-dose fentanyl induction (abstr) [Hill & others], A208

in comparative evaluation of pretreatment with nondepolarizing neuromuscular blockers prior to administration of succinylcholine (clinical report) [Blitt & others], 683

comparison of neuromuscular recovery from BWA444U and (abstr) [Ali & others], A207

pharmacokinetics and pharmacodynamics of, in humans with and without renal failure [Brotherton & Matteo], 273

pharmacokinetics of, in aged (abstr) [Matteo & others], A215

requirements in burned pediatric patients; relation of plasma concentration to neuromuscular blockade (abstr) [Martyn & others], A214

ORG-NC45 (NorcuronTM), and atracurium, cumulative effects of (abstr) [Durant & others], A209

cardiovascular effects of, in patients undergoing coronary artery bypass grafting (abstr) [Morris & others], A205

clinical pharmacology of [Fahey & others], 6

differential blockade with, in fast and slow muscle (abstr) [Day & others], A390

human dose response of, influence of anesthesia on (abstr) [Nagashima & others], A202

in vitro effect of, and of other neuromuscular blocking agents, compared (abstr) [Chaudhry & Foldes], A220

new neuromuscular blocking drug (editorial views) [Savarese], 1 NM effect of, antagonism of, by edrophonium (abstr) [Foldes & others], A201

and pancuronium, comparison of neuromuscular blocking effects of (abstr) [Walts & others], A210

and pancuronium, neuromuscular blocking and vagolytic effects of, compared [Lee Son & others], 12

and pheochromocytoma (clinical report) [Gencarelli & others], 686

relaxation with, during enflurane anesthesia (abstr) [Duncalf & others], A203

relaxation with, during neurolept anesthesia (abstr) [Nagashima & others], A200

pancuronium, as relaxant for high-dose fentanyl induction (abstr) [Hill & others], A208

in comparative evaluation of pretreatment with nondepolarizing neuromuscular blockers prior to administration of succinylcholine (clinical report) [Blitt & others], 683

comparison of neuromuscular recovery from BWA444U and (abstr) [Ali & others], A207

differential blockade with, in fast and slow muscle (abstr) [Day & others], A390

disuse atrophy with resistance to [Gronert], 547

and ORG-NC45, comparison of neuromuscular blocking effects of (abstr) [Walts & others], A210

and ORG-NC45, neuromuscular blocking and vagolytic effects of, compared [Lee Son & others], 12

posttetanic count (PTC) during use of, new method of evaluating intense nondepolarizing neuromuscular blockade (clinical report) [Viby-Mogensen & others], 458

potency does not vary with temperature (abstr) [Horow & Bartkowskil, A217

in prevention of rigidity during fentanyl-oxygen induction of anesthesia (clinical report) [Hill & others], 452

reversal of, in renal failure: no recurarization (abstr) [Bevan & others], A212

study of, in assessment of cumulative effects of Norcuron and atracurium (abstr) [Durant & others], A209

in study of clinical pharmacology of ORG NC45 (Norcuron TM) [Fahey & others], 6

in study of in vitro effect of three new neuromuscular blocking agents (abstr) [Chaudhry & Foldes], A220

washout as model of rapid degradation (abstr) [Bartkowski & Horrow], A204

succinylcholine, causes fasciculation by prejunctional mechanism (abstr) [Kitamura & others], A221

for cesarean section, prolonged apnea following (correspondence) [Abouleish & others], 478

changes in serum potassium induced by, effect of spinal cord transection on, in rat [Carter & others], 542

comparative evaluation of pretreatment with nondepolarizing neuromuscular blockers prior to administration of (clinical report) [Blitt & others], 683

-induced fasciculations and intragastric pressure during induction of anesthesia (clinical report) [Muravchick & others], 180

intramuscular, dose response to, in children (clinical report) [Liu & others], 599

mechanism of tracheal constriction by [Koga & others], 138

neuromuscular blockade in subjects heterozygous for abnormal plasma cholinesterase [Viby-Mogensen], 231

neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

rapid dissipation characteristics of (abstr) [Bartkowski & Horrowl. A204

requirement and pseudocholinesterase activity, total body weight influencing (abstr) [Bentley & others], A213

d-tubocurarine, cold reduces potency of; not pancuronium (abstr) [Horrow & Bartkowski], A217

in comparative evaluation of pretreatment with nondepolarizing neuromuscular blockers prior to administration of succinylcholine (clinical report) [Blitt & others], 683

comparison of neuromuscular recovery from BWA444U and (abstr) [Ali & others], A207

differential blockade with, in fast and slow muscle (abstr) [Day & others], A390

effect of emphysema on action of (abstr) [Gertler], A211

effects of, on oxygen consumption in hypoxic lambs (abstr) [Cameron & others], A325

neuromuscular blockade with, effect of enflurane on (abstr) [Gencarelli & others], A392

pharmacokinetics and dynamics of, during hypothermia in humans [Ham & others], 631

pharmacokinetics and dynamics of, in infants, children and adults (abstr) [Fisher & others], A391

role of histamine in hypotensive action of, in humans [Moss & others], 19

sensitivity of neonatal puppies to (abstr) [Lee & others], A279 in study of in vitro effect of three new neuromuscular blocking

agents (abstr) [Chaudhry & Foldes], A220 in study of stapedial reflex-index of neuromuscular weakness

(abstr) [Gal & others], A218 in study of succinylcholine-induced fasciculations and intragastric

pressure during induction of anesthesia (clinical report) [Muravchick & others], 180

Neuromuscular transmission, effect of spinal cord transection on, in rat [Carter & others], 542

phase II block, in study of succinylcholine neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

in succinylcholine neuromuscular blockade in subjects heterozygous for abnormal plasma cholinesterase [Viby-Mogensen], 231 stimulator, nerve, posttetanic count (PTC) in evaluation of, in intense nondepolarizing neuromuscular blockade (clinical report) [Viby-Mogensen & others], 458

nerve, in succinylcholine neuromuscular blockade in subjects heterozygous for abnormal plasma cholinesterase [Viby-Mogen-

nerve, train-of-four, in study of succinylcholine neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

tachyphylaxis, in study of succinylcholine neuromuscular blockade in subjects homozygous for atypical plasma cholinesterase [Viby-Mogensen], 429

Neurosurgical anesthesia, see under Anesthesia

Neurotoxicity, see under Toxicity

Neurotransmitters, see under Brain

NEWFIELD, P., 631, A101, A259, A392

NGAI, S. H., A241, A242, A247

NGEOW, Y. K., 710, A83

NGUYEN, N., A209

NIELSEN, A., 458

NIELSEN, C. H., A149, A372

NIGUIDULA, F., A61

NIKKI, P., 435

NISHINO, T., 286

NITENBERG, A., A19

Nitroglycerin, see under Anesthetic techniques, hypotension, induced; Pharmacology; Sympathetic nervous system, sympatholytic agents Nitroprusside, see under Anesthetic techniques, hypotension, induced

Nitrous oxide, see under Anesthetics, gases

NIXON, D., A262

NOBACK, C. R., A3, A118

NOGUCHI, H., A361

Norcuron, see Neuromuscular relaxants, ORG-NC45

NORDENSTROM, J., A106

Norepinephrine, see under Sympathetic nervous system, catecholamines

Nucleotides, see under Metabolism

Obesity, see under Complications

OCHS, H. R., 176

ODA, M., 598

O'KEEFE, D. D., A60 O'KEEFE, C., A391

OGUCHI, K., A282

OGUSHI, Y., A361

Он, Т. Н., А329, А335

OHLWEILER, D., A167

OHMURA, A., A51, A54, A88

OKADA, K., A51, A54, A88, A93

OLEWINE, S. K., A13, A14

OPARIL, S., A26, A44

Operating rooms, exhaust systems, and ASA brochure on waste anesthetic gases, failure to consider prevention in (correspondence) [Mazzel, 333

and ASA brochure on waste anesthetic gases, failure to consider prevention in (correspondence) [Virtue], 332

grounding, and intraoperative explosion: methane gas and diet (clinical report) [Freund & Radke], 696

scavenging, exposure of anesthesiologists in, sperm studies in [Wyrobek & others], 527

Opiate receptors, see under Analgesics; Receptors

OPPENHEIMER, L., 409

ØRDING, H., 458

Organizations, American Board of Anesthesiology, founding of (special article) [Little], 317

Parasympathetic nervous system

Conference on Clinical Pharmacology and Therapeutics, First World (report of scientific meeting) [Baden], 193

Society of Neurosurgical Anesthesia and Neurologic Supportive Care, eighth annual meeting (report of scientific meeting) [Bedford & Matjasko], 89

ORG-NC45, see under Neuromuscular relaxants

Ornithine decarboxylase, see under Enzymes

ORR, I. A., 334

Orthopedic anesthesia, see under Anesthesia

Orthopedic surgery, see under Surgery

OSTHEIMER, G. W., A299, A309, A319

O'SULLIVAN, H., 645

Otolaryngologic anesthesia, see under Anesthesia

Отто, C. W., 683, A69, A366

Outpatient anesthesia, see under Anesthesia

OVASSAPIAN, A., A108

OWEN, E. L., A196

Oxygen, alveolar, P_AO₂ and P_vO₂ have both direct and indirect effects on hypoxic pulmonary vasoconstriction (abstr) [Pease & others], A380

alveolar-arterial gradient, in dopamine administration in perioperative fluid management (abstr) [Rosenbaum & others], A95

alveolar-arterial tension difference: a reliable index of \dot{Q}_s/\dot{Q}_s ? (abstr) [Keefer & others], A82

blood levels, during intermittent hypoxia, another point of view on (editorial views) [Marshall], 200

during unilateral lung lavage: blood flow manipulation by ipsilateral pulmonary artery balloon inflation in dogs [Alfrey & others]. 376

effects of isoflurane, halothane and enflurane on, compared [Merin], 398

and gas exchange, effect of unilateral PEEP on, in canine lobar pneumonia [Light & others], 251

improvement of, during one-lung ventilation in dogs [Alfrey &

others), 381
measurement of, in calculation of venous admixture (abstr) [Maffeo & others], A80

in potentiation of lobar hypoxic pulmonary vasoconstriction by intermittent hypoxia in dogs [Pirlo & others], 226

selection of, table for—use of compressed air made easy (clinical report) [Teeple & Pavlov], 692

cerebrovascular responses, during barbiturate anesthesia (abstr) [Shinozuka & Nemoto], A92

dynamics of (abstr) [Shinozuka & Nemoto], A235

consumption, and cardiac output, in hypermetabolic burned patient, effects of ketamine and neurolept anesthesia on (abstr) [Pavlin & others], A190

effects of curare on, in hypoxic lambs (abstr) [Cameron & others], A325

heart, effects of isoflurane, halothane and enflurane on, compared [Merin], 398

on-line VO₂ and VCO₂ with compensation for both lag and delay in response (abstr) [Yoshiya & others], A361

Vco₂ and RQ during inhalation anesthesia in man (abstr) [Huang & others], A364

delivery systems, liter flows of, table—use of compressed air made easy (clinical report) [Teeple & Pavlov], 692

2,3-DPG, assessment of, in study of buffering capacity and oxyhemoglobin affinity in infants of diabetic mothers (abstr) [Brouillard & others], A318

hypoxic effects of, on nerve (abstr) [Fink & Cairns], A168

measurement, in temperature correction of arterial blood-gas parameters, methodology compared (medical intelligence) [Andritsch & others], 311

mixed venous, PAO2 and PVO2 have both direct and indirect effects

on hypoxic pulmonary vasoconstriction (abstr) [Pease & others], A 380

oxyhemoglobin-dissociation, and buffering capacity in infants of diabetic mothers (abstr) [Brouillard & others], A318

measurement of, in calculation of venous admixture (abstr) [Maffeo & others], A80

saturation, measurement in vivo, continuous monitoring system of (abstr) [Schmidt & Starr], A125

measurements, new fiberoptic catheter oximeter for, clinical evaluation of (abstr) [Waller & others], A133

venous, mixed, continuous monitoring of, in critically ill patients (abstr) [Baele & others], A113

tension, arterial, decreased, following nitroglycerin administration, deep breathing and (clinical report) [Kopman], 74

effects of isoflurane, halothane and enflurane on, compared [Merin], 398

massive weight loss will improve, in selected patients (correspondence) [Sugerman & Fairman], 604

tissue delivery, effects of curare on, in hypoxic lambs (abstr) [Cameron & others], A325

toxicity, pulmonary, in man, early marker of, increased n-pentane excretion as (abstr) [Morita & others], A368

pulmonary, in man, studies of early (abstr) [Miller & others], A369

retrolental fibroplasia in (abstr) [Quinn & others], A326

transcutaneous monitoring, on adult ICU and intraoperative patients with and without low flow shock (abstr) [Tremper & others], A136

uptake and delivery, during halothane versus fentanyl anesthesia (abstr) [Huang & others], A271

Oxyhemoglobin dissociation, see under Blood; Oxygen OZANNE, G. M., 62

PACE, N. L., A246

PADUA, N., A248

PAGEAU, M. G., A152, A323

Pain, chronic low back, epidural triamcinolone and adrenal response to stress (abstr) [Gorski & others], A147

placebo injection in diagnostic subarachnoid block in (abstr) [MacMurdo & other], A143

intractable, in humans, peridural meperidine in [Glynn & others], 520

postoperative, epidural morphine dose response in (abstr) [Crawford & others], A150

following epidural or intrathecal morphine administration (correspondence) [Jørgensen & others], 710

in humans, peridural meperidine in [Glynn & others], 520

PALAS, T. A. R., 714

PALERMO, G., A87

PALLARES, V., 591

PALUMBO, P. J., 94

Pancuronium, see under Neuromuscular relaxants

PANDIT, S. K., 641, A233, A281

PANDIT, U. A., 641, A233, A281

Paraldehyde, see under Hypnotics

Paralysis, see under Complications; Muscle, skeletal; Nerve, damage; Neuromusculr transmission

Paraplegia, see under Spinal cord

Parasympathetic nervous system, acetylcholine, carbamycholine, dibutyryl cyclic GMP and morphine, comparison of analgetic activities of (abstr) [Cohn & others], A294

atropine, blockade, in study of enflurane-ventricular dynamics in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others], A5

- in comparison of neuromuscular blocking and vagolytic effects of ORG-NC45 and pancuronium [Lee Son & others], 12
- and glycopyrrolate, effect of, on heart rate in man (abstr) [Berger & others], A56
- influence of, on tracheal constriction by succinylcholine [Koga & others], 138
- requirement for edrophonium (abstr) [Morris & others], A206
- carbamycholine, acetylcholine, dibutyryl cyclic GMP and morphine, comparison of analgetic activities of (abstr) [Cohn & others], A294
- glycopyrrolate, and atropine, effect of, on heart rate in man (abstr) [Berger & others], A56
- physostigmine, does not reverse lorazepam effects (abstr) [Pandit & others], A281
- respiratory effects, antagonist or not? (abstr) [Bourke & others], A373
- vagotomy, in study of cardiac effects of halothane with spinal anesthesia (abstr) [Hantler & others], A4
- vagus, and mechanism of tracheal constriction by succinvlcholine [Koga & others], 138
- vagus nerve, effects of ORG NC45 and pancuronium on, compared [Lee Son & others], 12
- Parenteral nutrition, see under Metabolism
- PARK, W. Y., A89
- PARKER, S. D., A356, A357
- Partition coefficients, see under Solubility
- PASQUE, M., A32, A39
- PATEL, A., 706
- PATEL, K., A228
- PATEL, K. D., 487
- PATIL, V. U., 484
- PAULUS, D., A306, A308
- Paulus, L., A56
- PAVLIN, E. G., A190, A382
- PAVLOV, I., 692
- PEARL, R. G., A73, A79
- PEASE, R. D., A380
- PEDERSEN, H., 57, A316, A321
- Pediatric anesthesia, see under Anesthesia
- PEETZ, S., A387
- PELLOM, G., A32, A39
- PENG, A. T. C., A307
- Pentazocine, see under Analgesics, narcotic
- Pentobarbital, see under Hypnotics, barbiturates
- Pentolinium, see under Sympathetic nervous system, ganglionic blocking agents
- Peripheral vascular resistance, see under Arteries; Blood pressure
- PERKASH, 1., 550
- PERKINS-PEARSON, N., A236
- PERMUTT, S., A83
- PERRIER, D. G., A178
- PERTUISET, B., A362
- PETERS, J. E., A360, A385
- PETERS, K. R., 327
- PETERSON, M. B., A23
- PETERSON, T. G., A291
- PETRAKIS, J., A308
- PEYTON, R., A32, A39
- PFLUG, A. E., 120 Pharmacokinetics, distribution, of fentanyl, and termination of its effects in rats [Hug & Murphy], 369
 - halothane, in obese patients, and recovery from (correspondence) [Ladegaard-Pedersen], 716
 - epidural morphine, and rostral spread of (abstr) [Bromage & others], A149

- of etidocaine, in fetal, newborn and adult sheep (abstr) [Morishima & othersl. A316
- fentanyl, in children with heart disease (abstr) [Baskoff & Stevenson], A194
- in obese and nonobese patients (abstr) [Bentley & others], A177 of high and low dose alfentanil (abstr) [Borel & others], A256
- kinetics, of alfentanil and sufentanil, compared (abstr) [Bovill & others], A174
 - of continuous epidural bupivacaine infusion (abstr) [Denson & othersl, A159
 - diazepam, and mental effects, ethnic influence on (abstr) [Ghoneim & others], A226
 - and dynamics of d-tubocurarine during hyopothermia in humans [Ham & others], 631
- local anesthetics, spinal, hypoosmotic lidocaine (abstr) [Denson & others], A142
- meperidine, peridural in humans [Glynn & others], 520
 - and placental transfer after epidural, IM or IV injection (abstr) [Finster & others], A321
- metocurine, in aged (abstr) [Matteo & others], A215
 - and pharmcodynamics of, in humans with and without renal failure [Brotherton & Matteo], 273
- midazolam, automated gas chromatography for studies of (laboratory report) [Greenblatt & others], 176
- models, fentanyl, and termination of its effects in rats [Hug & Murphy], 369
- sufentanil, intravenous (abstr) [Borel & others], A251
- thiopental, in obese surgical patients (abstr) [Mayersohn & others], A178
 - in renal failure (abstr) [Burch & Stanski], A176
- of d-tubocurarine in infants, children and adults (abstr) [Fisher & others], A391
- uptake, halothane, in obese patients, recovery from (correspondence) [Ladegaard-Pedersen], 716
- Pharmacology, calcium antagonists, anesthetics, and cardiovascular function (editorial views) [Merin], 198
 - calcium channel blocking drugs, lidoflazine, cardiovascular effects
 - of, during anesthesia (abstr) [Kates & others], A63 verapamil, and SA node response to halothane (abstr) [Kampine & others], A58
 - cimetidine, dose response, effects of, on gastric pH and volume in children [Goudsouzian & others], 533
 - dextran, is not potent local anesthetic adjuvant (correspondence) [Rosenblatt], 480
 - dimethylsulfoxide, in pressure-induced focal ischemia (abstr) [Albin
 - & othersl. A268 dose-response curves, for ORG NC45 and pancuronium, in study
- of neuromuscular effects of ORG NC45 [Fahey & others], 6 to pancuronium, disuse atrophy and [Gronert], 547
- lidoflazine, myocardial preservation with, in anesthetized dogs (abstr) [Kates & others], A27
- nitroglycerin, bleeding time and platelet aggregation following (abstr) [Lichtenthal & others], A17
 - intranasal, during infrarenal aortic cross-clamp (correspondence) [Moon & others], 191
- nitroprusside, cyanide release, during hypothermic CPB (abstr) [Geller & others], A20
 - and effects on cardiovascular function and pulmonary shunt in canine oleic acid pulmonary edema [Prewitt & Wood], 537
 - and epinephrine during coronary artery surgery (abstr) [Cruchley & Kaplanl, A41
- in pre-bypass IV fluid loading in heart failure, tolerance to (abstr) [Stone & others], A31
- pharmacodynamics, of d-tubocurarine during hypothermia in humans [Ham & others], 631

phencyclidine, alters MAC: possible mechanisms (abstr) [Raja & others], A223

saralasin, and hemodynamics in renovascular hypertensive rat (abstr) [Woodside & others], A18

slow-channel blocking drugs, verapamil, cardiovascular and catecholamine responses to, during enflurane anesthesia (abstr) [Kapur & others]. A14

verapamil, during halothane anesthesia in dog, epinephrine-induced arrhythmias and cardiovascular function after [Kapur & Flacke], 218

Phencyclidine, see under Pharmacology

Phenobarbital, see under Anticonvulsants; Biotransformation (drug); Hypnotics, barbiturates; Induction, enzyme

Phentolamine, see under Anesthetic techniques, hypotension, induced; Sympathetic nervous system, sympatholytic agents

Phenytoin, see under Anticonvulsants

Pheochromocytoma, see under Surgery

PHERO, J. C., A142

PHIL, D., A258

PHILBIN, D. M., 19, 195, 292, A23, A47

PHILLIPS, W., A71, A232

Phosphate, see under Metabolism

Physostigmine, see under Antagonists, neuromuscular relaxants; Parasympathetic nervous system

PICKAR, D., A244

PIMENTEL, C., A327

2,6-Pipecolylxylidine (PPX), see under Metabolism

PIRLO, A. F., 226

Placenta, local anesthetic passage, in fetal lambs (abstr) [Kennedy & others], A314

meperidine transfer to, after epidural, IM or IV injection (abstr) [Finster & others], A321

passage to, and uterine effects of fentanyl (abstr) [Craft & others], A320

transfer of bupivacaine at delivery, influence of maternal blood concentration on (abstr) [Gamulin & others], A340

Plasmapheresis, see under Blood

Platelets, see under Blood

Plethysmography, see under Measurement techniques; Monitoring PLITT, K., A22

Pneumochylothorax, see under Complications

Pneumonia, see under Complications; Lung(s)

Pneumoperitoneum, see under Ventilation

Pneumothroax, see under Complications

Polypeptides, angiotensin II, specificity of alpha blockade by droperidol influencing (abstr) [Ramanathan & others], A7

captopril, interaction between spinal anesthesia and (abstr) [Ohmura & others], A51

endorphins, immunoreactivity, respiratory distress and, in humans [Yanagida & Corssen], 515

renin-angiotensin, and cardiovascular systems, effects of propranolol on, during hypotension produced by sodium nitroprusside in humans [Marshall & others], 277

converting enzyme inhibitor, interaction between spinal anesthesia and (abstr) [Ohmura & others], A51

effects of high dose fentanyl vs. halothane on, for cardiac anesthesia (abstr) [Zurick & others], A248

following hemorrhage during deliberate hypotension (abstr) [Brown & others], A16

hemodynamics, and plasma catecholamines in critically-ill patients, effects of fentanyl-diazepam anesthesia on (abstr) [Lappas & others], A250

infusion, in study of catecholamines in anesthetized hypertensive rats (abstr) [Althaus & Miller], A66

in renovascular hypertensive rat (abstr) [Woodside & others], A18

stimulation, in CPAP and HFJV with PEEP (abstr) [Marquez & others]. A68

system, perfusion pressure, and alpha adrenergic receptors mediate halothane induced changes in renal function (abstr) [Bastron & Enser], A273

saralasin, infusion, in study of catecholamines in anesthetized hypertensive rats (abstr) [Althaus & Miller], A66

Poscablo, T., A363

Position, nerve damage, postoperative, to phrenic and recurrent laryngeal nerves (clinical report) [Baraka & others], 78

seated, atrial pressures and air embolism in (abstr) [Perkins-Pearson & others], A236

Positive end-expiratory pressure, see under Ventilation

Potassium, see under Ions

Potency, anesthetic, "ceiling effect" of butorphanol as anesthetic supplement (abstr) [Murphy & Hug], A260

ED₅₀, of pancuronium and ORG NC45, in study of neuromuscular effects of ORG NC45 [Fahey & others], 6

fentanyl, in terms of its reduction of enflurane MAC (abstr) [Murphy & Hug], A249

MAC, effects of doxapram, physostigmine, or naloxone on, and electroencephalographic evidence of arousal in dogs from halothane after [Roy & Stullken], 392

MAC, for halothane, during pregnancy and lactation in rats (laboratory report) [Strout & Nahrwold], 322

MAC, of nitrous oxide in man, transcutaneous cranial electrical stimulation increases (abstr) [Stanley & others], A222

MAC, or cardiorespiratory isotope effect, lack of, with deuterated enflurane (abstr) [Tinker & others], A3

MAC, phencyclidine alters: possible mechanisms (abstr) [Raja & others], A223

tolerance, canine cerebral metabolic, during 24 hours deep pentobarbital anesthesia [Gronert & others], 110

POWELL, H. C., A172

PRASAD, Y. S., 469

PRATILA, M. G., A216 Pre-eclampsia, see under Anesthesia, obstetric

Pregnancy, and lactation in rats, halothane requirement during (laboratory report) [Strout & Nahrwold], 322

teratogenicity, murine progeny learning function, halothane exposure and (abstr) [Chalon & others], A227

nitrous oxide is teratogenic: halothane is not (abstr) [Lane & others]. A252

Premedication, antiemetics, in outpatient anesthesia (abstr) [Chen & Watkins], A280

diazepam, in comparison of several common premedications (abstr) [Reynolds & others], A277

hydroxyzine, in comparison of several common premedications (abstr) [Reynolds & others], A277

vs. midazolam, as intramuscular premedicants (abstr) [Fragen & others]. A278

lorazepam, in comparison of several common premedications (abstr) [Reynolds & other], A277

meperidine, in comparison of several common premedications (abstr) [Reynolds & others], A277

midazolam, vs. hydroxyzine as intramuscular premedicants (abstr)
[Fragen & others], A278

oral, efficacy of, in children for out-patient surgery (abstr) [Brzustowicz & others], A328

with diazepam and lorazepam, time course of antirecall effect of, following oral administration [Kothary & others], 641

Pressure reversal, see under theories of anesthesia

PREWITT, R. M., 409, 537

PRIANO, L. L., 236

PRICE, H. L., A49

PRITHVI RAI, P., A167

Procaine, see under Anesthetics, local

PROCOPIO, P., 462, A127

Promethazine, see under Ataractics, phenothiazines

Propranolol, see under Heart, arrhythmias; Sympathetic nervous system, sympatholytic agents

Prostaglandins, see under Hormones

Prostatectomy, see under Surgery, urologic

Protamine, see under Blood, coagulation

PRUETT, J. K., A65

Pseudocholinesterase, see under Biotransformation (drug); Enzymes

Psychologic responses, children, following general anesthesia [Morgan & othersl, 386

Pulse rate, see under Heart

Purkinje fibers, see under Heart

Pyrexia, see Hyperthermia

Pyridostigmine, see under Antagonists, neuromuscular relaxants

Pyruvate, see under Metabolism

OUAN, S. F., 53, 416, A69, A366 QUASHA, A. L., 636, A205

QUINN, G. E., A326

QUINN, M. L., A128

Radial artery, see under Arteries

Radioactive tracers, see under Measurement techniques

RADKE, H. M., 696

RADNAY, P. A., A200, A201, A202

RAJ, P. P., A142, A159

RAJA, S. N., A223

RAMANATHAN, S., A7, A170, A227, A332, A352, A363

RAMPIL, I. J., A126

RANNELS, D. E., A189

RAO, T. L. K., 618, 704, A147

RATHBUN, M., 127

RATTAN, V., 450

RAVINDRAN, R. S., A163

RAYMOND, M., A24, A43, A46

READY, L. R., A143

Receptors, adrenergic, function of, clinical implications of, in anesthesia (medical intelligence) [Maze], 160

cholinergic, function of, clinical implications of, in anesthesia (medical intelligence) [Maze], 160

in succinylcholine-induced contracture, effect of spinal cord tran-

section on, in rats [Carter & others], 542 dopamine, function of, clinical implications of, in anesthesia (medical

intelligence) [Maze], 160 GABA, function of, clinical implications of, in anesthesia (medical intelligence) [Maze], 160

opiate, function of, clinical implications of, in anesthesia (medical intelligence) [Maze], 160

Records, anesthesia, computerized speech recognition for data entry into (abstr) [Sarnat & Smith], A128

Recovery, assessment, after anesthesia, instrumented force platform in (abstr) [Korttila & others], A123

from general anesthesia, by children [Morgan & others], 386 in obese patients (correspondence) [Ladegaard-Pedersen], 716

postural stability, in evaluation of residual effects of anesthetics [Korttila & others], 625

REDON, D., A64, A164

REED, S. B., 621 REHDER, K., 491, 668, A367

REHNBERG, K., A17

REILLEY, T., A45

Renal, see Kidney

Renin, see Polypeptides, renin-angiotensin

Research, abstracts, fate of, from two anesthesiology meetings (abstr) [Armstrong & others], A344

publication of 1978 A.S.A. abstracts (abstr) [Meranze & others], A350

Reserpine, see under Ataractics, Rauwolia; Sympathetic nervous system, sympatholytics

Residents, see under Education; Manpower

Respiration, see Metabolism, oxygen consumption; Ventilation

Respiratory distress syndrome, see under Lung(s)

Respiratory quotient, see under Metabolism

RESURRECCION, M. A., A327

Resuscitation, see under Complications, cardiac arrest; Drowning; Heart, cardiac massage; Shock; Transfusion; Ventilation, arti-

REVES, J. G., 82, A21, A26, A44, A101, A192, A259, A262

REYNOLDS, A. C., 605, A277

RICE, S. A., A188

RICHEY, E. T., 462

RIGG, J. R. A., 507

RINEHART, G., A356

RIPPE, E., A323

ROAKE, G. M., A189

ROBERTS, R. B., 326

ROBERTSON, H. T., A75

ROBINSON, J. D., A102 ROBINSON, M. A., A334

ROBINSON, S., A40, A205

Rocco, A., A141

Rog, P., 203, A254

ROGERS, M. C., A100, A112, A305, A356, A357

RÖHRBORN, G., 143

ROIZEN, M. F., 446, 686, A229, A272, A288

ROLLING, G. D., 683

ROMANO, B., A68

RONDI, P., 507

RONFELD, R. A., A158

ROOT, R., A87

ROPPER, A., A267 ROSALES, J. K., 455

ROSE, J. C., A302

ROSENBAUM, L. M., 583, A95

ROSENBAUM, S. H., 583, A95, A371

ROSENBERG, H., 621

ROSENBERG, M., 190, A373

ROSENBERRY, K. R., A328

ROSENBLATT, R. M., 480

ROSENTHAL, M. H., A73, A78, A79, A81

Rosow, C. E., 19, 292, 699, A245

Rossi, E. C., A17

ROTH, S. L., A57

ROTH, Y. F., A244

ROTHROCK, L., A135

ROTHSTEIN, P., A337

ROTUNDO, M., A257 Roy, R. C., 392

RUDOLPH, A. M., A325

RUSSELL, L., A267

RUSSELL, R. F., A342

Rusy, B. F., 281, A64, A164, A184, A276

RUTH, R. A., A218

RYAN, J. F., 599, A334

RYDER, W. A., 349

SABAH-MAREN, E., A56

SABAWALA, P. B., A30

SADOVE, M. S., A35, A114

SAFAR, P., A97, A99, A103, A104, A224

SAIDMAN, L. J., A345

SAKUMA, K., 57

SALDANHA, F. M., A159

SAMESHIMA, T., A173

Sampson, J. F., A261

SAMRA, S. K., 641, A233, A281

SAMSON, F., A282

SANDERSON, A. C., 462, A129

SANTIAGO, T. V., 244

Saralasin, see under Anesthetic techniques, hypotension, induced; Pharmacology; Polypeptides

SARNAT, A. J., A128

SATINOVER, I., A10

SATO, T., 598

SATYANARAYANA, T., A170

SAUNDERS, R. J., 609, A110, A116, A120, A178

SAUNDERS, R. L., A152

SAVARESE, J. J., 1, 19, 292, A197, A198, A207

SCHAEFFER, D. B., A326

SCHAENZER, G., A64, A164

SCHAIBERGER, C. L., A152

SCHAUBLE, J. F., 709, A34, A112

SCHELLPFEFFER, D. A., A277

SCHLAG, G., A5

SCHLOBOHM, R. M., 53, 416

SCHMID, E. R., 668

SCHMIDT, C. R., A125

SCHMIDT, D., A311

SCHNEIDER, R. C., 292

SCHOEPPEL, S., A343

SCHONWALD, G., 550

SCHROEDER, J. S., A79

SCHULLER, J. L., 324 SCHULTETUS, R., A306, A308

SCHUSTER, D. P., A70

SCHWARTZ, A. J., 336

SCHWARTZ, M., A228

SCOTT, J. M., 645

SEBEL, P. S., 203, A174, A254

Seizures, see under Brain, convulsions; Complications, convulsions; Toxicity, convulsions

Selected ion monitoring, see under Measurement techniques

SELTZER, J. L., A322, A341

Septicemia, see under Infection SETHNA, D., A24, A43, A46

SEVERINGHAUS, J. W., 62

SHAMSI, H. H., A307

SHAPIRO, H. M., A225, A264, A265

SHAPIRO, S. F., A74

SHARBROUGH, F. W., 110, 636

SHEPHERD, N. J., 190

SHERMAN, J., 482

SHIER, N., A337

SHIGEZAWA, G. Y., A271, A364

SHIH, A., A115

SHIHABI, Z., A302

SHIMOSATO, S., A67

SHINOZUKA, T., A91, A92, A235

SHIPLEY, R., 184

SHIU, G. K., A239, A266, A269

Shivering, see under Temperature

Shock, hemorrhagic, crystalloid versus colloid fluid therapy in (abstr)
[Masud & Masud], A96

resuscitation, effects of counterpressure on hemodynamics during (abstr) (Massion & others), A90

septic, dopamine and dobutamine compared in (abstr) [Majerus & others], A94

tissue perfusion, and cardiac output, influence of ketamine anesthesia on, in rats subjected to hemorrhage [Idvall], 297

SHOEMAKER, W. C., A9, A136

SHOENWALD, R. D., A226

SHOKES, L. K., A320

SHOWMAN, A., 714

SHULMAN, M. S., 82

Shunt(ing), see under Heart; Lung; Oxygen, gradients; Ventilation

SHUPAK, R. C., A11, A230

SHWIRY, B., A234

SIDHU, M. S., A310

SILL, J. C., A113

SINCLAIR, I., 86

SINGH, P., A167

SINHA, K., A352, A363

Sinoatrial node, see under Heart

SIWEK, L. G., A15

SKOVSTED, P., 256

SLADEN, R. N., A73

SLATER, E. E., A250

SMITH, D. J., A243

SMITH, D. S., A193

SMITH, G., 479

SMITH, L. R., 82, A26, A44, A259

SMITH, M., A208

SMITH, N. T., A126, A128, A130

SMITH, R. B., A71, A105, A370

SMITH, Т. С., А384

SNIDER, M. T., A368

SNYDER, E., A82, A87

SODAL, I. E., A331, A333 Sodium nitroprusside, see under Anesthetic techniques, hypotension,

induced SOHN, Y. J., 6, 446

SOKOLL, M. D., 148, 542

SOKOLOFF, L. A389

Solubility, partition coefficients, enflurane blood-gas: influenc∈ of weight, hemoglobin, and hematocrit (abstr) [Borel & others], A195

of nitrous oxide in olive oil, new value for (correspondence) [Cooper & Joseph], 716

SONI, V., A145

SØRENSEN, H. R., 256, 263

SØRENSEN, P. M., 263

SOUTHORN, P. A., A113, A367

SPAIN, J. A., 707

SPARKS, J., A45

SPERELAKIS, N., 360, A216

Spermatotoxicity, see under Toxicity

SPIELHOLZ, N. I., A160

SPIELMAN, F., 377, A348, A349

SPIELMAN, S. R., 186

SPIERDIJK, J., A255

Spinal anesthesia, see under Anesthetic techniques

Spinal cord, injuries, chronic, cardiovascular complications during anesthesia in (medical intelligence) [Schonwald & others], 550

paraplegia, effect of, on neuromuscular function in rat [Carter & others], 542

transection, effect of, on neuromuscular function in rat [Carter & others], 542

SPOHR, G. L., A306, A308, A311

SPRAGG, R. G., A376

SPRAY, T., A32, A39

SRINIVASAN, T., A298

Stadol, see Analgesics, narcotic, butorphanol

STANDAERT, F. G., A390

STANLEY, T. H., A42, A47, A48, A121, A222, A246, A255

STANSKI, D. R., 631, A175, A176, A253, A391

Stapedial reflex, see under Measurement techniques

STARK, R. I., 57

STARR, N. J., A125

STEHLING, L. C., 484

STEIN, J. M., 694

STEINBEREITHNER, K., A5

STEINBERG, R., A36

STEVENSON, R. L., A194

STEVENSON-SMITH, W., A11

STEWART, E. T., 605

STEZOSKI, W. S., A99, A224

Stimulator, nerve, see under Equipment; Monitoring; Nerve; Neuromuscular transmission

STIRT, J. A., A210

STITTS, J. M., 611

Stomach, see under Gastrointestinal tract; Vomiting

STONE, J. G., A8, A31

STROPE, E. R., A137

STROUT, C. D., 322

STULLKEN, E. H., 392

Succinylcholine, see under Neuromuscular relaxants

SUDAN, N., A337

Sufentanil, see under Analgesics; Anesthetics, intravenous

SUGERMAN, H. J., 604

SULLIVAN, S. F., A271, A364

SUMI, M., A161

Surgery, cardiac, alveolar-arterial O₂ difference as index of Q₂/Q
, in perioperative period in (abstr) [Keefer & others], A82

cardioplegia, clear, in myocardial protection, blood versus (abstr)
[Buttner & others], A26

cardioplegia, cold, for, reperfusion K+ and cardiac activity after (abstr) [Buttner & others], A21

cardioplegia, myocardial preservation with lidoflazine prior to, in anesthetized dogs (abstr) [Kates & others], A27

cardiopulmonary bypass, airway heat transfer after (abstr) [Abrams & others], A29

cardiopulmonary bypass, antidiuretic hormone responses during, with sufentanil-oxygen and alfentanil-oxygen anesthesia in man (abstr) [deLange & others], A47

cardiopulmonary bypass, blood vs. clear cardioplegic myocardial protection for (abstr) [Buttner & others], A26

cardiopulmonary bypass, effects of protamine sulfate on myocardial oxygen supply and demand following (abstr) [Sethna & others], A24

cardiopulmonary bypass, enflurane reduces systemic pressure during, more effectively than halothane (abstr) [Doherty & others], A40

cardiopulmonary bypass, heparin requirements and autotransfusion during (abstr) [Mummaneni & others], A28

cardiopulmonary bypass, hypothermic, cyanide release by nitroprusside during (abstr) [Geller & others], A20

cardiopulmonary bypass, postoperative course of, relationship of plasma fentanyl levels to (abstr) [Howie & others], A45

cardiopulmonary bypass, pulsatile, and non-pulsatile, prostaglandin changes during (abstr) [Philbin & others], A23 cardiopulmonary bypass, rectal temperature is best indicator of adequate rewarming during (correspondence) [Azar], 189

congenital defects, hemodynamic effects of Dobutamine in (abstr)
[Jose & others], A61

congenital heart correction, transport of children following (abstr) | | Sudan & others|, A337

coronary artery, amiodarone-induced complications during (clinical report) [Gallagher & others], 186

coronary artery, left ventricular end-diastolic pressure (LVEDP) as index for nitrous oxide use during (clinical report) [Balasaraswathi & others], 704

coronary artery bypass, alfentanil-oxygen anesthesia in, comparison of continuous infusion and frequent bolus techniques for (asstr) [deLange & others], A42

coronary artery bypass antidiuretic hormone responses during, with sufentanii-oxygen and alfentanii-oxygen anesthesia in man (abstr) [deLange & others], A47

coronary a tery bypass, are there legitimate emergencies? (abstr) [Mears & others], A22

coronary artely bypass, blood vs. clear cardioplegic myocardial protection for (abstr) [Buttner & others], A26

coronary artery hypass, cardiac oxygen balance following, effect of dobutamine on (abstr) [Sethna & others], A43

coronary artery bypass, cardiovascular effects of ORG-NC45 (Norcuron®) in patients undergoing (abstr) [Morris & others], A205

coronary artery bypass, effects of digoxin on myccardial oxygen supply and demand following (abstr) [Sethna & others], A46

coronary artery bypass, effects of lidocaine, propranolol and bretylium on reperfusion dysrhythmias during (abstr) [Curling & others], A52

coronary artery bypass, enflurane reduces systemic pressure during, more effectively than halothane (abstr) [Doherty & others], A40

coronary artery bypass, epinephrine and nitroprusside during (abstr) [Cruchley & Kaplan], A41

coronary artery bypass, heart elaboration and extraction of catecholamines during reperfusion in (abstr) [Reves & others], A44 coronary artery bypass, heparin requirements and autotransfusion during (abstr) [Mummaneni & others], A28

coronary artery bypass, influence of chronic preoperative betaadrenergic-blocker therapy on intraoperative cardiovascular dynamics and narcotic requirements during (abstr) [Stanley & others], A48

coronary artery by pass, isoflurane sympathoadrenal responses during, in man, compared to enflurane and halothane (abstr) [Glisson & Balasaraswathi], A296

coronary artery bypass, reperfusion K* and cardiac activity after cold cardioplegia for (abstr) [Buttner & others], A21

coronary artery bypass, with or without pulsatile flow, prostaglandin changes during (abstr) [Philbin & others], A23

coronary artery spasm during general anesthesia for (clinical report) [Buffington & Ivey], 466

hematological effects of (abstr) [Pearl & others], A73

hemodynamic changes prior to and after sternotomy in, in patients anesthetized with high-dose fentanyl (clinical report) [Edde], 444

increased heparin requirement in, with hypereosinophilic syndrome (clinical report) [Hanowell & others], 450

optimum relaxant for high-dose fentanyl induction for (abstr) [Hill & others], A208

valve replacement, pre-bypass IV fluid loading in, tolerance to (abstr) [Stone & others], A31

valvular replacement, calcium chloride in adults in (abstr) [Geller & others], A62

cardiovascular, cardiopulmonary bypass, monitoring during (correspondence) [Granwehr], 338

efficacy of warming blankets in (abstr) [Noback & Tinker], A118 transfusion requirements following blood loss in (abstr) [Kodali & others], A30

carotid endarterectomy, bypass blood flow during [Fan & others], 305

cervical plexus block for (abstr) [Satyanarayana & others], A170 hemiparesis following: comparison of monitoring methods (clinical reports) [Grundy & others], 462

dicephalus dipus conjoined twins, surgical field flash fire during separation of (clinical report) [Ashcraft & others], 457

endarterectomy, carotid, failure of nasal plethysmography to estimate cerebral blood flow during (clinical report) [Cucchiara & Messck], 585

laparoscopy, in tubal ligation, anesthetic techniques for (abstr) [Soni & Burney], A145

laryngeal, carbon dioxide laser microsurgery, risk of endotracheal intubation for (correspondence) [Palas], 714

laser, protection of endotracheal tubes during (correspondence)
[Ngeow & Kashima], 710

laryngoscopy, laser, endotracheal tube fire induced by (clinical report) [Cozine & others], 583

laser, laryngeal, protection of endotracheal tubes during (correspondence) [Ngeow & Kashima], 710

maxillofacial, pediatric, difficult endotracheal intubation in: new approach to retrograde technique (clinical report) [Borland & others]. 577

microsurgery, laryngeal, endotracheal tube is not necessary for (correspondence) [Talmage], 332

neurologic, and hypertension and mortality in neuro ICU patients (abstr) [McKay & others], A101

posterior fossa, of acoustic neurinomas, respiratory complications following (abstr) [Clergue & others], A362

posterior fossa, cerebellopontine angle, BAEP monitoring during (abstr) [Grundy & others], A127

orthopedic, effects of propranolol on cardiovascular and renin-angiotensin systems during hypotension produced by sodium nitroprusside in humans for [Marshall & others], 277

outpatient, efficacy of oral premedication in children for (abstr) [Brzustowicz & others], A328

pediatric, bronchoscopy, tension pneumothroax during (clinical report) [Gallagher & Muller], 681

pheochromocytoma, ORG NC45 (Norcuron®) and (clinical report) [Gencarelli & others], 686

preoperative risk, cardiac, evaluation of, in noncardiac surgical patients (abstr) [Waters & others], A343

tracheostomy, in epiglottitis in adult (clinical report) [Bishop], 697 urologic, paralysis of phrenic and recurrent laryngeal nerves following (clinical report) [Baraka & others], 78

prostate resection, transurethral, visual changes and its relation to serum glycine during (abstr) [Ovassapian & others], A108

vascular, aorta, abdominal, reconstructive surgery of, STI monitoring of hemodynamic changes during (abstr) [Dauchot], A132

carotid, endarterectomy, brain monitoring during (abstr) [Grundy & others], A12

carotid, prognostic value of computerized EEG monitoring during (abstr) [Rampil & others], A126

infrarenal aortic cross-clamp in, intranasal nitroglycerin during (correspondence) [Moon & others], 191

perioperative fluid management in, influence of dopamine on (abstr) [Rosenbaum & others], A95

Sussman, M. D., 277 Sutherland, J. B., 409 Swain, R. F., A80 SWAN, D. M., 577

SWARTZMAN, S., A105

SWEDLOW, D. B., A328, A336

SWENSON, P. C., 607

Sympathetic nervous system, alpha-adrenergic blockade, specificity of, by droperidol (abstr) [Ramanathan & others], A7

alpha-adrenergic receptors, perfusion pressure, and renin-angiotensin system mediate halothane induced changes in renal function (abstr) [Bastron & Enser], A273

anesthesia, in study of myocardial functional and metabolic effects of isoflurane as compared to those of halothane and enflurane [Merin], 398

beta-adrenergic blockade, Basenji-Greyhound dogs show altered beta adrenergic responses (abstr) [Hirshman & others], A385

during nitroprusside-induced hypotension, propranolol pretreatment and (abstr) [Khambatta & others], A8

in study of enflurane-ventricular dynamics in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others]. A5

beta-adrenergic blocking drugs, influence of, on intraoperative cardiovascular dynamics and narcotic requirements in coronary artery disease (abstr) [Stanley & others], A48

and sodium nitroprusside, combined effects of, on hypoxic pulmonary vasoconstriction (abstr) [Benumof & others], A378

catecholamines, in anesthetized hypertensive rats (abstr) [Althaus & Miller], A66

concentrations, hemodynamics, and plasma histamine, during anaphylactoid reaction to morphine (clinical report) [Fahmy], 329 during nitroprusside-induced hypotension, propranolol pretreatment and (abstr) [Khambatta & others], A8

epinephrine, arrhythmias induced by, and cardiovascular function after verapamil during halothane anesthesia in dog [Kapur & Flacke], 218

epinephrine, arrhythmias induced by: effects of hypothermia and anesthesia (abstr) [Ohmura & others], A54

epinephrine, following hemorrhage during deliberate hypotension (abstr) [Brown & others], A16

epinephrine,-halothane interactions in children (abstr) [Karl & others], A336

epinephrine, measurement of, in assessment of effect of spinal anesthesia on adrenergic tone and neuroendocrine responses to surgical stress in humans [Pflug & Halter], 120

epinephrine, measurement of, in study of hemodynamic and hormonal effects of high dose fentanyl vs. halothane for cardiac anesthesia (abstr) [Zurick & others], A248

epinephrine, and nitroprusside during coronary artery surgery (abstr) [Cruchley & Kaplan], A41

epinephrine, plasma, halothane and nitrous oxide induced increases in, study of thiopental blockage of (abstr) [Joyce & others], A272

epinephrine, in study of components of effective test dose prior to epidural block (clinical report) [Moore & Batra], 689

extraction of, heart elaboration and, during reperfusion (abstr) [Reves & others], A44

levels of, during hypotension following acute intracranial decompression (abstr) [Zurawski & others], A229

levels of, in response to isoflurane in man, compared to enflurane and halothane (abstr) [Glisson & Balasaraswathi], A296

maternal circulating, effects of spinal anesthesia on (abstr) [Abboud & others], A301

measurement of, in assessment of cyclopropane, halothane and ketamine effects on brainstem nuclei associated with cardiovascular and respiratory control (abstr) [Roizen & others], A288

norepinephrine, assessment of, during treatment of stress-induced

increases in pulmonary capillary wedge pressure using volatile anesthetics (clinical report) [Roizen & others], 446

norepinephrine, following hemorrhage during deliberate hypotension (abstr) [Brown & others], A16

norepinephrine, -inducible cyclic-AMP accumulation in rat cerebral cortex, alterations in, after various durations of global ischemia (abstr) [Henteleff & others], A239

norepinephrine, measurement of, in assessment of effect of spinal anesthesia on adrenergic tone and neuroendocrine responses to surgical stress in humans [Pflug & Halter], 120

norepinephrine, measurement of, in study of hemodynamic and hormonal effects of high dose fentanyl vs. halothane for cardiac anesthesia (abstr) [Zurick & others], A248

norepinephrine, plasma, halothane and nitrous oxide induced increases in, study of thiopental blockage of (abstr) [Joyce & others], A272

norepinephrine, and specificity of alpha blockade by droperidol (abstr) [Ramanathan & others], A7

plasma, hemodynamics and renin activity in critically-ill patients, effects of fentanyl-diazepam anesthesia on (abstr) [Lappas & othersl. A250

in study of myocardial functional and metabolic effects of isoflurane as compared to those of halothane and enflurance [Merin],

dobutamine, and dopamine, compared, in septic shock (abstr) [Majerus & others], A94

and dopamine, hemodynamic responses to, in severe metabolic acidosis in dogs (abstr) [Kosugi & others], A88

hemodynamic effects of, in children (abstr) [Jose & others], A61 dopamine, and dobutamine, compared, in septic shock (abstr) [Majerus & others], A94

and dobutamine, hemodynamic responses to, in severe metabolic acidosis in dogs (abstr) [Kosugi & others], A88

influence of, on perioperative fluid management (abstr) [Rosenbaum & others], A95

metabolic acidosis and, reduced glutathione modifies hemodynamic responses to (abstr) [Tajimi & others], A93

dystrophy, Horner's syndrome, in Pourfour Du Petit syndrome-hypersympathetic dysfunctional state following direct non-penetrating injury to cervical sympathetic chain and brachial plexus (clinical report) [Teeple & others], 591

ganglia, blockade of, in d-tubocurarine-induced hypotension in humans, role of histamine in [Moss & others], 19

ganglion blockade, following hemorrhage during deliberate hypotension (abstr) [Brown & others], A16

ganglionic blocking agents, and mechanism of tracheal constriction by succinylcholine [Koga & others], 138

pentolinium, deliberate hypotension with, survival with hemorrhage during (abstr) [Brown & others], A16

ganglionic transmission, effects of halothane on (abstr) [Bosnjak & Kampinel, A275

pheochromocytoma, ORG NC45 (Norcuron®) and (clinical report) [Gencarelli & others], 686

receptors, function of, clinical implications of, in anesthesia (medical intelligence) [Maze], 160

stress response, pulmonary capillary wedge pressure, treatment of, using volatile anesthetics (clinical report) [Roizen & others], 446

sympatholytic agents, amiodarone, -induced complications during coronary artery surgery (clinical report) [Gallagher & others],

improve anesthetic management in obstetrics (correspondence) [Downing & others], 334

nitroglycerin, hypoxemia induced by, deep breathing and (clinical report) [Kopman], 74

propranolol, effects of, on cardiovascular and renin-angiotensin

systems during hypotension produced by sodium nitropcusside in humans [Marshall & others], 277

propranolol, in study of enflurane-ventricular dynamics in intact, chronically instrumented dogs vs. in isolated heart preparations (abstr) [Zimpfer & others], A5

sympatholytics, reserpine, in study of possible mechanisms of phencyclidine alteration of MAC (abstr) [Raja & others], A223

Sympatholytic agents, see under Sympathetic nervous system Synapses, see under Anatomy; Brain; Neuromuscular junction SZYFELBEIN, S. K., A214, A338

SUNDER, N., A197, A198, A207

Tachyphylaxis, see under Immune response; Neuromuscular transmission

TAIT, A. R., A4, A16, A252

TAJIMI, K., A51, A88, A93

TAKEMORI, A., A148

TAKEZAWA, J., A297

TALMAGE, E. A., 332

Tamponade, see under Complications; Heart

TAN, P. L., A339

TANAKA, A., 598

TANOKURA, Y., A51

TANZ, R. D., A165

TARABAOKAR, S., A6

TARROW, A. B., and ERICKSON, J. C., III, Basic and Clinical Sciences in Anesthesiology (book review), 194

TASHIRO, C., A221

TAYLOR, S. M., A360

TAYLOR-BUSCH, M., A252

TCHOTOURIAN, S., A362

TEEPLE, E., 447, 591, 692

& othersl. 86

Temperature, airway heat transfer, after cardiopulmonary bypass (abstr) [Abrams & others], A29

body, adequate rewarming of, during cardiopulmonary bypass, rectal temperature is best indicator of (correspondence) [Azar], 189 after cardiopulmonary bypass in man (correspondence) [Caldwell

effects of opioid agonist-antagonists on: heterogenicity of receptor mechanisms (abstr) [Rosow & others], A245

skin vs. nasopharyngeal, Coretemp deep body thermometry system in in vivo measurement of (abstr) [Muravchick & Williams], A134

changes, different vulnerability of mammalian and amphibian nerves to (abstr) [Galindo & Witcher], A166

cold reduces potency of curare; not pancuronium (abstr) [Horrow & Bartkowski], A217

effect, on arterial blood-gas abnormalities, in correction of parameters, methodology compared (medical intelligence) [Andritsch & others], 311

hypothermia, in therapy of pressure-induced focal ischemia (abstr) [Albin & others], A268

local anesthetics and, effects of, on conduction velocity and amplitude of nerve electrical potentials (abstr) [Galindo & Witcher], A290

shivering, during epidural analgesia in women in labor (clinical report) [Webb & others], 702

tympanic vs. others, effect of site and time on (abstr) [Cork & others],

Temperature blankets, see under Complications; Equipment

Tension, see under Carbon dioxide; Cerebrospinal fluid, pressure; Eye, intraocular pressure; Oxygen; Temperature, vapor pressure

Teratogenicity, see under Pregnancy; Toxicity

TERBLANCHE, J., A261

Tetracaine, see under Anesthetics, local

THANTUM, E., A234

Theories of anesthesia, analgetic activities of dibutyryl cyclic GMP, acetylcholine, carbamycholine and morphine compared in (abstr) [Cohn & others], A294

anesthetic inhibition of cerebellar afferent pathways (abstr) [Triner & others], A285

anesthetics inhibit gaseous electron excitation (abstr) [Hameroff & others]. A291

barbiturate, and local anesthetic sites of action (abstr) [Kendig], A289 brain histamine: endogeneous system for mediating pain? (abstr) [Diamond & others], A286

GABA disposal, synaptosomal, effects of anesthetic agents on [Cheng & Brunner], 34

GABA metabolism, inhibition of, in rat brain synaptosomes by midazolam (RD-21-3981) [Cheng & Brunner], 41

local anesthetic and barbiturate sites of action (abstr) [Kendig], A289 opiate receptors, and β-endorphin in pregnant women at term (abstr) [Budiamal & others], A322

pressure reversal, of halothane's antiviral effect (abstr) [Nahrwold & others], A284

high pressure squeezes out anesthetics from phospholipid membrane (abstr) [Kamaya & others], A283

viruses as probes for study of anesthetic action (abstr) [Bedows & Knight], A351

with halothane, inhibition of GABA metabolism in rat brain slices in [Cheng & Brunner], 26

Thermodilution, see under Measurement techniques

Thiamylal, see under Anesthetics, intravenous

THIELE, B. L., A38

Thiopental, see under Anesthetics, intravenous; Anesthetics, rectal; Hypnotics, barbiturates

THOMAS, S. J., A57

THOMPSON, G. E., A146

THOMPSON, K. J., 589

Thrombosis, see under Complications

Thyroid, see under Hormones

TINKER, J. H., 636, A3, A22, A37, A118

TODD, E. P., A2

TODD, M. M., A225, A264, A265

Tolerance, see under Analgesics, narcotic; Potency, anesthetic

TOMMASINO, C., A225, A264

TOMPKINS, B. M. A231

TONNESEN, A. S., 676

TOSAKI, Y., A246

Toung, T. J. K., 184, A77, A305

Toxicity, anesthetic, halothane, exposure and murine progeny learning function (abstr) [Chalon & others], A227

of nitrous oxide, not of halothane (abstr) [Lane & others], A252 carcinogenicity, of enflurane, bioassay of, in mice (abstr) [Baden & others], A187

cardiac, and cerebral, of bupivacaine in presence of normokalemia versus hyperkalemia (abstr) [Avery & others], A164

of lidocaine, in adult, newborn, and fetal sheep [Morishima & others]. 57

cardiotoxicity, bupivacaine is more cardiotoxic than lidocaine (abstr)
[Loehning & Tanz], A165

cerebral, and cardiac, of bupivacaine in presence of normokalemia vs. hyperkalemia (abstr) [Avery & others], A164

convulsions, in lidocaine infusions in adult, newborn, and fetal sheep [Morishima & others], 57 fertility, abnormalities in mice, halothane plus N₂O:O₂ increases

(abstr) [Land & Owen], A196

fetal, of lidocaine, in sheep [Morishima & others], 57 hepatic, halothane, pharmacogenetics and (editorial views) [Brown], and reductive metaboism of halothane, genetic differences in, in three rat strains [Gourlay & others], 96

liver, ornithine decarboxylase levels in (abstr) [Van Dyke & others], A180

local anesthetics, convulsions, bupivacaine-induced, benzodiazepine treatment of (abstr) [de Jong & others] A158

metabolites, of halothane, genetic differences in, in three rat strains [Gourlay & others], 96

halothane hepatitis mystery and (editorial views) [Brown], 93 mutagenicity, lack of, in halothane exposure in mammals in vivo [Basler & Röhrborn], 143

sperm of anesthesiologists [Wyrobek & others], 527

neural, safety of chloroprocaine and (abstr) [Abouleish], A317 neurotoxicity, in lidocaine infusions in adult, newborn, and fetal sheep [Morishima & others], 57

local, of local anesthetics (abstr) [Barsa & others], A161 local, of local anesthetics (abstr) [Ravindran & others], A163 and nerve pathophysiology: new methods, normal values (abstr) [Myers & others], A172

spermatotoxicity, in anesthesiologists [Wyrobek & others], 527 teratogenicity, of nitrous oxide in fetal development and male fertility

in mice (abstr) [Mazze & others], A188 trace anesthetics, nitrous oxide contamination of operating room, effect of airway leak on (abstr) [Becker & others], A335

waste anesthetic gases, ASA brochure on, fails to consider prevention (correspondence) [Mazzel, 333

ASA brochure on, fails to consider prevention (correspondence) [Virtue], 332

TRABER, D. L., A76

TRABER, L. D., A76

Trachea, see under Airway; Lung(s)

Tracheostomy, see under Equipment; Surgery; Ventilation, artificial Transfusion(s), autotransfusion, heparin requirements and, during open heart surgery (abstr) [Mummaneni & others], A28

blood substitutes, Fluosol DA-20%, preoperative treatment of severely anemic patients with (abstr) [Tremper & others], A9

filters, microaggregate transfusion of granulocytes through (abstr) [Snyder & others], A87

fluorocarbons, preoperative treatment of severely anemic patients with (abstr) [Tremper & others], A9

following blood loss in cardiovascular surgery (abstr) [Kodali & others], A30

hydroxyethyl starch, progressive hemodilution with, cerebral cortical oxygenation and perfusion during (abstr) [Shinozuka & others], A91

leukocytes, granular, through microaggregate filters (abstr) [Snyder & others], A87

synthetic red cells, exchange blood transfusions with, in rats (abstr) [Djordjevich & others], A86

TRAYSTMAN, R. J., A98, A100, A356, A357

TREMPER, K. K., A9, A136

TREVOR, A. J., A186

Trimethaphan, see under Anesthetic techniques, hypotension, induced; Sympathetic nervous system, ganglionic blocking agents

TRINER, L., 482, A285, A295

TROOST, B. T., A129

TROUSDALE, F. R., 226, 381, A378, A379, A380

TRUDELL, J. R., A186

TSAI, S. K., 481

d-Tubocurarine, see under Neuromuscular relaxants

TUNG, A. S., A153, A154, A155, A171, A240

TUNICK, P., A57

TURNDORF, H., A7, A160, A170, A227, A332, A352, A363

TURNER, J. L., A142, A159

TURNER, L. A., A58 TURNER, M., A163 TURNER, P. A., A142, A312 TYRRELL, J. B., 686

UEDA, I., A283 UEHIRA, A., 598 URBAN, R. B., A302 Urine, see under Kidney Urologic surgery, see under Surgery

URZUA, J., A248
Uterus, arteries, human, action of local anesthetics on (abstr) [Gintautas & Kraynack], A324

effects of fentanyl on, and placental transfer of (abstr) [Craft & others], A320

VACANTI, F. X., A330, A334
Vagotomy, see under Parasympathetic nervous system
Vagus nerve, see under Parasympathetic nervous system
VALVERDE, A. M., A333
VAN DER AA, J., A131
VAN DORSEN, J. P., A315
VAN DYKE, R. A., A180, A181, A183
VAN ETTEN, A. P., A13, A14
VANTRIGHT, P., A32, A39
VARMA, A., A45
VASCULAR DEFENSIVE, See under Heart; Lung(s); Monitoring

Vascular resistance, see under Blood pressure; Lung(s) Vascular surgery, see under Surgery Vasopressin, see under Hormones, antidiuretic

VATNER, S. F., 236

VAUGHAN, R. W., A72, A135, A177, A179, A195, A213

Vein(s), internal jugular, cannulation of: cautionary note (correspondence) [Ellison & others], 336

cannulation of: variation on theme (correspondence) [Christian], 335

VELCEK, F., A327

VELOSKI, J. J., A341
Ventilation, after midazolam and thiopental in subjects with COPD
(abstr) [Gross & Smith], A384

airway occlusion pressure, responses to CO₂, in epidural morphine following epidural local anesthesia [Doblar & others], 423

airway pressure, continuous positive (CPAP) and expiratory positive (EPAP), lung volumes, mechanics, and oxygenation during spontaneous positive-pressure ventilation, compared [Schlobohm & others], 416

anesthetics, effect of, on thoracic gas volume and chest-abdomen dimensions [Hedenstierna & others], 499

apnea, effects of, and improving oxygenation during one-lung ventilation in dogs [Alfrey & others], 381

testing in diagnosis of brain death (abstr) [Kennedy & others], A267

carbon dioxide response, after epidural and I.V. morphine (abstr) [Nielsen & others], A372

airway occlusion pressure, in epidural morphine following epidural local anesthesia [Doblar & others], 423

curves, assessment of, in study of rostral spread of epidural morphine (abstr) [Bromage & others], A149

due to rib cage and to diaphragm motion after morphine [Rigg & Rondi], 507

due to rib cage and to diaphragm motion after morphine (editorial views) [Marsh & others], 491

effect of amino acid infusions on (abstr) [Weissman & others], A371

end-tidal, maternal, during general anesthesia (abstr) [Wheeler & others], A300

morphine, physostigmine and (abstr) [Smith & others], A374 to physostigmine, antagonist or not? (abstr) [Bourke & others], A373

with nalbuphine (abstr) [Gal & DiFazio], A375

carbon dioxide tension, in response to inhalation anesthesia and mechanical ventilation [Dueck & others], 127

in venous air embolism, possible persistent lung damage (abstr) [Stevenson-Smith & others], A11

continuous positive airway pressure, and HFJV with PEEP, renal and cardiovascular effects between (abstr) [Marquez & others], A68

controlled, after global brain ischemia in monkeys (abstr) [Gisvold & others]. A99

arterial-end tidal CO₂ gradients with (abstr) [Capan & others], A363

diaphragm, general anesthesia and (medical intelligence) [Schmid & Rehder], 668

motion, and changes in rib cage contributing to, after morphine [Rigg & Rondi], 507

motion, and changes in rib cage contributing to, after morphine (editorial views) [Marsh & others], 491

and thoracic gas volume and chest-abdomen dimensions during anesthesia and muscle paralysis [Hedenstierna & others], 499 distribution, canine, in response to inhalation anesthesia and mechanical ventilation [Duck & others], 127

effect of intercostal nerve block, with 0.5% bupivacaine (abstr) [Cory & Horton], A144

effects of L- and L-, D-pentazocine on EEG and (abstr) [Enomoto & others], A297

failure, lung volumes, mechanics, and oxygenation during spontaneous positive-pressure ventilation in: advantage of CPAP over EPAP [Schlobohm & others], 416

gas trapping, assessment of, in study of thoracic gas volume and chest-abdomen dimensions during anesthesia and muscle paralysis [Hedenstierna & others], 499

high frequency, arterial-end tidal CO₂ gradients with (abstr) [Capan & others], A363

bronchofiberscopic (abstr) [Ramanathan & others], A352

double lumen tracheal tubes for, application of (abstr) [Babinski & others], A370

during bronchopleural fistula (abstr) [Hoff & others], A71

and intermittent mandatory, hemodynamic effects of, in patients with acute respiratory failure (abstr) [Masud & others], A355 jet ventilation, airway diameters in (abstr) [Calkins & others], A366

jet ventilation, CPAP and, with PEEP, renal and cardiovascular effects between (abstr) [Marquez & others], A68

jet ventilation, during acute lung injury (abstr) [Schuster & Klain], A70

jet ventilation, hemodynamic effects of (abstr) [Otto & others], A69

measurement of alveolar pressures during (abstr) [Fletcher & Enstein]. A358

oscillation and mean lung volume (abstr) [Kolton & others], A353 peripheral circulatory changes with (abstr) [Gioia & others], A357 pulmonary blood flow during (abstr) [Gioia & others], A356

role of conducting airways in N_2 -washout during (abstr) [Eriksson], A354

intermittent mandatory, and high frequency, hemodynamic effects of, in patients with acute respiratory failure (abstr) [Masud & others], A355

intermittent positive-pressure breathing, in study of thoracic gas

volume and chest-abdomen dimensions during anesthesia and muscle paralysis [Hedenstierna & others], 499

tension pneumoperitoneum following (clinical report) [Roberts & others], 326

one-lung, and surgical manipulation, intrapulmonary shunting during (abstr) [Andersen & Benumof], A377

oxygen tension (gradients), assessment of, during spontaneous positive-pressure ventilation: advantage of CPAP over EPAP [Schlobohm & others], 416

canine, in response to inhalation anesthesia and mechanical ventilation (Dueck & others], 127

effects of PEEP on, in resolution of experimental lung injury (abstr) [Cheney & others], A75

measurement of, in calculation of venous admixture (abstr) [Maffeo & others], A80

in obesity, alternative position for? (abstr) [Finley & others], A72 in venous air embolism, possible persistent lung damage (abstr) [Stevenson-Smith & others], A11

perfusion, effects of PEEP on, in resolution of experimental lung injury (abstr) [Cheney & others], A75

in response to inhalation anesthesia and mechanical ventilation [Dueck & others], 127

pneumoperitoneum, cardiopulmonary effects of (abstr) [Shapiro & others], A74

positive end-expiratory pressure(s), CPAP and HFJV with, renal and cardiovascular effects between (abstr) [Marquez & others], A68

effect of, on cerebral blood flow and cerebrospinal fluid pressure in goats [Doblar & others], 244

effect of, on left ventricular mechanics in patients with hypoxemic respiratory failure [Prewitt & others], 409

effects of, on carotid blood flow during closed chest CPR in dogs (abstr) [Ido & others], A102

(abstr) [100 & others], A102 effects of, on improvement of oxygenation during one-lung ventilation in dogs [Alfrey & others], 381

effects of, on resolution of experimental lung injury (abstr) [Chenev & others]. A75

extubation from ambient or, in adults [Quan & others], 53

high frequency ventilation with and without, hemodynamic effects of (abstr) [Otto & others], A69

spontaneous, lung volumes, mechanics, and oxygenation during, advantage of CPAP over EPAP [Schlobohm & others], 416 unilateral, effect of, on gas exchange and pulmonary perfusion

in canine lobar pneumonia [Light & others], 251

rebreathing, in T-piece circuits, factors affecting (correspondence) [Byrick], 85

in T-piece circuits, factors affecting (correspondence) [Keenan], 84

rib cage, changes in, and diaphragm contribution to, after morphine [Rigg & Rondi], 507

changes in, and diaphragm contribution to, after morphine (editorial views) [Marsh & others], 491

general anesthesia and (medical intelligence) [Schmid & Rehder],

shunting, and alveolar-arterial O₂ difference in evaluation of Q₂/Q₃ (abstr) [Keefer & others], A82

and direct and indirect effects of P_AO₂ and P_VO₂ on hypoxic pulmonary vasoconstriction (abstr) [Pease & others], A380

during crystalloid vs. colloid fluid therapy in hemorrhagic shock (abstr) [Masud & Masud], A96

ethrane and halothane anesthesia increases shunt (Q,/Q) in goats following acid aspiration (abstr) [Pavlin & others], A382

in fluid resuscitation, lung water accumulation and (abstr) [Merrill & others], A78

how cardiac output alters (abstr) [Bishop & others], A359

in hypoxic pulmonary vasoconstriction and size of hypoxic compartment (abstr) [Benumof & others], A379

intrapulmonary, during one-lung ventilation and surgical manipulation (abstr) [Andersen & Benumof], A377

intrapulmonary, and lung weight in lung edema (abstr) [Toung & others], A77

measurement of, in calculation of venous admixture (abstr) [Maffeo & others], A80

in pneumoperitoneum (abstr) [Shapiro & others], A74

in response to inhalation anesthesia and mechanical ventilation [Dueck & others], 127

support, and renal function (review) [Berry], 655

transtracheal, emergency (correspondence) [deLisser & others], 606
vs. tracheal intubation in dogs (abstr) [Swartzman & others], A105
ventilation [] erfusion, in venous air embolism, possible persistent
lung damage (abstr) [Stevenson-Smith & others], A11

Ventilators, with eight anesthetic circuits used on children, wasted ventilation with (abstr) [Coté & others], A334

Ventricles, see under Heart

Verapamil, see under Anesthetic techniques, hypotersion, induced; Pharmacology

VEREEN, L., 676

VERLEE, T. R., 292

VERMA, T. K., A368

VEROSKY, M., A285, A295

VIARS, P., A362

VIBY-MOGENSEN, J., 231, 429, 458

VINIK, R., A262

VIRTUE, R. W., 332, 707

VOGEL, S., 360, A216

VOGEL, W. H., A322

Vomiting, antiemetics, droperidol, effect of, in reducing vomiting in pediatric stabismic outpatient surgery (abstr) [Abramowitz & others], A329

droperidol, and metoclopramide, antiemetic effect of (abstr) [Cohen & ohters], A303

metoclopramide, and droperidol, antiemetic effect of (abstr) [Cohen & others], A303

aspiration, sodium bicarbonate, injection, U.S.P. as oral antacid in prophylaxis of, for emergency cesarean section patients (abstr) [Lim & Tan], A339

premedication in prophylaxis of, in outpatient anesthesia (abstr) [Chen & Watkins], A280

VREDEVOE, L. A., 581

VULLIEMOZ, Y., A285, A295

WADE, L. D., A17

WALKER, S. E., 487

WALLER, J. L., 212, A133

WALTS, L. F., 104, A210

WANG, B. C., A160

WANG, J. Y., A171

WARD, C. F., A345

WARD, D. S., 80 WARD, K., 645

WARD, R. J., 87, A38

WARK, J., A141

WASSE, L., A38

WATCHMAKER, G., 527

Water intoxication, see under Fluid balance

WATERS, J., A343

WATERSON, C. K., A69, A366

WATKINS, C. A., A189

WATKINS, M. L., A280

WATKINS, W. D., A23

WATT, R. C., A291

WAUD, B. E., 12 WAUD, D. R., 12

WAUQUIER, A., 203, A254

WAYNE, R., A386 WEAVER, D. C., 578

WEBB, P. J., 702

WEBSTER, M. W., 462, A129

WECHSLER, A., A32, A39

Weight, body, see under Complications, obesity; Pharmacokinetics, uptake

WEIR, D. G., 645

WEISS, J. B., A299, A309, A319 WEISSMAN, C., A95, A371

WELCH, J., A219 WELCH, J. P., A334

WELCH, W. D., 650, A293

WELSH, F. A., 495

WHEELER, A. S., 702, A300, A302

WHELCHEL, J., A262

WIDMER, S. J., A20, A62 WILDER, R. J., A90

WILKINSON, C., A343 WILKINSON, P. L., A40, A205

WILLIAMS, A., A134

WILLIAMS, V., A315

WILSON, A. I., A188

WILSON, E., A71

WILSON, M., A105

WILSON, P. R., 520 WINGARD, D. W., 327, A292

WINN, R., A382

WINTER, P., A153

WITCHER, T., A166, A290

WOLF, S., 83, 337, 597

WOOD, J. B., A334

WOOD, L. D. H., 251, 409, 537

Woods, W. A., A303

WOODSIDE, J. R., Jr., A18

WOOLF, W. A., A320 WOOTEN, D. J., A294

WRIGHT, B., A2

Wu, W-H, A115, A191

WYNER, J., A303

WYROBEK, A. J., 527

YAKSH, T. L., A154, A155, A171

YAMABAYASHI, H., A361

YAMUT, F., 78

YANAGIDA, H., 515

YARED, J. P., A248

YAZAKI, S., A190, A382

YAZIGI, W., 78

YEH, C., A279

YELICH, S., A347

YONEZAWA, T., 286

YOSHIMURA, N., A173 YOSHIYA, I., A221, A297, A361

YOUNG, W. G., 62

Yun, H., A200, A201, A202

YUSUF, S., 349

ZACCARI, J., A293

ZAIDAN, J. R., A33, A52, A59

ZAMOST, B. G., 376

ZARET, B., A6

Zasslow, M. A., A379

ZAUDER, H. L., 484

ZBUZEK, V. K., A191

ZIMPFER, M., A5

ZORN, G., A21

ZUCKER, J. R., A182

ZURAWSKI, G. F., A229

ZURICK, A. M., A248 ZWISCHENBERGER, J. B., A15